

FILED

OCT - 3 2003

HEARING BOARD
BAY AREA AIR QUALITY
MANAGEMENT DISTRICT

MARY ROMAIDIS
CLERK
HEARING BOARD
BAY AREA AIR QUALITY
MANAGEMENT DISTRICT

BEFORE THE HEARING BOARD
OF THE
BAY AREA AIR QUALITY MANAGEMENT DISTRICT
STATE OF CALIFORNIA


In the Matter of the Application of)
)
HEXCEL CORPORATION)
)
For an Emergency Variance from)
Regulation 2, Rule 1, Section 307;)
Regulation 8, Rule 12, Sections 302 and)
305; Regulation 8, Rule 16; Regulation 8,)
Rule 36, Section 301 and NSPS, Part 60,)
Subpart VVV, including 60.742 (c) (1))
_____)

No. 3437

ORDER DISMISSING
EMERGENCY VARIANCE

The above-entitled matter, being an Application for an Emergency Variance from Regulation 2, Rule 1, Section 307; Regulation 8, Rule 12, Sections 302 and 305; Regulation 8, Rule 16; Regulation 8, Rule 36, Section 301 and NSPS, Part 60, Subpart VVV, including 60.742 (c) (1) having been filed on September 25, 2003; the Applicant having withdrawn its Application on September 29, 2003;

FOR GOOD CAUSE, in accordance with Section 5.7 of the Hearing Board Rules, the HEARING BOARD ORDERS that the Application be and is hereby dismissed.



Thomas M. Dailey, M.D., Chair

9.30.03
Date

ALB