

PUBLIC NOTICE

October 28, 2002

To: Parents and guardians of students enrolled at East Bay French American School

Persons at residences or other properties within 1000 feet of the two sheetfed printing presses located at 2800 7th Street in Berkeley, CA

From: Bay Area Air Quality Management District

Re: Two Sheetfed Printing Presses
Packworks, LLC, Berkeley, CA
Permit Application # 5132

ALAMEDA COUNTY

Roberta Cooper
Scott Haggerty
(Vice-Chairperson)
Nate Miley
Shelia Young

CONTRA COSTA COUNTY

Mark DeSaulnier
Mark Ross
Gayle Uilkema

MARIN COUNTY

Harold C. Brown, Jr.

NAPA COUNTY

Brad Wagenknecht

SAN FRANCISCO COUNTY

Chris Daly
Leland Yee
(Vacant)

SAN MATEO COUNTY

Jerry Hill
Marland Townsend
(Secretary)

SANTA CLARA COUNTY

Randy Attaway
(Chairperson)
Liz Kniss
Julia Miller
Dena Mossar

SOLANO COUNTY

John F. Silva

SONOMA COUNTY

Tim Smith
Pamela Torliatt

William C. Norton
**CEO/EXECUTIVE
SECRETARY**

Ellen Garvey
**AIR POLLUTION
CONTROL OFFICER**

Summary

The Bay Area Air Quality Management District (the "District") is the local agency that regulates stationary sources of air pollution such as factories, industrial sites, and gasoline stations in the Bay Area.

Under State law, the District must notify parents and neighbors before issuing a permit for a project that will increase emissions of any toxic air contaminant near a school. The purpose of this notice is to inform you of one such project. Packworks, LLC has applied for a permit to operate two sheetfed printing presses at a site located at 2800 7th Street in Berkeley, CA. This project is located near the following school: East Bay French American School.

Project Emissions

The project will increase emissions of the following toxic air contaminant(s):

Toxic Air Contaminant	Annual Emission (lb/year)	BAAQMD Screening Level ¹ (lb/year)	Percent of Screening Level (%)
Total Annual Emissions (including 2-Butoxy Ethanol, Glycol Ethers, and Isopropyl Alcohol)	696	3,900	17.8%

All projects must comply with the District's Risk Management Policy, which establishes an acceptable annual emission rate, or a screening level, for each toxic air contaminant. A health risk screening analysis report shall be prepared if the project emissions exceed any of the screening levels listed in Table 2-1-316 of District Regulation 2, Rule 1. For this project, each of the calculated annual emissions shown above is less than its respective screening level, and therefore, is considered acceptable in accordance with the District's Risk Management Policy. The District plans to issue a Permit to Operate for the project and will impose permit conditions to ensure that annual toxic emissions remain well below their respective screening levels. The District's Risk Management Policy can be viewed on our website at

¹ BAAQMD screening levels of the toxic air contaminants are the following:

2-Butoxy Ethanol: 3,900 lb/year
Glycol Ethers: 3,900 lb/year
Isopropyl Alcohol: 440,000 lb/year

<http://www.baaqmd.gov/permit/toxics/rmpgen.htm> or you may request a copy of the Risk Management Policy by calling the District Permit Services Division at (415) 749-4990.

Public Comment Period

There is a thirty-day period for public response to this proposal. **The public comment period for this project will end on November 27, 2002.** If you wish to comment on the proposed project, you may make your comments in writing or by email. Please address them to:

**BAAQMD
Packworks, LLC Public Notice Response
Attn: Donald P. Van Buren, P.E.
939 Ellis Street
San Francisco, CA 94109
dvanburen@baaqmd.gov**

Alternatively, you may call (415) 749-4746 and leave a message up to one minute in length. Please include your name and mailing address, or name and telephone number, so that a District staff person may respond to your message.

H:\pub_data\watersbill\app5324/Notice1.doc