

PUBLIC NOTICE

May 5, 2004

TO: Parents or guardians of children enrolled at the following schools:
Jefferson Union High School District
Christopher Columbus School

ALAMEDA COUNTY
Roberta Cooper
Scott Haggerty
(Chairperson)
Nate Miley
Shelia Young

All residential and business neighbors located within 1,000 feet of the proposed new or modified source(s) of air pollution listed below.

FROM: Bay Area Air Quality Management District

CONTRA COSTA COUNTY
Mark DeSaulnier
Mark Ross
Gayle Uilkema
(Secretary)

RE: Permit Application for the following source(s) of air pollution:
Emergency Diesel Generator
Comcast Communicator
699A Serramonte Blvd.
Daly City, CA 94015

MARIN COUNTY
Harold C. Brown, Jr.

NAPA COUNTY
Brad Wagenknecht

The Bay Area Air Quality Management District (the "District") is a local agency that regulates stationary sources of air pollution such as factories, industrial sites, and gasoline stations.

SAN FRANCISCO COUNTY
Chris Daly
Jake McGoldrick
Vacant

Whenever we receive a permit application for a new or modified source(s) of toxic air contaminants located within 1,000 feet of a school site, State law requires that we notify the public. To comply with this requirement, we distribute or mail a Public Notice to the parents or guardians of students enrolled at schools located within ¼ mile, and all residents and businesses located within 1,000 feet, of the proposed source(s).

SAN MATEO COUNTY
Jerry Hill
Marland Townsend
(Vice-Chairperson)

SANTA CLARA COUNTY
Erin Garner
Liz Kniss
Patrick Kwok
Julia Miller

You are receiving this Public Notice because a permit application has been filed with the District for the above referenced source(s) of air pollution. A description of the proposed project follows:

SOLANO COUNTY
John F. Silva

SONOMA COUNTY
Tim Smith
Pamela Torliatt

Caterpillar 3412 Diesel Generator; 500KW (749 BHP Emergency Generator), abated by a diesel particulate filter-catalyzed DPF (Clean Air Permit Filter System) would operate for no more than 100 hours for maintenance and testing purposes. However if a blackout were to occur, the facility would be able to operate until power was restored.

Jack P. Broadbent
EXECUTIVE OFFICER/APCO

The District has determined that the increase in health risks resulting from toxic air contaminant emissions from the proposed source(s) is within acceptable levels, and that the project will comply with all other applicable air pollution control requirements. Accordingly, the District plans to issue a Permit to Operate for the proposed project.

If you are interested in getting more information on the District's evaluation of this proposed project, you may request copies of the applicable staff report(s) by calling the District at the telephone number listed at the end of this notice. This information also can be viewed or downloaded from the District website at <http://www.baaqmd.gov/permit/pn.htm>.

PUBLIC COMMENT PERIOD

There is a 30-day period for public response to this proposal. If you wish to comment on the proposed project, you may do so in writing or by e-mail. Alternatively, you may call and leave a telephone message up to one minute in length, so that a District staff member may respond to your message.

Please use the following contact information if you would like to comment on the proposed project:

Mailing address: BAAQMD
Comcast Communications Notice Response
Permit Services Division
939 Ellis Street
San Francisco, CA 94109
Attn: Irma Salinas

E-mail address: isalinas@baaqmd.gov

Telephone Number: (415) 749-5040

The public comment period for this project ends on June 3, 2004.