

HEARING BOARD CALENDAR

BAY AREA AIR QUALITY MANAGEMENT DISTRICT

STATE OF CALIFORNIA

939 Ellis Street
San Francisco, California 94109
(415) 749-5073

THURSDAY, AUGUST 14, 2014

NO SCHEDULED HEARINGS

CONTACT: SEAN GALLAGHER, CLERK OF THE BOARDS

939 ELLIS STREET, SAN FRANCISCO, CA 94109; PHONE: (415) 749-5073; FAX: (415) 928-8560; BAAQMD Homepage: www.baaqmd.gov. To request special accommodations for those persons with disabilities notification to the Executive Office should be given within three working days of the hearing so that arrangements can be made accordingly.

HEARING BOARD CALENDAR

BAY AREA AIR QUALITY MANAGEMENT DISTRICT

STATE OF CALIFORNIA

939 Ellis Street
San Francisco, California 94109
(415) 749-5073

THURSDAY, AUGUST 21, 2014

NO SCHEDULED HEARINGS

CONTACT: SEAN GALLAGHER, CLERK OF THE BOARDS

939 ELLIS STREET, SAN FRANCISCO, CA 94109; PHONE: (415) 749-5073; FAX: (415) 928-8560; BAAQMD Homepage: www.baaqmd.gov. To request special accommodations for those persons with disabilities notification to the Executive Office should be given within three working days of the hearing so that arrangements can be made accordingly.

HEARING BOARD CALENDAR

BAY AREA AIR QUALITY MANAGEMENT DISTRICT

STATE OF CALIFORNIA

939 Ellis Street
San Francisco, California 94109
(415) 749-5073

THURSDAY, AUGUST 28, 2014

NO SCHEDULED HEARINGS

CONTACT: SEAN GALLAGHER, CLERK OF THE BOARDS

939 ELLIS STREET, SAN FRANCISCO, CA 94109; PHONE: (415) 749-5073; FAX: (415) 928-8560; BAAQMD Homepage: www.baaqmd.gov. To request special accommodations for those persons with disabilities notification to the Executive Office should be given within three working days of the hearing so that arrangements can be made accordingly.

HEARING BOARD CALENDAR
BAY AREA AIR QUALITY MANAGEMENT DISTRICT
STATE OF CALIFORNIA

939 Ellis Street
San Francisco, California 94109
415-749-5073

THURSDAY, SEPTEMBER 4, 2014

9:00 – 9:30
a.m.

Hearing Board Conference (7th Floor Executive Conference Room)

- Election of Hearing Board Officers
- Consider the need for a revision to the Hearing Board Rules, dated June 2011
- Review draft Orders and provide direction to Hearing Board member overseeing the Order
- Review status reports from parties and report on Authority to Construct

Public Comment Period

Public Comment on Non-Calendared Items, Pursuant to Government Code Section 54954.3

Members of the public are afforded the opportunity to testify on any Docket on the Calendar. All Calendars for hearings are posted at the District headquarters, 939 Ellis Street, San Francisco, CA, at least 72 hours in advance of the hearings. At the beginning of the hearings on the calendared Dockets, an opportunity is also provided for the public to speak on items of interest to the public that are within the Hearing Board's subject matter jurisdiction currently not calendared. Speakers will be limited to three (3) minutes each.

9:35 a.m.

DOCKET NO. 3663 – Hearing held in Board Room – 7th Floor

AIR POLLUTION CONTROL OFFICER of the BAY AREA AIR QUALITY MANAGEMENT DISTRICT VS. GILBERTO ISLAS; NANCY RAMALES; and PASIANO ROMENO – Accusation of Violation of Regulation 2, Rule 1, and Request for Conditional Order for Abatement (Site No. B7969) – (HAYWARD) – *Hearing on Accusation*

Susan D. Adams, Assistant Counsel, Attorney for Complainant
Unknown, On Behalf of Respondents

Case Status:

*Immediately
Following
Hearing*

Hearing Board Conference (7th Floor Executive Conference Room)

- Review draft Orders and provide direction to Hearing Board member overseeing the Order
- Review status reports from parties and report on Emergency Variances
- Discuss Hearing Board future calendar and rules, as needed

CONTACT: SEAN GALLAGHER, CLERK OF THE BOARDS

939 ELLIS STREET, SAN FRANCISCO, CA 94109; PHONE: (415) 749-5073; FAX: (415) 928-8560; BAAQMD Homepage: www.baaqmd.gov. To request special accommodations for those persons with disabilities notification to the Executive Office should be given within three working days of the hearing so that arrangements can be made accordingly.