

FILED

JUN 23 2009

HEARING BOARD  
BAY AREA AIR QUALITY  
MANAGEMENT DISTRICT

Lisa Harper  
Clerk, Hearing Board  
Bay Area Air Quality  
Management District

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26

BEFORE THE HEARING BOARD  
OF THE  
BAY AREA AIR QUALITY MANAGEMENT DISTRICT  
STATE OF CALIFORNIA


In the Matter of the Application of )  
)  
)  
)  
**SCHNITZER STEEL PRODUCTS** )  
)  
)  
For a Variance from Regulation 2, Rule 1, )  
Section 307, insofar as it requires compliance )  
with Condition No. 24124-1 of Permit to )  
Operate No. 18078 )  
\_\_\_\_\_ )


No. 3567

ORDER FOR DISMISSAL

The above-entitled matter, being an Application for Variance from Regulation 2, Rule 1, Section 307 (Permit Condition #24124-1) having been filed on May 18, 2009; the Notice of Hearing having been filed on May 18, 2009; Applicant having withdrawn its Application for Variance on June 18, 2009;

FOR GOOD CAUSE, in accordance with Section 5.7 of the Hearing Board Rules, the HEARING BOARD ORDERS that the Application for a Variance be and is hereby dismissed.

  
\_\_\_\_\_  
Thomas M. Dailey, M.D., Chair

  
\_\_\_\_\_  
Date