

APPENDIX B-4

SUMMARIES OF TOXIC POLLUTANTS

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS

SORTED BY POLLUTANT

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Acetaldehyde	72	89	11	31000
Acrolein	3.9	8	2	210
Acrylic acid	190	4	0	40
Acrylonitrile	.67	4	4	200
Ammonia (NH3) pollutant	19300	66	20	2900000
Arsenic (all)	.024	378	33	12
Asbestos pollutant	.003	1	0	.000
Benzene	6.7	1402	183	51000
Benzyl chloride	2320	3	0	1100
Beryllium (all) pollutant	.015	379	13	1.100
Bromine	328	1	0	1
Butadiene, 1,3-	1.1	9	6	440
Butyl cellosolve	3860	462	7	370000
Cadmium	.046	383	22	49
Carbon tetrachloride	4.6	44	2	1900
Cellosolve	38600	67	1	110000
Cellosolve acetate	12400	46	0	4800
Chlorinated dioxins & furans (.000012	52	21	.0006400
Chlorine pollutant	1370	6	1	1900
Chlorobenzene	13500	11	0	5700
Chlorobenzene - other/not spec	13500	8	0	6600
Chloroform	36	95	36	16000
Chromium (hexavalent)	.0014	407	79	9.2000
Copper (all) pollutant	463	52	0	430
Cresol	34700	13	0	370
Di(2-ethylhexyl) phthalate	81	1	0	0
Dichlorobenzene	68	35	6	3400
Dioxane, 1,4-	25	68	4	410
Epichlorohydrin	8.3	4	0	.1
Ethyl acrylate	9260	6	0	170
Ethyl benzene	190000	241	0	29000
Ethyl chloride	1930000	31	0	1600
Ethylene dibromide	2.7	30	2	280
Ethylene dichloride	9.7	70	22	1000
Ethylene oxide	2.1	40	4	47
Formaldehyde	33	770	108	210000
Glycol ether - other/not spec	3860	151	3	66000
Hexachlorobenzene	.39	2	0	.03
Hexane	39000	84	2	190000
Hydrazine	.039	1	0	.029
Hydrochloric acid mist polluta	1350	74	3	19000
Hydrogen Chloride (HCl)	1350	61	11	150000
Hydrogen Fluoride (HF)	1140	47	0	1400
Hydrogen Sulfide (H2S)	8110	66	3	110000
Isophorone	390000	4	0	90
Lead (all) pollutant	29	388	2	430
Manganese	77	345	5	1200
Mercury (all) pollutant	57.9	380	3	550
Methyl alcohol	120000	364	1	380000
Methyl bromide	1160	1	0	0
Methyl cellosolve	3860	13	0	3500
Methyl ethyl ketone (MEK)	149000	445	0	240000
Methyl methacrylate	189000	3	0	19
Methyl tertiary-butyl ether	580000	118	0	210000
Methylene chloride	190	151	65	98000
Naphthalene	270	6	0	170
Nickel pollutant	.73	473	40	730

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS
 SORTED BY POLLUTANT (cont)

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Nitropropane, 2-	3860	1	0	0
PAH's (benzo[a]pyrene equiv)	.043	53	8	460
Perchloroethylene	33	842	782	560000
Phenol	8690	18	0	16000
Phosphine	1930	1	0	110
Phthalic anhydride	1350000	3	0	170
Polychlorinated biphenyl (PCB)	.007	7	7	3.000
Selenium	96.5	47	2	620
Styrene	135000	77	0	260000
Tetrachloroethane, 1,1,2,2-	3.3	3	2	63
Toluene	38600	876	1	380000
Toluene diisocyanate (TDI)	18.3	6	1	230
Trichloroethane, 1,1,1- (w/o	61800	116	1	89000
Trichloroethane, 1,1,1- (with	61800	40	0	12000
Trichloroethylene	97	135	43	27000
Triethylamine	1400	1	0	290
Vinyl chloride	2.5	53	39	10000
Vinylidene chloride	6180	39	0	420
Xylene	57900	1052	0	380000
Zinc pollutant	6760	51	0	2700
-----				-----
77 pollutants				6975000

number of toxic pollutants tracked in BAAQMD: 112
 number of toxic pollutants reported in BAAQMD: 77
 number of toxic pollutants reported > cutoff: 43

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS

SORTED BY EMISSIONS

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Ammonia (NH3) pollutant	19300	66	20	2900000
Perchloroethylene	33	842	782	560000
Toluene	38600	876	1	380000
Xylene	57900	1052	0	380000
Methyl alcohol	120000	364	1	380000
Butyl cellosolve	3860	462	7	370000
Styrene	135000	77	0	260000
Methyl ethyl ketone (MEK)	149000	445	0	240000
Methyl tertiary-butyl ether	580000	118	0	210000
Formaldehyde	33	770	108	210000
Hexane	39000	84	2	190000
Hydrogen Chloride (HCl)	1350	61	11	150000
Cellosolve	38600	67	1	110000
Hydrogen Sulfide (H2S)	8110	66	3	110000
Methylene chloride	190	151	65	98000
Trichloroethane, 1,1,1- (w/o	61800	116	1	89000
Glycol ether - other/not spec	3860	151	3	66000
Benzene	6.7	1402	183	51000
Acetaldehyde	72	89	11	31000
Ethyl benzene	190000	241	0	29000
Trichloroethylene	97	135	43	27000
Hydrochloric acid mist polluta	1350	74	3	19000
Phenol	8690	18	0	16000
Chloroform	36	95	36	16000
Trichloroethane, 1,1,1- (with	61800	40	0	12000
Vinyl chloride	2.5	53	39	10000
Chlorobenzene - other/not spec	13500	8	0	6600
Chlorobenzene	13500	11	0	5700
Cellosolve acetate	12400	46	0	4800
Methyl cellosolve	3860	13	0	3500
Dichlorobenzene	68	35	6	3400
Zinc pollutant	6760	51	0	2700
Carbon tetrachloride	4.6	44	2	1900
Chlorine pollutant	1370	6	1	1900
Ethyl chloride	1930000	31	0	1600
Hydrogen Fluoride (HF)	1140	47	0	1400
Manganese	77	345	5	1200
Benzyl chloride	2320	3	0	1100
Ethylene dichloride	9.7	70	22	1000
Nickel pollutant	.73	473	40	730
Selenium	96.5	47	2	620
Mercury (all) pollutant	57.9	380	3	550
PAH's (benzo[a]pyrene equiv)	.043	53	8	460
Butadiene, 1,3-	1.1	9	6	440
Lead (all) pollutant	29	388	2	430
Copper (all) pollutant	463	52	0	430
Vinylidene chloride	6180	39	0	420
Dioxane, 1,4-	25	68	4	410
Cresol	34700	13	0	370
Triethylamine	1400	1	0	290
Ethylene dibromide	2.7	30	2	280
Toluene diisocyanate (TDI)	18.3	6	1	230
Acrolein	3.9	8	2	210
Acrylonitrile	.67	4	4	200
Ethyl acrylate	9260	6	0	170
Naphthalene	270	6	0	170
Phthalic anhydride	1350000	3	0	170
Phosphine	1930	1	0	110

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS
 SORTED BY EMISSIONS (cont)

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Isophorone	390000	4	0	90
Tetrachloroethane, 1,1,2,2-	3.3	3	2	63
Cadmium	.046	383	22	49
Ethylene oxide	2.1	40	4	47
Acrylic acid	190	4	0	40
Methyl methacrylate	189000	3	0	19
Arsenic (all)	.024	378	33	12
Chromium (hexavalent)	.0014	407	79	9.2000
Polychlorinated biphenyl (PCB)	.007	7	7	3.000
Beryllium (all) pollutant	.015	379	13	1.100
Bromine	328	1	0	1
Nitropropane, 2-	3860	1	0	0
Epichlorohydrin	8.3	4	0	.1
Hexachlorobenzene	.39	2	0	.03
Hydrazine	.039	1	0	.029
Chlorinated dioxins & furans (.0000012	52	21	.0006400
Di(2-ethylhexyl) phthalate	81	1	0	0
Asbestos pollutant	.003	1	0	.000
Methyl bromide	1160	1	0	0
----- 77 pollutants				----- 6975000

number of toxic pollutants tracked in BAAQMD: 112
 number of toxic pollutants reported in BAAQMD: 77
 number of toxic pollutants reported > cutoff: 43

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS

SORTED BY OCCURRENCES

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Benzene	6.7	1402	183	51000
Xylene	57900	1052	0	380000
Toluene	38600	876	1	380000
Perchloroethylene	33	842	782	560000
Formaldehyde	33	770	108	210000
Nickel pollutant	.73	473	40	730
Butyl cellosolve	3860	462	7	370000
Methyl ethyl ketone (MEK)	149000	445	0	240000
Chromium (hexavalent)	.0014	407	79	9.2000
Lead (all) pollutant	29	388	2	430
Cadmium	.046	383	22	49
Mercury (all) pollutant	57.9	380	3	550
Beryllium (all) pollutant	.015	379	13	1.100
Arsenic (all)	.024	378	33	12
Methyl alcohol	120000	364	1	380000
Manganese	77	345	5	1200
Ethyl benzene	190000	241	0	29000
Glycol ether - other/not spec	3860	151	3	66000
Methylene chloride	190	151	65	98000
Trichloroethylene	97	135	43	27000
Methyl tertiary-butyl ether	580000	118	0	210000
Trichloroethane, 1,1,1- (w/o	61800	116	1	89000
Chloroform	36	95	36	16000
Acetaldehyde	72	89	11	31000
Hexane	39000	84	2	190000
Styrene	135000	77	0	260000
Hydrochloric acid mist polluta	1350	74	3	19000
Ethylene dichloride	9.7	70	22	1000
Dioxane, 1,4-	25	68	4	410
Cellosolve	38600	67	1	110000
Ammonia (NH3) pollutant	19300	66	20	2900000
Hydrogen Sulfide (H2S)	8110	66	3	110000
Hydrogen Chloride (HCl)	1350	61	11	150000
PAH's (benzo[a]pyrene equiv)	.043	53	8	460
Vinyl chloride	2.5	53	39	10000
Chlorinated dioxins & furans (.0000012	52	21	.0006400
Copper (all) pollutant	463	52	0	430
Zinc pollutant	6760	51	0	2700
Hydrogen Fluoride (HF)	1140	47	0	1400
Selenium	96.5	47	2	620
Cellosolve acetate	12400	46	0	4800
Carbon tetrachloride	4.6	44	2	1900
Ethylene oxide	2.1	40	4	47
Trichloroethane, 1,1,1- (with	61800	40	0	12000
Vinylidene chloride	6180	39	0	420
Dichlorobenzene	68	35	6	3400
Ethyl chloride	1930000	31	0	1600
Ethylene dibromide	2.7	30	2	280
Phenol	8690	18	0	16000
Cresol	34700	13	0	370
Methyl cellosolve	3860	13	0	3500
Chlorobenzene	13500	11	0	5700
Butadiene, 1,3-	1.1	9	6	440
Acrolein	3.9	8	2	210
Chlorobenzene - other/not spec	13500	8	0	6600
Polychlorinated biphenyl (PCB)	.007	7	7	3.000
Chlorine pollutant	1370	6	1	1900
Ethyl acrylate	9260	6	0	170
Naphthalene	270	6	0	170

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS
 SORTED BY OCCURRENCES (cont)

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Toluene diisocyanate (TDI)	18.3	6	1	230
Acrylic acid	190	4	0	40
Acrylonitrile	.67	4	4	200
Epichlorohydrin	8.3	4	0	.1
Isophorone	390000	4	0	90
Benzyl chloride	2320	3	0	1100
Methyl methacrylate	189000	3	0	19
Phthalic anhydride	1350000	3	0	170
Tetrachloroethane, 1,1,2,2-	3.3	3	2	63
Hexachlorobenzene	.39	2	0	.03
Asbestos pollutant	.003	1	0	.000
Bromine	328	1	0	1
Di(2-ethylhexyl) phthalate	81	1	0	0
Hydrazine	.039	1	0	.029
Methyl bromide	1160	1	0	0
Nitropropane, 2-	3860	1	0	0
Phosphine	1930	1	0	110
Triethylamine	1400	1	0	290
----- 77 pollutants				----- 6975000

number of toxic pollutants tracked in BAAQMD: 112
 number of toxic pollutants reported in BAAQMD: 77
 number of toxic pollutants reported > cutoff: 43

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS

SORTED BY TRIGGER LEVEL

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Chlorinated dioxins & furans (.0000012	52	21	.0006400
Chromium (hexavalent)	.0014	407	79	9.2000
Asbestos pollutant	.003	1	0	.000
Polychlorinated biphenyl (PCB)	.007	7	7	3.000
Beryllium (all) pollutant	.015	379	13	1.100
Arsenic (all)	.024	378	33	12
Hydrazine	.039	1	0	.029
PAH's (benzo[a]pyrene equiv)	.043	53	8	460
Cadmium	.046	383	22	49
Hexachlorobenzene	.39	2	0	.03
Acrylonitrile	.67	4	4	200
Nickel pollutant	.73	473	40	730
Butadiene, 1,3-	1.1	9	6	440
Ethylene oxide	2.1	40	4	47
Vinyl chloride	2.5	53	39	10000
Ethylene dibromide	2.7	30	2	280
Tetrachloroethane, 1,1,2,2-	3.3	3	2	63
Acrolein	3.9	8	2	210
Carbon tetrachloride	4.6	44	2	1900
Benzene	6.7	1402	183	51000
Epichlorohydrin	8.3	4	0	.1
Ethylene dichloride	9.7	70	22	1000
Toluene diisocyanate (TDI)	18.3	6	1	230
Dioxane, 1,4-	25	68	4	410
Lead (all) pollutant	29	388	2	430
Formaldehyde	33	770	108	210000
Perchloroethylene	33	842	782	560000
Chloroform	36	95	36	16000
Mercury (all) pollutant	57.9	380	3	550
Dichlorobenzene	68	35	6	3400
Acetaldehyde	72	89	11	31000
Manganese	77	345	5	1200
Di(2-ethylhexyl) phthalate	81	1	0	0
Selenium	96.5	47	2	620
Trichloroethylene	97	135	43	27000
Acrylic acid	190	4	0	40
Methylene chloride	190	151	65	98000
Naphthalene	270	6	0	170
Bromine	328	1	0	1
Copper (all) pollutant	463	52	0	430
Hydrogen Fluoride (HF)	1140	47	0	1400
Methyl bromide	1160	1	0	0
Hydrochloric acid mist polluta	1350	74	3	19000
Hydrogen Chloride (HCl)	1350	61	11	150000
Chlorine pollutant	1370	6	1	1900
Triethylamine	1400	1	0	290
Phosphine	1930	1	0	110
Benzyl chloride	2320	3	0	1100
Butyl cellosolve	3860	462	7	370000
Glycol ether - other/not spec	3860	151	3	66000
Methyl cellosolve	3860	13	0	3500
Nitropropane, 2-	3860	1	0	0
Vinylidene chloride	6180	39	0	420
Zinc pollutant	6760	51	0	2700
Hydrogen Sulfide (H2S)	8110	66	3	110000
Phenol	8690	18	0	16000
Ethyl acrylate	9260	6	0	170
Cellosolve acetate	12400	46	0	4800

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS

SORTED BY TRIGGER LEVEL (cont)

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Chlorobenzene	13500	11	0	5700
Chlorobenzene - other/not spec	13500	8	0	6600
Ammonia (NH3) pollutant	19300	66	20	2900000
Cresol	34700	13	0	370
Cellosolve	38600	67	1	110000
Toluene	38600	876	1	380000
Hexane	39000	84	2	190000
Xylene	57900	1052	0	380000
Trichloroethane, 1,1,1- (w/o	61800	116	1	89000
Trichloroethane, 1,1,1- (with	61800	40	0	12000
Methyl alcohol	120000	364	1	380000
Styrene	135000	77	0	260000
Methyl ethyl ketone (MEK)	149000	445	0	240000
Methyl methacrylate	189000	3	0	19
Ethyl benzene	190000	241	0	29000
Isophorone	390000	4	0	90
Methyl tertiary-butyl ether	580000	118	0	210000
Phthalic anhydride	1350000	3	0	170
Ethyl chloride	1930000	31	0	1600
-----				-----
77 pollutants				6975000

number of toxic pollutants tracked in BAAQMD: 112
 number of toxic pollutants reported in BAAQMD: 77
 number of toxic pollutants reported > cutoff: 43

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS
 SORTED BY PLANTS ABOVE TRIGGER

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Perchloroethylene	33	842	782	560000
Benzene	6.7	1402	183	51000
Formaldehyde	33	770	108	210000
Chromium (hexavalent)	.0014	407	79	9.2000
Methylene chloride	190	151	65	98000
Trichloroethylene	97	135	43	27000
Nickel pollutant	.73	473	40	730
Vinyl chloride	2.5	53	39	10000
Chloroform	36	95	36	16000
Arsenic (all)	.024	378	33	12
Cadmium	.046	383	22	49
Ethylene dichloride	9.7	70	22	1000
Chlorinated dioxins & furans (.000012	52	21	.0006400
Ammonia (NH3) pollutant	19300	66	20	2900000
Beryllium (all) pollutant	.015	379	13	1.100
Acetaldehyde	72	89	11	31000
Hydrogen Chloride (HCl)	1350	61	11	150000
PAH's (benzo[a]pyrene equiv)	.043	53	8	460
Butyl cellosolve	3860	462	7	370000
Polychlorinated biphenyl (PCB)	.007	7	7	3.000
Butadiene, 1,3-	1.1	9	6	440
Dichlorobenzene	68	35	6	3400
Manganese	77	345	5	1200
Acrylonitrile	.67	4	4	200
Dioxane, 1,4-	25	68	4	410
Ethylene oxide	2.1	40	4	47
Glycol ether - other/not spec	3860	151	3	66000
Hydrochloric acid mist polluta	1350	74	3	19000
Hydrogen Sulfide (H2S)	8110	66	3	110000
Mercury (all) pollutant	57.9	380	3	550
Acrolein	3.9	8	2	210
Carbon tetrachloride	4.6	44	2	1900
Ethylene dibromide	2.7	30	2	280
Hexane	39000	84	2	190000
Lead (all) pollutant	29	388	2	430
Selenium	96.5	47	2	620
Tetrachloroethane, 1,1,2,2-	3.3	3	2	63
Cellosolve	38600	67	1	110000
Chlorine pollutant	1370	6	1	1900
Methyl alcohol	120000	364	1	380000
Toluene	38600	876	1	380000
Toluene diisocyanate (TDI)	18.3	6	1	230
Trichloroethane, 1,1,1- (w/o	61800	116	1	89000
Acrylic acid	190	4	0	40
Asbestos pollutant	.003	1	0	.000
Benzyl chloride	2320	3	0	1100
Bromine	328	1	0	1
Cellosolve acetate	12400	46	0	4800
Chlorobenzene	13500	11	0	5700
Chlorobenzene - other/not spec	13500	8	0	6600
Copper (all) pollutant	463	52	0	430
Cresol	34700	13	0	370
Di(2-ethylhexyl) phthalate	81	1	0	0
Epichlorohydrin	8.3	4	0	.1
Ethyl acrylate	9260	6	0	170
Ethyl benzene	190000	241	0	29000
Ethyl chloride	1930000	31	0	1600
Hexachlorobenzene	.39	2	0	.03

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 TOXIC AIR CONTAMINANTS
 2002 ANNUAL REPORT
 JUNE 2004

SUMMARY OF TOXIC POLLUTANTS
 SORTED BY PLANTS ABOVE TRIGGER (cont)

Pollutant	Trigger Level (lbs/yr)	Total # Plants Emitting	# Plants Above Trigger	Total Emissions (lbs/yr)
Hydrazine	.039	1	0	.029
Hydrogen Fluoride (HF)	1140	47	0	1400
Isophorone	390000	4	0	90
Methyl bromide	1160	1	0	0
Methyl cellosolve	3860	13	0	3500
Methyl ethyl ketone (MEK)	149000	445	0	240000
Methyl methacrylate	189000	3	0	19
Methyl tertiary-butyl ether	580000	118	0	210000
Naphthalene	270	6	0	170
Nitropropane, 2-	3860	1	0	0
Phenol	8690	18	0	16000
Phosphine	1930	1	0	110
Phthalic anhydride	1350000	3	0	170
Styrene	135000	77	0	260000
Trichloroethane, 1,1,1- (with	61800	40	0	12000
Triethylamine	1400	1	0	290
Vinylidene chloride	6180	39	0	420
Xylene	57900	1052	0	380000
Zinc pollutant	6760	51	0	2700
77 pollutants				6975000

number of toxic pollutants tracked in BAAQMD: 112
 number of toxic pollutants reported in BAAQMD: 77
 number of toxic pollutants reported > cutoff: 43