

**BAY AREA AIR QUALITY MANAGEMENT DISTRICT**  
**Best Available Control Technology (BACT) Guideline**

**Source Category**

<b>Source:</b>	<i>Circuit Board Etcher - Batch Immersion Type, Subtractive Process</i>	<b>Revision:</b>	<i>1</i>
		<b>Document #:</b>	<i>44.1.1</i>
<b>Class:</b>	<i>All</i>	<b>Date:</b>	<i>08/05/91</i>

**Determination**

<b>POLLUTANT</b>	<b>BACT</b> 1. Technologically Feasible/ Cost Effective 2. Achieved in Practice	<b>TYPICAL TECHNOLOGY</b>
<b>POC</b>	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
<b>NO<sub>x</sub></b>	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
<b>SO<sub>2</sub></b>	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
<b>CO</b>	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
<b>PM<sub>10</sub></b>	1. <i>n/s</i> 2. <i>n/s</i>	1. <i>Etchant Solution Temperature Control and Packed Scrubber</i> 2. <i>Etchant Solution Temperature Control</i>
<b>NPOC</b>	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>

**References**

--