

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
Best Available Control Technology (BACT) Guideline

Source Category

Source:	<i>Degreaser - Solvent Spray Booth</i>	Revision:	<i>1</i>
		Document #:	<i>54.3</i>
Class:	<i>All</i>	Date:	<i>10/07/91</i>

Determination

POLLUTANT	BACT 1. Technologically Feasible/ Cost Effective 2. Achieved in Practice	TYPICAL TECHNOLOGY
POC	1. <i>n/d</i> 2. <i>Solvent spray cleaning in a hood, booth, or room vented to a control device, w/ emissions controlled to overall capture/destruction efficiency $\geq 90\%^a$</i>	1. <i>n/d</i> 2. <i>Collection System Vented to Carbon Adsorber System w/ Two Carbon Canisters in Series^a</i>
NO _x	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
SO ₂	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
CO	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
PM ₁₀	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
NPOC	1. <i>n/d</i> 2. <i>Same as for POC above</i>	1. <i>n/d</i> 2. <i>Same as for POC above</i>

References

a. BAAQMD A #1810