

TITLE V SEMIANNUAL REPORT
2011 – SECOND INCREMENT


CITY OF MOUNTAIN VIEW
SHORELINE LANDFILL
MOUNTAIN VIEW, CALIFORNIA
(FACILITY NO. A2740)

**CITY OF MOUNTAIN VIEW
TITLE V SEMI-ANNUAL MONITORING REPORT**

SITE NAME: City of Mountain View – Shoreline Landfill
FACILITY ID # A2740
REPORTING PERIOD: 7/1/2011 – 12/31/2011

CERTIFICATION:

Based on information and belief formed after reasonable inquiry, the statements and information provided in this document are true, accurate, complete, and addresses all deviations during the reporting period:



Signature of Responsible Official

1-24-12
Date

Daniel Rich
Name of Responsible Official (please print)

City Manager
Title of Responsible Official (please print)

Mail to:

*Director of Compliance and Enforcement
BAAQMD
939 Ellis Street
San Francisco, CA 94109
Attn: Title V reports*

**CITY OF MOUNTAIN VIEW
TITLE V SEMI-ANNUAL MONITORING REPORT**

SITE NAME: City of Mountain View – Shoreline Landfill

FACILITY ID # A2740

REPORTING PERIOD: 7/1/2011 – 12/31/2011

List of Permitted Sources and Abatement Devices

PERMIT UNIT NUMBER	EQUIPMENT DESCRIPTION
S-1	Landfill and Gas Collection System
A-3	Landfill Gas Flare
A-4	Landfill Gas Flare
A-5	Landfill Gas Flare
S-11	Diesel Engine For Emergency Standby Generator
S-12	Microturbine at Flare Station
S-13	Microturbine at Sewage Pump Station
S-14	Diesel Engine For Emergency Standby Generator

The S-13 and S-12 microturbines have been out of service since March 2010 and July 2010 respectively and have been removed (Condition # 23579) from the current Permit to Operate that expires on May 1, 2012.

CITY OF MOUNTAIN VIEW
 Shoreline Landfill - Facility ID # A2740
 TITLE V SEMI-ANNUAL MONITORING REPORT (7/1/2011 - 12/31/2011)
 PERMITTED UNITS: S-1 LANDFILL AND GAS COLLECTION SYSTEM; A-3, A-4, AND A-5 LANDFILL GAS FLARES

Type of Limit	Monitoring Requirement Citation	Citation of Limit	Limit	Parameter Monitored	Monitoring Frequency * (P/C)	Compliance	Comments/Corrective Action Taken
Amount of Waste Accepted	BAAQMD 8-34-501.7	BAAQMD Condition # 16065, Part 1	0 tons/day and ≤ 12,725,000 tons (cumulative amount of all wastes) and ≤ 18,852,000 yd ³ (cumulative amount of all wastes and cover materials)	Records Closed Landfill No waste accepted	P/A	Continuous Yes	
Gas Flow	BAAQMD 8-34-501.10 and 508	BAAQMD 8-34-301 and 301.1	Landfill gas collection system shall operate continuously and all collected gases shall be vented to a properly operating control system	Gas Flow Meter and Recorder (every 15 minutes)	C	Continuous Yes	
Gas Flow	BAAQMD 8-34-501.1, 501.2, 501.10, and 508 and BAAQMD Condition # 16065, Part 6	BAAQMD Condition # 16065, Parts 2-3	Landfill gas collection system shall operate continuously and all collected gases shall be vented to a properly operating control system	Gas Flow Meter, Flare Alarms, and Records of Collection and Control Systems Downtime	C/P/E	Continuous Yes	
Collection System Installation Dates	BAAQMD 8-34-501.7 and 501.8 and BAAQMD Condition # 16065, Parts 15a-b	BAAQMD 8-34-304.1	For Inactive/Closed Areas: collection system components must be installed and operating by 2 years + 60 days after initial waste placement	Records	P/E	Continuous Yes	

CITY OF MOUNTAIN VIEW
Shoreline Landfill - Facility ID # A2740
TITLE V SEMI-ANNUAL MONITORING REPORT (7/1/2011 - 12/31/2011)
PERMITTED UNITS: S-1 LANDFILL AND GAS COLLECTION SYSTEM; A-3, A-4, AND A-5 LANDFILL GAS FLARES

Type of Limit	Monitoring Requirement Citation	Citation of Limit	Limit	Parameter Monitored	Monitoring Frequency *	Compliance	Comments/Corrective Action Taken
Collection and Control Systems Shutdown Time	BAAQMD 8-34-501.1	BAAQMD 8-34-113.2	≤ 240 hours/year and ≤ 5 consecutive days	Operating Records	P/D	Continuous Yes	
Startup Shutdown or Malfunction Procedures	40 CFR 63.1980(a-b)	40 CFR 63.6(e)	Minimize Emissions by Implementing SSM Plan	Records (all occurrences, duration of each, corrective actions)	P/E	Continuous Yes	
Periods of In-operation for Parametric Monitors	BAAQMD 1-523.4	BAAQMD 1-523.2	≤ 15 consecutive days/incident and ≤ 30 calendar days/12 month period	Operating Records for All Parametric Monitors (for gas flow and temperature monitors)	P/D	Continuous Yes	
Continuous Monitors	40 CFR 60.7(b)	40 CFR 60.13(e)	Requires Continuous Operation except for breakdowns, repairs, calibration, and required span adjustments	Operating Records for All Continuous Monitors (for gas flow and temperature Monitors)	P/D	Continuous Yes	
Wellhead Pressure	BAAQMD 8-34-414, 501.9, and 505.1	BAAQMD 8-34-305.1	< 0 psig	Monthly Inspection and Records	P/M	Continuous Yes	
Temperature of Gas at Wellhead	BAAQMD 8-34-414, 501.9, and 505.2	BAAQMD 8-34-305.2	< 55 °C (131 °F) (Wells listed in BAAQMD Condition # 16065, Part 5a are excluded from this limit.)	Monthly Inspection and Records	P/M	Continuous Yes	

CITY OF MOUNTAIN VIEW
 Shoreline Landfill - Facility ID # A2740
 TITLE V SEMI ANNUAL MONITORING REPORT (7/1/2011 - 12/31/2011)
 PERMITTED UNITS: S-1 LANDFILL AND GAS COLLECTION SYSTEM; A-3, A-4, AND A-5 LANDFILL GAS FLARES

Type of Limit	Monitoring Requirement Citation	Citation of Limit	Limit	Parameter Monitored	Monitoring Frequency * (P/C)	Compliance	Comments/Corrective Action Taken
Temperature of Gas at Wellhead	BAAQMD 8-34-414, 501.9 and 505.2	BAAQMD Condition # 16065, Part 5a	≤ 140 °F (This limit applies only to wells listed in BAAQMD Condition # 16065, Part 5a)	Monthly Inspection and Records	P/M	Continuous Yes	
Gas Concentrations at Wellhead	BAAQMD 8-34-414, 501.9 and 505.3 or 505.4	BAAQMD 8-34-305.3 or 305.4	N ₂ < 20% OR O ₂ < 5% (Wells listed in BAAQMD Condition # 16065, Part 5b are excluded from these limits.)	Monthly Inspection and Records	P/M	Continuous Yes	
Gas Concentrations at Header	BAAQMD Condition # 16065, Part 5b	BAAQMD Condition # 16065, Part 5b	O ₂ ≤ 5% by volume, dry basis AND CH ₄ ≥ 35% by volume, dry basis	Monthly Inspection and Records	P/M	Continuous Yes	
Well Shutdown Limits	BAAQMD 8-34-117.6 and 501.1	BAAQMD 8-34-117.4	No more than 5 wells at a time or 10% of total collection system, whichever is less	Records	P/D	Continuous Yes	
Well Shutdown Limits	BAAQMD 8-34-117.6 and 501.1	BAAQMD 8-34-117.5	≤ 24 hours per well	Records	P/D	Continuous Yes	

CITY OF MOUNTAIN VIEW
 Shoreline Landfill - Facility ID # A2740
 TITLE V SEMI-ANNUAL MONITORING REPORT (7/4/2011 - 12/31/2011)
 PERMITTED UNITS: S-1 LANDFILL AND GAS COLLECTION SYSTEM, A-3, A-4, AND A-5 LANDFILL GAS FLARES

Type of Limit	Monitoring Requirement Citation	Citation of Limit	Limit	Parameter Monitored	Monitoring Frequency *	Compliance	Comments/Corrective Action Taken
TOC (Total Organic Compounds Plus Methane)	BAAQMD 8-34-501.6 and 503 and BAAQMD Condition # 16065, Part 15c	BAAQMD 8-34-301.2	Component Leak Limit: ≤ 1000 ppmv as methane at 1 cm from component (see BAAQMD Condition # 16065, Part 5c for Clarifications about vaults)	Quarterly Inspection of collection and control system components with Portable Analyzer and Records	P/Q (P/C)	Intermittent Yes	BAAQMD inspectors found that header Valve Box VVC-01H exceeded the limit on July 26, 2011 during a two day inspection. The vault box was immediately sealed and the exceedance corrected within one hour of discovery. NOV A51056 was issued for the exceedance. A copy of the 10-Day and 30-Day (Combined) Deviation Report is attached for reference.
TOC	BAAQMD 8-34-415, 416, 501.6, 506 and 510 and BAAQMD Condition # 16065, Part 15c	BAAQMD 8-34-303	Surface Leak Limit: ≤ 500 ppmv as methane at 2 inches above surface (see BAAQMD Condition # 16065, Part 5c for Clarifications about vaults)	Monthly Visual Inspection of Cover, Quarterly Inspection of Surface with Portable Analyzer, Reinspections as Needed, and Records	P/M, Q, and E	Continuous Yes	
Non-Methane Organic Compounds (NMOC)	BAAQMD 8-34-412 and 501.4 and BAAQMD Condition # 16065, Parts 13 and 15c	BAAQMD 8-34-301.3	$\geq 98\%$ removal by weight OR < 30 ppmv, dry basis @ 3% O ₂ expressed as methane (applies to flares only)	Source Tests and Records	P/A	Continuous Yes	

CITY OF MOUNTAIN VIEW
Shoreline Landfill - Facility ID # A2740
TITLE V SEMI ANNUAL MONITORING REPORT (7/1/2011 - 12/31/2011)
PERMITTED UNITS: S-1 LANDFILL AND GAS COLLECTION SYSTEM; A-3, A-4, AND A-5 LANDFILL GAS FLARES

Type of Limit	Monitoring Requirement Citation	Citation of Limit	Limit	Parameter Monitored	Monitoring Frequency * (P/C)	Compliance	Comments/Corrective Action Taken
Temperature of Combustion Zone (CT)	BAAQMD 8-34-501.3 and 507	BAAQMD Condition # 16065, Part 7	CT ≥ 1400 °F, averaged over any 3-hour period (applies to each flare, A-3, A-4, and A-5)	Temperature Sensor and Recorder	C	Continuous Yes	
SO ₂	BAAQMD Condition # 16065, Parts 13g and 15c or 14 and 15c	BAAQMD Regulation 9-1-302	≤ 300 ppm (dry basis) (applies to flares only)	Annual Source Test at Flare or Sulfur Analysis of Landfill Gas and Records	P/A	Continuous Yes	
Landfill Gas Sulfur Content	BAAQMD Condition # 16065, Parts 14 and 15c	BAAQMD Condition # 16065, Part 12	≤ 1300 ppm, expressed as H ₂ S (applies if SO ₂ testing is not conducted at flare exhaust)	Sulfur Analysis of Landfill Gas and Records	P/A	Continuous Yes	
NO _x	BAAQMD Condition # 16065, Parts 13 and 15c	BAAQMD Condition # 16065, Part 9a	≤ 0.13 lbs/MMBTU or ≤ 33 ppmv, at 15% O ₂ , dry basis (applies to A-3 Flare only)	Source Tests And Records	P/A	Continuous Yes	
NO _x	BAAQMD Condition # 16065, Parts 13 and 15c	BAAQMD Condition # 16065, Part 9b-c	≤ 0.06 lbs/MMBTU or ≤ 15 ppmv, at 15% O ₂ , dry basis (applies to A-4 and A-5 Flares only)	Source Tests and Records	P/A	Continuous Yes	

CITY OF MOUNTAIN VIEW
 Shoreline Landfill – Facility ID # AZ740
 TITLE V SEMI ANNUAL MONITORING REPORT (7/1/2011 – 12/31/2011)
 PERMITTED UNITS: S-1 LANDFILL AND GAS COLLECTION SYSTEM; A-3, A-4, AND A-5 LANDFILL GAS FLARES

Type of Limit	Monitoring Requirement Citation	Citation of Limit	Limit	Parameter Monitored	Monitoring Frequency *	Compliance	Comments/Corrective Action Taken
CO	BAAQMD Condition # 16065, Parts 13 and 15c	BAAQMD Condition # 16065, Part 10a-c	< 0.20 lbs/MMBTU or ≤ 83 ppmv, at 15% O ₂ , dry basis (applies to A-3, A-4 and A-5 Flares only)	Source Tests and Records	P/A	Continuous Yes	

* Monitoring Frequency Legend
 P = Periodic Monitoring / on an A = Annual, Q = Quarterly, M = Monthly, W = Weekly, D = Daily or E = Event basis
 C = Continuous Monitoring

CITY OF MOUNTAIN VIEW
 Shoreline Landfill - Facility ID # A2740
 TITLE V SEMI ANNUAL MONITORING REPORT (7/1/2011 - 12/31/2011)
 PERMITTED UNITS: S-11 AND S-14 DIESEL ENGINES FOR EMERGENCY STANDBY GENERATORS

Type of Limit	Monitoring Requirement Citation	Exemption of Limit Citation	Limit	Parameter Monitored	Monitoring Frequency (P/C)	Compliance	Comments/Corrective Action Taken
Liquid Fuel Sulfur Content	BAAQMD Condition # 24175, Part 5f	BAAQMD Regulation 9-1-304	Fuel Sulfur Limit: $\leq 0.5\%$ S by weight	Vendor Certification	P/E	Continuous Yes	
Liquid Fuel Sulfur Content	BAAQMD Condition # 24175, Part 5f	CCR Title 17, Section 93115.5(b) and CCR Title 13, Section 2281(a)(1-5)	Standby Engines must use CARB Diesel Fuel or other CARB Approved Alternative Fuel which has Fuel Sulfur Limits of ≤ 500 ppmw of S ($\leq 0.05\%$ S, by weight) or ≤ 15 ppmw of S (for fuel sold after 6/1/06)	Vendor Certification	P/E	Continuous Yes	
Operating Hours	BAAQMD Regulation 9-8-530 and BAAQMD Condition # 24175, Parts 4 and 5a-d and CCR Title 17, Section 93115.10(e)(1)&(e)(1)	BAAQMD Condition # 24175, Part 1 and CCR Title 17, Section 93115.6 (b)(3)(A)(1)(b)	For S-11 Diesel Engine: Operating hours for Reliability-Related Activities: ≤ 30 hours in a calendar year	Hour Meter and Records	P/C, M	Continuous Yes	

CITY OF MOUNTAIN VIEW
Shoreline Landfill - Facility ID #: A2740
TITLE V SEMI ANNUAL MONITORING REPORT (7/1/2011 - 12/31/2011)
PERMITTED UNITS: S-11 AND S-14 DIESEL ENGINES FOR EMERGENCY STANDBY GENERATORS

Type of Limit	Monitoring Requirement Citation	Citation of Limit	Limit	Parameter Monitored	Monitoring Frequency * (P/C)	Compliance	Comments/Corrective Action Taken
Operating Hours	BAAQMD Regulation 9-8-530 and BAAQMD Condition # 24175, Parts 4 and 5a-d and CCR Title 17, Section 93115.10(e)(1)&(g)(1)	BAAQMD Regulation 9-8-330.2 and BAAQMD Condition # 24175, Part 2a	For S-14 Diesel Engine: Operating hours for Reliability-Related Activities: ≤ 100 hours in a calendar year (Expires 1/1/2012)	Hour Meter and Records	P/C, M	Continuous Yes (Expires 1/1/2012)	
Operating Hours	BAAQMD Regulation 9-8-530 and BAAQMD Condition # 24175, Parts 4 and 5a-d and CCR Title 17, Section 93115.10(e)(1)&(g)(1)	BAAQMD Regulation 9-8-330.3 and BAAQMD Condition # 24175, Part 2b	For S-14 Diesel Engine Operating hours for Reliability-Related Activities: ≤ 50 hours in a calendar year (Effective 1/1/2012)	Hour Meter and Records	P/C, M	Not Applicable Yet (Effective 1/1/2012)	

*** Monitoring Frequency Legend**

P = Periodic Monitoring / on an A = Annual, Q = Quarterly, M = Monthly, W = Weekly, D = Daily or E = Event basis
 C = Continuous Monitoring

CITY OF MOUNTAIN VIEW
 Shoreline Landfill - Facility ID # A2740
 TITLE V SEMI ANNUAL MONITORING REPORT (7/1/2011 - 12/31/2011)
 PERMITTED UNITS: S-12 MICROTURBINE AND S-13 MICROTURBINE

Type of Limit	Monitoring Requirement Citation	Citation of Limit	Limit	Parameter Monitored	Monitoring Frequency * (P/C)	Compliance	Comments/Corrective Action Taken
TOC (Total Organic Carbon Plus Methane)	BAAQMD 8-34-501.6 and 503 and BAAQMD Condition # 16065, Part 15c	BAAQMD 8-34-301.2	≤ 1000 ppmv as methane (component leak limit)	Quarterly Inspection of Control System Components with Portable Analyzer and Records	P/Q	Continuous Yes	The S-13 and S-12 microturbines have been out of service since March 2010 and July 2010 respectively and have been removed (Condition # 23579) from the current Permit to Operate that expires on May 1, 2012.
Non-Methane Organic Compounds (NMOC)	BAAQMD 8-34-412 and 501.4 and BAAQMD Condition # 23579, Parts 3 and 4	BAAQMD 8-34-301.4	≥ 98% removal by weight OR < 120 ppmv, dry basis @ 3% O ₂ expressed as methane	Source Tests and Records	P/A	Continuous Yes	
SO ₂	BAAQMD Condition # 16065, Parts 13 and 15c or Parts 14 and 15c	BAAQMD Regulation 9-1-302	≤ 300 ppm (dry basis)	Annual Source Test At Flare or Sulfur Analysis of Landfill Gas at Header and Records	P/A	Continuous Yes	

CITY OF MOUNTAIN VIEW
 Shoreline Landfill - Facility ID # A2740
 TITLE V SEMI ANNUAL MONITORING REPORT (7/1/2011 - 12/31/2011)
 PERMITTED UNITS: S-12 MICROTURBINE, AND S-13 MICROTURBINE

Type of Limit	Monitoring Requirement Citation	Citation of Limit	Limit	Parameter Monitored	Monitoring Frequency * (P/C)	Compliance	Comments/Corrective Action Taken
NO _x	BAAQMD Condition # 23579, Parts 3 and 4	BAAQMD Condition # 23579, Part 1	≤ 10 pounds per day or ≤ 62 ppmv, at 15% O ₂ , dry basis	Source Tests And Records	P/A	Continuous Yes	The S-13 and S-12 microturbines have been out of service since March 2010 and July 2010 respectively and have been removed (Condition # 23579) from the current Permit to Operate that expires on May 1, 2012.
CO	BAAQMD Condition # 23579, Parts 3 and 4	BAAQMD Condition # 23579, Part 2	≤ 10 pounds per day or ≤ 100 ppmv, at 15% O ₂ , dry basis	Source Tests And Records	P/A	Continuous Yes	The S-13 and S-12 microturbines have been out of service since March 2010 and July 2010 respectively and have been removed (Condition # 23579) from the current Permit to Operate that expires on May 1, 2012.

* Monitoring Frequency Legend

P = Periodic Monitoring / on an A = Annual, Q = Quarterly, M = Monthly, W = Weekly, D = Daily or E = Event basis
 C = Continuous Monitoring

FILE

CITY OF MOUNTAIN VIEW

Public Works Department • Public Services Division

231 N. Whisman Road • Post Office Box 7540 • Mountain View, CA 94039-7540 • 650-903-6329 • FAX 650-962-8079

August 3, 2011

MR KELLY WEE—DIRECTOR OF COMPLIANCE AND ENFORCEMENT
BAY AREA AIR QUALITY MANAGEMENT DISTRICT—TITLE V REPORTS
939 ELLIS STREET
SAN FRANCISCO CA 94109

10-DAY AND 30-DAY (COMBINED) TITLE V PERMIT DEVIATION REPORTS FOR
METHANE EXCEEDANCE AT HEADER VALVE BOX VVC-01H, NOTICE OF VIOLATION
NO. A51056, SHORELINE LANDFILL, MOUNTAIN VIEW, CALIFORNIA (FACILITY
NO. A2740)

Dear Mr. Wee:

This letter serves as the City of Mountain View's 10-Day and 30-Day Combined Deviation Reports for the Shoreline Landfill (Facility No. A2740) to the Bay Area Air Quality Management District as required under the Standard Condition I.F. of the facility's Title V Permit. This report describes the immediate corrective action taken to stop the violation and prevent continued or recurrent violations.

During the first day of a two-day landfill inspection on July 26, 2011 by BAAQMD Inspectors Ron Carey and Alona Davis, Header Valve Box VVC-01H was found to have a methane concentration of 2,000 ppm, which exceeds the 1,000 ppm limit set forth in BAAQMD Rule 8-34-301.2. A copy of the Notice of Violation No. A51056 is enclosed.

The City maintains, on-site, the required manpower, equipment and tools to monitor, operate and maintain the landfill gas collection system without any delay, and the City and staff are committed to operating the system in a responsible manner and meeting the requirements of Regulation 8, Rule 34.

The methane concentrations at the Shoreline Landfill boxes are monitored and recorded quarterly, and exceedances, if any, are resolved immediately as was done in this instance. Header Valve Box VVC-01H was last monitored on July 15, 2011 and methane was not detected at that time. The header valve box provides access to the landfill gas header which is under vacuum and functioning properly without any leakage.

Immediately after discovery of the exceedance at 11:50 a.m. on July 26, 2011, the City landfill postclosure crew sealed the vault box. At about 12:34 p.m., within one hour after discovery, the exceedance was corrected and methane measurements were below the limit. At about


Mr. Kelly Wee
August 3, 2011
Page 2

317

9:40 a.m. on July 27, 2011, at the beginning of the second day of inspections, BAAQMD inspectors reinspected Header Valve Box VVC-01H and confirmed the exceedance had been resolved.

If you need additional information or have any questions, please contact Nirmal Sajjan, Principal Civil Engineer, at (650) 903-6284 or me at (650) 903-6205.

Sincerely,



Gregg A. Hosfeldt
Assistant Public Works Director

GAH/AW/6/PSD
702-08-02-11L-E-1^

Enclosure: 1. Notice of Violation No. A51056

cc: Mr. Ron Carey, Senior Air Quality Inspector
BAAQMD Enforcement Division
939 Ellis Street
San Francisco, CA 94109

PWD, SLCM, PCE—Sajjan, SCE—Wong, F/c



BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 939 ELLIS STREET - SAN FRANCISCO, CA 94109
 (415) 749-4795

NOTICE OF VIOLATION

No. **A 51056**

ISSUED TO: CITY OF MOUNTAIN VIEW P G N# A2740
 ADDRESS: 2600 SHORELINE BLVD.
 CITY: MOUNTAIN VIEW STATE: CA ZIP: 94043
 PHONE: (650) 280-6235
 N# Mailing Address on F81

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 1 NAME: LANDFILL GAS COLLECTION SYSTEM
 EMISSION PT: P# _____ NAME: _____
 DATE: 7/27/11 TIME: 1150 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE: 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE 1 SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>8</u> RULE <u>34</u> SECTION <u>301.2</u> CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: 2000 ppm HEADER VALVE BOX VVC-011

RECIPIENT NAME: NIRMAL SAJJAN
 TITLE: PRINCIPAL CIVIL ENGINEER
 SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT N. Sajjan
SIGNATURE

→ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: [Signature] INSP # 498
 DATE: 7/27/11 TIME: 1435 HRS MAILED

PLEASE PRESS HARD

Continued On Reverse