

January 29, 2007

Ms. Deborah Jordan  
Director, Air Management Division  
**United States Environmental Protection Agency**  
75 Hawthorne Street  
San Francisco, CA 94105

Dear Ms. Jordan:

This to advise you that the Bay Area Air Quality Management District is issuing a significant revision to the Major Facility Review Permit for the following facility.

Facility	Facility Name	Application	Permit Engineer	City	County
B4415	Gilroy Energy Center, LLC for the Lambie Energy Center	11002	A. Chiu	Suisun City	Solano

**ALAMEDA COUNTY**  
Tom Bates  
Scott Haggerty  
Janet Lockhart  
Nate Miley

The main purpose of the proposed significant revision (Application # 11002) is to change permit conditions that have been revised under NSR application 11003. The proposed permit condition changes include the following:

**CONTRA COSTA COUNTY**  
John Gioia  
Mark Ross  
(Chair)  
Michael Shimansky  
Gayle B. Uilkema

1. Amend the definition of "hour" to "clock hour" since the facility's continuous emission monitors operate on a clock hour basis.
2. Condition #20134, part 18.2: Revise the ammonia slip monitoring language to agree with standard language in other Calpine power plant permits. The revised language will allow the use of a District-approved calculation method to monitor ammonia slip. This is not a relaxation of monitoring, but replaces the original calculation method that was inaccurate.
3. Condition #20134, part 24: Change the required source test frequency for the gas turbine from annual to every 8000 hours of gas turbine operation or once every 3 years, whichever comes first. This is a relaxation of monitoring and therefore is considered a significant revision pursuant to Regulation 2-6-226.3.

**MARIN COUNTY**  
Harold C. Brown, Jr.

**NAPA COUNTY**  
Brad Wagenknecht

**SAN FRANCISCO COUNTY**  
Chris Daly  
Jake McGoldrick  
Gavin Newsom

The public comment period ended on December 4, 2006. The EPA comment period ended on December 21, 2006. No comments on this proposed significant revision were received from the public, EPA, or the facility.

**SAN MATEO COUNTY**  
Jerry Hill  
(Vice-Chair)  
Carol Klatt

The District has decided to issue the revised permit incorporating the proposed significant revision. Enclosed is a copy of the final revised permit. If you have any questions regarding this permit, please call Barry Young, Air Quality Engineering Manager, at: (415) 749-4721.

**SANTA CLARA COUNTY**  
Erin Garner  
Yoriko Kishimoto  
Liz Kniss  
Patrick Kwok

Sincerely yours,

**SOLANO COUNTY**  
John F. Silva

**SONOMA COUNTY**  
Tim Smith  
Pamela Torliatt  
(Secretary)

\_\_\_\_\_  
Jack P. Broadbent  
Executive Officer/Air Pollution Control Officer

Jack P. Broadbent  
**EXECUTIVE OFFICER/APCO**

Enclosures:  
JPB:BFB:DTJ