

REGULATION 10

STANDARDS OF PERFORMANCE FOR NEW STATIONARY SOURCES

The provisions of Title 40 of the Code of Federal Regulations Part 60 (40 CFR 60) in effect August 7, 1991, applicable to the Subparts listed in this Regulation are made part of the Rules and Regulations of the Bay Area Air Quality Management District. Whenever any source is subject to more than one rule, regulation, provision or requirement relating to the control of any air contaminant, in cases of conflict or duplication, the most stringent rule, regulation, provision, or requirement shall apply.

All new sources of air pollution and all modified or reconstructed sources of air pollution shall comply with the standards, criteria, and requirements set forth herein, except that sources of air pollution subject to and in compliance with standards in 40 CFR 63 for which specific exemptions from 40 CFR 60 exist shall not be subject to the standards, criteria, and requirements set forth herein. For the purpose of this Regulation, the word "Administrator" as used in 40 CFR 60.2 shall mean the Air Pollution Control Officer of the Bay Area Air Quality Management District, except that the Air Pollution Control Officer shall not be empowered to approve alternate or equivalent test methods nor alternative standards or work practices. Other deviations from these federal standards as presented in the CFR and which were ordered by the Bay Area Air Quality Management District Board to suit the needs of the Bay Area Air Quality Management District are noted in the affected Subpart.

1. SUBPART A GENERAL PROVISIONS

	US EPA	BAAQMD
Date First Adopted	(40FR53346, Nov. 17, 1975)	(April 19, 1989)
Date Last Amended	(60FR47095, Sept. 11, 1995)	(Dec. 20, 1995)

2. SUBPART D STANDARDS OF PERFORMANCE FOR FOSSIL-FUEL-FIRED STEAM GENERATORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 17, 1971.

	US EPA	BAAQMD
Date First Adopted	(39FR20791, Jun. 14, 1974)	(April 19, 1989)
Date Last Amended	(55FR5138, Dec. 13, 1990)	(Dec. 20, 1995)

3. SUBPART Da STANDARDS OF PERFORMANCE FOR ELECTRIC UTILITY STEAM GENERATING UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER SEPTEMBER 18, 1978.

	US EPA	BAAQMD
Date First Adopted	(44FR33613, Jun. 11, 1979)	(April 19, 1989)
Date Last Amended	(63FR49442, Sept. 16, 1998)	(Feb. 16, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District.

4. SUBPART Db STANDARDS OF PERFORMANCE FOR INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

	US EPA	BAAQMD
Date First Adopted	(51FR42768, Nov. 25, 1986)	(April 19, 1989)
Date Last Amended	(63FR49442, Sept. 16, 1998)	(Feb. 16, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District.

5. SUBPART Dc STANDARDS OF PERFORMANCE FOR SMALL INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

	US EPA	BAAQMD
Date First Adopted	(55FR37674, Sept. 12, 1990)	(August 7, 1991)
Date Last Amended	(63FR49442, Sept. 16, 1998)	(Feb. 16, 2000)

6. SUBPART E	STANDARDS OF PERFORMANCE FOR INCINERATORS	US EPA	BAAQMD
	Date First Adopted	(36FR24877, Dec. 23, 1971)	(April 19, 1989)
	Date Last Amended	(54FR6665, Feb. 14, 1989)	(July 18, 1990)
7. SUBPART Ea	STANDARDS OF PERFORMANCE FOR MUNICIPAL WASTE COMBUSTORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER DECEMBER 20, 1989 AND BEFORE SEPTEMBER 20, 1994	US EPA	BAAQMD
	Date First Adopted	(56FR5488, Feb.11, 1991)	(August 7, 1991)
	Date Last Amended	(60FR65382 Dec. 19, 1995)	(Oct. 8, 1997)
8. SUBPART Eb	STANDARDS OF PERFORMANCE FOR MUNICIPAL WASTE COMBUSTORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER SEPTEMBER 20, 1994	US EPA	BAAQMD
	Date First Adopted	(60FR65387, Dec. 19, 1995)	(Oct. 8, 1997)
9. SUBPART Ec	STANDARDS OF PERFORMANCE FOR HOSPITAL/MEDICAL/INFECTIOUS WASTE INCINERATORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER JUNE 20, 1996	US EPA	BAAQMD
	Date First Adopted	(62FR48348, Sept. 15, 1997)	(Feb. 16, 2000)
10. SUBPART F	STANDARDS OF PERFORMANCE FOR PORTLAND CEMENT PLANTS	US EPA	BAAQMD
	Date First Adopted	(36FR24877, Dec. 23, 1971)	(April 19, 1989)
	Date Last Amended	(54FR27166, Jun. 28, 1989)	(July 18, 1990)
11. SUBPART G	STANDARDS OF PERFORMANCE FOR NITRIC ACID PLANTS	US EPA	BAAQMD
	Date First Adopted	(39FR20794, Jun. 14, 1974)	(April 19, 1989)
	Date Last Amended	(54FR6666, Feb. 14, 1989)	(July 18, 1990)
12. SUBPART H	STANDARDS OF PERFORMANCE FOR SULFURIC ACID PLANTS	US EPA	BAAQMD
	Date First Adopted	(39FR20794, Jun. 14, 1974)	(April 19, 1989)
	Date Last Amended	(54FR6666, Feb. 14, 1989)	(July 18, 1990)
13. SUBPART I	STANDARDS OF PERFORMANCE FOR ASPHALTIC CONCRETE PLANTS	US EPA	BAAQMD
	Date First Adopted	(39FR9314, Mar. 8, 1974)	(April 19, 1989)
	Date Last Amended	(54FR6667, Feb. 14, 1989)	(July 18, 1990)
14. SUBPART J	STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERIES	US EPA	BAAQMD
	Date First Adopted	(39FR9315, Mar. 8, 1974)	(April 19, 1989)
	Date Last Amended	(56FR4176, Feb. 4, 1991)	(August 7, 1991)
15. SUBPART K	STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JUNE 11, 1973, AND PRIOR TO MAY 19, 1978.	US EPA	BAAQMD
	Date First Adopted	(39FR9317, Mar. 8, 1974)	(April 19, 1989)
	Date Last Amended	(52FR11429, Apr. 8, 1987)	
16. SUBPART Ka	STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER MAY 18, 1978, AND PRIOR TO JULY 23, 1984.		

		US EPA	BAAQMD
	Date First Adopted	(45FR23379, Apr. 4, 1980)	(April 19, 1989)
	Date Last Amended	(52FR11429, Apr. 8, 1987)	
17. SUBPART Kb	STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC LIQUID STORAGE VESSELS		
		US EPA	BAAQMD
	Date First Adopted	(52FR11420, Apr. 8, 1987)	(April 19, 1989)
	Date Last Amended	(54FR32972, Aug 11, 1989)	(July 18, 1990)
	NOTE: Any violation of provision 60.113.b, testing procedures, determined by air pollution control personnel, shall constitute a violation of Subpart Kb.		
18. SUBPART L	STANDARDS OF PERFORMANCE FOR SECONDARY LEAD SMELTERS		
		US EPA	BAAQMD
	Date First Adopted	(39FR9317, Mar. 8, 1974)	(April 19, 1989)
	Date Last Amended	(54FR6667, Feb. 14, 1989)	(July 18, 1990)
19. SUBPART M	STANDARDS OF PERFORMANCE FOR SECONDARY BRASS AND BRONZE PRODUCTION PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(39FR9318, Mar. 8, 1974)	(April 19, 1989)
	Date Last Amended	(54FR6667, Feb. 14, 1989)	(July 18, 1990)
20. SUBPART N	STANDARDS OF PERFORMANCE FOR IRON AND STEEL PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(39FR9318, Mar. 8, 1974)	(April 19, 1989)
	Date Last Amended	(54FR6667, Feb. 14, 1989)	(July 18, 1990)
21. SUBPART Na	STANDARDS OF PERFORMANCE FOR IRON AND STEEL PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(51FR161, Jan. 2, 1986)	(July 18, 1990)
	Date Last Amended	(54FR6667, Feb. 14, 1989)	(July 18, 1990)
22. SUBPART O	STANDARDS OF PERFORMANCE FOR SEWAGE TREATMENT PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(39FR9319, Mar. 8, 1974)	(April 19, 1989)
	Date Last Amended	(59FR5107, Feb. 3, 1994)	(Dec. 20, 1995)
23. SUBPART P	STANDARDS OF PERFORMANCE FOR PRIMARY COPPER SMELTERS		
		US EPA	BAAQMD
	Date First Adopted	(41FR2338, Jan. 15, 1976)	(April 19, 1989)
	Date Last Amended	(54FR6668, Feb. 14, 1989)	(July 18, 1990)
24. SUBPART Q	STANDARDS OF PERFORMANCE FOR PRIMARY ZINC SMELTERS		
		US EPA	BAAQMD
	Date First Adopted	(41FR2340, Jan. 15, 1976)	(April 19, 1989)
	Date Last Amended	(54FR6669, Feb. 14, 1989)	(July 18, 1990)
25. SUBPART R	STANDARDS OF PERFORMANCE FOR PRIMARY LEAD SMELTERS		
		US EPA	BAAQMD
	Date First Adopted	(41FR2340, Jan. 15, 1976)	(April 19, 1989)
	Date Last Amended	(54FR6669, Feb. 14, 1989)	(July 18, 1990)
26. SUBPART S	STANDARDS OF PERFORMANCE FOR PRIMARY ALUMINUM REDUCTION PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(45FR44207, Jun. 30, 1980)	(April 19, 1989)
	Date Last Amended	(54FR6669, Feb. 14, 1989)	(July 18, 1990)

27. SUBPART T	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: WET-PROCESS PHOSPHORIC ACID PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(40FR33154, Aug. 6, 1975)	(April 19, 1989)
	Date Last Amended	(54FR6669, Feb. 14, 1989)	(July 18, 1990)
28. SUBPART U	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: SUPERPHOSPHORIC ACID PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(40FR33155, Aug. 6, 1975)	(April 19, 1989)
	Date Last Amended	(54FR6670, Feb. 14, 1989)	(July 18, 1990)
29. SUBPART V	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: DIAMMONIUM PHOSPHATE PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(40FR33155, Aug. 6, 1975)	(April 19, 1989)
	Date Last Amended	(54FR6670, Feb. 14, 1989)	(July 18, 1990)
30. SUBPART W	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: TRIPLE SUPERPHOSPHATE PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(40FR33156, Aug. 6, 1975)	(April 19, 1989)
	Date Last Amended	(54FR6670, Feb. 14, 1989)	(July 18, 1990)
31. SUBPART X	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: GRANULAR TRIPLE SUPERPHOSPHATE STORAGE FACILITIES		
		US EPA	BAAQMD
	Date First Adopted	(40FR33156, Aug. 6, 1975)	(April 19, 1989)
	Date Last Amended	(62FR18277, Apr. 15, 1997)	(Feb. 16, 2000)
32. SUBPART Y	STANDARDS OF PERFORMANCE FOR COAL PREPARATION PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(41FR2234, Jan. 15, 1976)	(April 19, 1989)
	Date Last Amended	(54FR13384, Apr. 3, 1989)	(July 18, 1990)
33. SUBPART Z	STANDARDS OF PERFORMANCE FOR FERROALLOY PRODUCTION FACILITIES		
		US EPA	BAAQMD
	Date First Adopted	(41FR18501, May 4, 1976)	(April 19, 1989)
	Date Last Amended	(54FR6671, Feb. 14, 1989)	(July 18, 1990)
34. SUBPART AA	STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES CONSTRUCTED AFTER OCTOBER 21, 1974, AND ON OR BEFORE AUGUST 17, 1983		
		US EPA	BAAQMD
	Date First Adopted	(40FR43842, Sept. 23, 1975)	(April 19, 1989)
	Date Last Amended	(64FR10105, Mar. 2, 1999)	(Feb. 16, 2000)
35. SUBPART AAa	STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES AND ARGON-OXYGEN DECARBURIZATION VESSELS CONSTRUCTED AFTER AUGUST 17, 1983		
		US EPA	BAAQMD
	Date First Adopted	(49FR43845, Oct. 31, 1984)	(April 19, 1989)
	Date Last Amended	(64 FR10105, Mar. 2, 1999)	(Feb. 16, 2000)
36. SUBPART BB	STANDARDS OF PERFORMANCE FOR KRAFT PULP MILLS		
		US EPA	BAAQMD
	Date First Adopted	(43FR7572, Feb. 23, 1978)	(April 19, 1989)
	Date Last Amended	(54FR6673, Feb. 14, 1989)	(July 18, 1990)

37. SUBPART CC	STANDARDS OF PERFORMANCE FOR GLASS MANUFACTURING PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(45FR66751, Oct. 7, 1980)	(April 19, 1989)
	Date Last Amended	(54FR6674, Feb. 14, 1989)	(July 18, 1990)
38. SUBPART DD	STANDARDS OF PERFORMANCE FOR GRAIN ELEVATORS		
		US EPA	BAAQMD
	Date First Adopted	(43FR34347, Aug. 3, 1978)	(April 19, 1989)
	Date Last Amended	(54FR6674, Feb. 14, 1989)	(July 18, 1990)
39. SUBPART EE	STANDARDS OF PERFORMANCE FOR SURFACE COATING OF METAL FURNITURE		
		US EPA	BAAQMD
	Date First Adopted	(47FR49287, Oct. 29, 1982)	(April 19, 1989)
	Date Last Amended	(55FR51378, Dec. 13, 1990)	(Dec. 20, 1995)
	NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District.		
40. SUBPART GG	STANDARDS OF PERFORMANCE FOR STATIONARY GAS TURBINES		
		US EPA	BAAQMD
	Date First Adopted	(44FR52798, Sept. 10, 1979)	(April 19, 1989)
	Date Last Amended	(54FR6675, Feb. 14, 1989)	(July 18, 1990)
41. SUBPART HH	STANDARDS OF PERFORMANCE FOR LIME MANUFACTURING PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(49FR18080, Apr. 26, 1984)	(April 19, 1989)
	Date Last Amended	(54FR6675, Feb. 14, 1989)	(July 18, 1990)
42. SUBPART KK	STANDARDS OF PERFORMANCE FOR LEAD-ACID BATTERY MANUFACTURING PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(47FR16573, Apr. 16, 1982)	(April 19, 1989)
	Date Last Amended	(54FR6675, Feb. 14, 1989)	(July 18, 1990)
43. SUBPART LL	STANDARDS OF PERFORMANCE FOR METALLIC MINERAL PROCESSING PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(49FR6464, Feb. 21, 1984)	(April 19, 1989)
	Date Last Amended	(54FR6676, Feb. 14, 1989)	(July 18, 1990)
44. SUBPART MM	STANDARDS OF PERFORMANCE FOR AUTOMOBILE AND LIGHT DUTY TRUCK SURFACE COATING OPERATIONS		
		US EPA	BAAQMD
	Date First Adopted	(45FR85415, Dec. 24, 1980)	(April 19, 1989)
	Date Last Amended	(59FR1383, Oct. 11, 1994)	(Dec. 20, 1995)
	NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District.		
45. SUBPART NN	STANDARDS OF PERFORMANCE FOR PHOSPHATE ROCK PLANTS		
		US EPA	BAAQMD
	Date First Adopted	(47FR16589, Apr. 16, 1982)	(April 19, 1989)
46. SUBPART PP	STANDARDS OF PERFORMANCE FOR AMMONIUM SULFATE MANUFACTURE		
		US EPA	BAAQMD
	Date First Adopted	(45FR74850, Nov. 12, 1980)	(April 19, 1989)
	Date Last Amended	(54FR6676, Feb. 14, 1989)	(July 18, 1990)

47. SUBPART QQ STANDARDS OF PERFORMANCE FOR THE GRAPHIC ARTS INDUSTRY: PUBLICATION ROTOGRAVURE PRINTING
- | | | |
|--------------------|---------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (47FR50649, Nov. 8, 1982) | (April 19, 1989) |
- NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District.
48. SUBPART RR STANDARDS OF PERFORMANCE FOR PRESSURE SENSITIVE TAPE AND LABEL SURFACE COATING OPERATIONS
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (48FR48375, Oct. 18, 1983) | (April 19, 1989) |
| Date Last Amended | (55FR51378, Dec. 13, 1990) | (Dec. 20, 1995) |
- NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District.
49. SUBPART SS STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING : LARGE APPLIANCES
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (44FR47785, Oct. 27, 1982) | (April 19, 1989) |
- NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District.
50. SUBPART TT STANDARDS OF PERFORMANCE FOR METAL COIL SURFACE COATING
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (47FR49612, Nov. 1, 1982) | (April 19, 1989) |
| Date Last Amended | (51FR22938, June 24, 1986) | |
- NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District.
51. SUBPART UU STANDARDS OF PERFORMANCE FOR ASPHALT PROCESSING AND ASPHALT ROOFING MANUFACTURE
- | | | |
|--------------------|---------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (47FR34143, Aug. 6, 1982) | (April 19, 1989) |
52. SUBPART VV STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN THE SYNTHETIC ORGANIC CHEMICALS MANUFACTURING INDUSTRY
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (48FR48335, Oct. 18, 1983) | (April 19, 1989) |
| Date Last Amended | (60FR43243, Aug. 18, 1995) | (Dec. 20, 1995) |
53. SUBPART WW STANDARDS OF PERFORMANCE FOR THE BEVERAGE CAN SURFACE COATING INDUSTRY
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (48FR38737, Aug. 25, 1983) | (April 19, 1989) |
- NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District.
54. SUBPART XX STANDARDS OF PERFORMANCE FOR BULK GASOLINE TERMINALS
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (48FR37590, Aug. 18, 1983) | (April 19, 1989) |
| Date Last Amended | (54FR6678, Feb. 14, 1989) | (July 18, 1990) |
- NOTE:** California Air Resources Board (CARB) Certification and Test Procedures for Vapor Recovery Systems of Gasoline Delivery Tanks shall be followed in lieu of the

federal procedure as shown in the CFR. Documentation and recordkeeping requirements shall record results of the CARB Certification Tests.

55. SUBPART AAA STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (52FR5860, Feb. 26, 1988) | (April 19, 1989) |
| Date Last Amended | (53FR12009, Apr. 12, 1988) | |
56. SUBPART BBB STANDARDS OF PERFORMANCE FOR RUBBER TIRE MANUFACTURING PLANTS
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (52FR34868, Sept 15, 1987) | (April 19, 1989) |
| Date Last Amended | (54FR38634, Sept 19, 1989) | (July 18, 1990) |
57. SUBPART DDD STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM THE POLYMER MANUFACTURING INDUSTRY
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (55FR51010, Dec. 11, 1990) | (August 7, 1991) |
| Date Last Amended | (56FR12299, Mar. 22, 1991) | |
- NOTE:** The 14-day rolling ethylene glycol concentration averaging periods specified in the federal standards are deleted and replaced with a daily concentration standard for affected facilities in the Bay Area Air Quality Management District.
58. SUBPART FFF STANDARDS OF PERFORMANCE FOR FLEXIBLE VINYL AND URETHANE COATING AND PRINTING
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (49FR26892, Jun. 29, 1984) | (April 19, 1989) |
| Date Last Amended | (49FR32848, Aug.17, 1984) | (April 19, 1989) |
- NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the Bay Area Air Quality Management District. The monthly basis used to calculate the VOC content from the source performance test in the federal standards has been deleted and replaced with a 24-hour period to demonstrate compliance on a daily basis for affected facilities in the Bay Area Air Quality Management District.
59. SUBPART GGG STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN PETROLEUM REFINERIES
- | | | |
|--------------------|---------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (49FR22606, May 30, 1984) | (April 19, 1989) |
60. SUBPART HHH STANDARDS OF PERFORMANCE FOR SYNTHETIC FIBER PRODUCTION FACILITIES
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (49FR13651, Apr. 5, 1984) | (April 19, 1989) |
| Date Last Amended | (55FR51378, Dec. 13, 1990) | (Dec. 20, 1995) |
- NOTE:** The six month rolling average basis specified in the federal standards is deleted and replaced with 24-hour emission averaging periods for affected facilities in the Bay Area Air Quality Management District.
61. SUBPART III STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM THE SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY (SOCMI) AIR OXIDATION UNIT PROCESSES
- | | | |
|--------------------|----------------------------|------------------|
| | US EPA | BAAQMD |
| Date First Adopted | (55FR26912, June 29, 1990) | (August 7, 1991) |
| Date Last Amended | (55FR36932, Sept. 7, 1990) | |
62. SUBPART JJJ STANDARDS OF PERFORMANCE FOR PETROLEUM DRY CLEANERS

	US EPA	BAAQMD
Date First Adopted	(49FR37331, Sept. 21, 1984)	(April 19, 1989)
Date Last Amended	(50FR49026, Nov. 27, 1985)	

NOTE: The observation of a leak in excess of the requirements of the rule constitutes a violation of the rule. This provision added under Section 60.622.

- | | | | |
|-----------------|---|----------------------------|-------------------|
| 63. SUBPART KKK | STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC FROM ONSHORE NATURAL GAS PROCESSING PLANTS | US EPA | BAAQMD |
| | Date First Adopted | (50FR26124, Jun. 24, 1985) | (April 19, 1989) |
| | Date Last Amended | (51FR2702, Jan. 21, 1986) | |
| 64. SUBPART LLL | STANDARDS OF PERFORMANCE FOR ONSHORE NATURAL GAS PROCESSING; SO ₂ EMISSIONS | US EPA | BAAQMD |
| | Date First Adopted | (50FR40160, Oct. 1, 1985) | (April 19, 1989) |
| | Date Last Amended | (54FR6679, Feb. 14, 1989) | (July 18, 1990) |
| 65. SUBPART NNN | STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY (SOCMI) DISTILLATION OPERATIONS | US EPA | BAAQMD |
| | Date First Adopted | (55FR26931, June 29, 1990) | (August 7, 1991) |
| | Date Last Amended | (60FR58237, Nov. 27, 1995) | (Oct. 8, 1997) |
| 66. SUBPART OOO | STANDARDS OF PERFORMANCE FOR NONMETALLIC MINERAL PROCESSING PLANTS | US EPA | BAAQMD |
| | Date First Adopted | (51FR31337, Aug. 1, 1985) | (April 19, 1989) |
| | Date Last Amended | (62FR31359, June 9, 1997) | (Oct. 8, 1997) |
| 67. SUBPART PPP | STANDARDS OF PERFORMANCE FOR WOOL FIBERGLASS INSULATION MANUFACTURING PLANTS | US EPA | BAAQMD |
| | Date First Adopted | (50FR7699, Feb. 25, 1985) | (April 19, 1989) |
| | Date Last Amended | (54FR6680 Feb. 14, 1989) | (July 18, 1990) |
| 68. SUBPART RRR | STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY REACTOR PROCESSES | US EPA | BAAQMD |
| | Date First Adopted | (58FR45963, Aug. 31, 1993) | (January 5, 1994) |
| | Date Last Amended | (62FR31359, June 9, 1997) | (Oct. 8, 1997) |
| 69. SUBPART QQQ | STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERIES WASTE WATER SYSTEMS | US EPA | BAAQMD |
| | Date First Adopted | (53FR47616, Nov. 23, 1988) | (April 19, 1989) |
| | Date Last Amended | (60FR43243, Aug. 18, 1995) | (Dec. 20, 1995) |
| 70. SUBPART SSS | STANDARDS OF PERFORMANCE FOR MAGNETIC TAPE COATING FACILITIES | US EPA | BAAQMD |
| | Date First Adopted | (53FR38892, Oct. 3, 1988) | (April 19, 1989) |
| 71. SUBPART TTT | STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING; PLASTIC PARTS FOR BUSINESS MACHINES | US EPA | BAAQMD |
| | Date First Adopted | (53FR2672, Jan. 29, 1988) | (April 19, 1989) |
| | Date Last Amended | (54FR25458, Jun. 15, 1989) | (July 18, 1990) |

72. SUBPART UUU	STANDARDS OF PERFORMANCE FOR CALCINERS AND DRYERS IN MINERAL INDUSTRIES		
		US EPA	BAAQMD
	Date First Adopted	(57FR44496, Sept. 28, 1992)	(January 5, 1994)
	Date Last Amended	(58FR40591, July 29, 1993)	(January 5, 1994)
73. SUBPART VVV	STANDARDS OF PERFORMANCE FOR POLYMERIC COATING OF SUPPORTING SUBSTRATES		
		US EPA	BAAQMD
	Date First Adopted	(53FR37534, Sept. 11, 1989)	(July 18, 1990)
74. SUBPART WWW	STANDARDS OF PERFORMANCE FOR MUNICIPAL SOLID WASTE LANDFILLS CONSTRUCTED AFTER MAY 31, 1991		
		US EPA	BAAQMD
	Date First Adopted	(61FR9905, Mar. 12, 1996)	(Oct. 8, 1997)
	Date Last Amended	(64FR9258, Feb. 24, 1999)	(Feb. 16, 2000)