
## **Rule 11-18 Process Flow Chart**



**Air District Does a Facility Require** Air District **Updates TAC Completes Annual** Additional TAC Inventory and **Air District** Inventory, Health Risk Assessment (HRA) **Update of All Conducts and** Yes Corrects **Facility Emission** Review? **Approves** Prioritization Inventories and Yes, if: **Rule 11-18** Scores and **Prioritization Scores** Phase I: PS > 250 or HRA **Collects HRA** Phase II: PS of 10-250 (PS) **Input Data** No, if PS < 10 **Does a Facility Risk Exceed a Risk Action Level?** No **Facility** is NOT Cancer Risk > 10/M Subject to Chronic HI  $\geq$  1.0, or Rule 11-18 Acute HI  $\geq$  1.0 Yes **Air District Confirms Air District Facility Implements Risk Facility Submits Reviews and Compliance with Reduction Measures Draft Risk Approves Required Risk** Contained in RR Plan and **Reduction Plan Rule 11-18** Reduction **Demonstrates Compliance** (RR Plan) **RR Plan** Measures with RR Plan Requirements BAY AREA AIR QUALITY
MANAGEMENT DISTRICT www.baaqmd.gov



## Rule 11-18 Process Duration for a Typical Facility



**Process Duration (Years)** 









