

**PETITION FOR VARIANCE
BEFORE THE HEARING BOARD OF THE
BAY AREA AIR QUALITY MANAGEMENT DISTRICT**



PETITIONER

Name: Chevron Products Company

Check One: Sole Proprietor Partnership Corporation
 Government Non-Profit (specify) _____

Mailing Address: 841 Chevron Way, Richmond, CA 94801

Phone number: 510-242-1400

Email Address: kbattleson@chevron.com

Name, title, and phone number of person(s) authorized to receive notices (no more than two):

Kris Battleson, HSE Manager, 510-242-1400

Brian Faulkner, Senior Counsel, 713-372-6042

Briefly describe the type of business or organization/agency activity:

Chevron Products Company, a division of Chevron U.S.A. Inc., (the "Applicant") operates the Richmond Refinery (the "Facility"), located in Richmond, California. The Facility processes crude oils and other feedstocks into refined petroleum products, primarily transportation fuels. It processes about 250,000 barrels of crude oil per day, supplying approximately 20 percent of the gasoline in Northern California and about 60 percent of jet fuel for Bay Area airports including San Jose, Oakland, San Francisco, and Sacramento. It is also the City of Richmond's largest employer.

Are you a Small Business as defined in Health and Safety Code Section 42352.5(b)?

Yes No

Are you a public agency providing an “essential public service” as defined in Health and Safety Code Section 42352?

Yes No

VARIANCE REQUEST

Type of Variance Requested:

If you are selecting Interim Variance, you must also select a Short or Regular Variance to follow.

Interim Short Regular Emergency Product Group

Good Cause: (Required only for Emergency and Interim Variances Explain why this Petition was not filed in sufficient time to issue the required public notice.)

N/A

OPERATION

Briefly describe the type of equipment or process that is the subject of this variance petition, and why it is necessary to your operation. Attach copies of the Permit(s) to Construct and/or Permit(s) to Operate for the subject equipment. For Title V facilities, attach only the relevant sections of the Facility Permit showing the equipment or process and conditions that are subject to this Petition. You must bring the entire Facility Permit to the hearing:

The Facility’s Fluid Catalytic Cracking Unit (“FCCU,” or S-4285) is critical to the Facility’s production of gasoline and other transportation fuels. Under its Major Facility (Title V) permit, the FCCU is authorized to process up to 90,000 barrels per day. This application concerns the interplay among multiple permit conditions and regulatory requirements intended to limit particulate matter (“PM”) emissions from the FCCU.

The FCCU converts high-boiling point hydrocarbon fractions of crude oil into gasoline and other petroleum products. Conversion occurs in a reactor vessel using heat and a catalyst to break up, or “crack,” long chain hydrocarbons into smaller-chain hydrocarbons. (Many steps of the FCCU’s process are omitted as they are of limited relevance to this summary.)

Before exiting the stack, the flue gas from the FCCU is routed to the Electrostatic Precipitator (“ESP,” or A-14), which removes filterable PM to comply with the FCCU’s total suspended particulate (“TSP”) limit. Permit condition (“PC”) #11066 Part 7A provides that the FCCU shall not exceed 21 lbs/hr of TSP on a time-weighted average over any consecutive 365-day period. The ESP charges the particles in the flue gas by creating a nonuniform electrical field between the negatively charged electrodes (i.e., wires) and the positively charged electrodes (i.e., plates). The ESP’s Transformer Rectifier (“TR”) sets supply the specified voltage and current to the wires and plates. A flow of electrons moves from the discharge wires to the collecting plates. As the molecules in the flue gas pass through the electrodes, they become negatively charged. The TR sets increase the grid voltage until the negatively-charged particles arc from the grid to the positively-charged precipitator structure. Optimal collection efficiency is typically achieved when the voltage is high enough to produce a controlled number of sparks per minute. The particles collected are then removed from the plates. At the same time, the secondary current should not be too high, or else a spark could have enough energy behind it to turn into an arc. Arcing causes the voltage to drop.

To aid in effective ESP operation, Part 7A5 of PC #11066 imposes a parametric condition setting a minimum current for the TR sets. It requires that the 3-hour average secondary current of any TR set shall not be less than 200 milliamps, with an allowance for up to 2 TR sets to have a 3-hour average below this threshold if the average of all remaining TR sets is above 296 milliamps. This condition is not a direct emission limit; rather, it is an operational parameter conservatively designed to ensure compliance with the TSP emission limit.

To maintain the ESP’s particulate control, the Facility injects ammonia into the flue gas prior to entering the ESP. Ammonia injection is needed to condition the flue gas and allow the ESP to operate per design, as it reduces the electrical resistivity of the filterable particles, causing them to be more conductive and collect more readily in the ESP. Ammonia injection also has the effect of increasing the amperage on the TR sets, facilitating compliance with Part 7A5. Since 2017, Chevron has operated under its Ammonia Optimization and Demonstration Protocol authorized under Section 6-5-115.1. In August 2017, Chevron submitted its Optimization and Demonstration Protocol Final Report along with a permit application to amend the ammonia limit to 26 ppmvd at 3% O₂ as a daily average and to remove the TR set amperage requirement. (The District did not act on this application.)

Ammonia injection is particularly important to ensure compliance with opacity requirements during activities necessary to maintain the ESP. To protect the ESP from high temperature by improving heat transfer and steam generation, high pressure steam is used to blast the particulate fines off the tubes of the heat

transfer equipment to improve performance. When this occurs, an increased particulate matter concentration goes into the flue gas for a short period of time, which poses increased risk of an exceedance of the existing opacity requirement in Section 6-1-302, which requires that the Facility not emit equal to or greater than 20% opacity for more than three minutes in any clock hour. (Violations of Section 6-1-302 have occurred during these incidents in the past.) If a potential exceedance of the opacity requirement might occur, operators increase ammonia injection to increase TR set amperage and improve ESP performance and reduce particulate emissions.

As amended in 2021, Air District Rule 6-5 includes a provision that becomes effective on July 21, 2026, and will require Chevron to reduce ammonia injection below historical rates. Specifically, Section 6-5-301.1 will limit ammonia concentrations at the FCCU to 10 ppmvd at 3% O₂ as a daily average—i.e., less than 40% of the daily concentration limit that Chevron has been adhering to in accordance with its Ammonia Optimization and Demonstration Protocol. As explained, ammonia injection conditions the flue gas to increase electrical conductivity; therefore, reducing the ammonia injection rate lowers the TR set secondary amperage. In theory, this could decrease the efficacy of the ESP and result in higher filterable PM (i.e., TSP) emissions and opacity.

As explained in more detail below, Chevron has made operational improvements to the ESP and does not currently expect any excess emissions as a result of reducing ammonia injection to comply with the 10 ppmv ammonia daily average limit. However, reducing ammonia in that manner will unavoidably hinder compliance with the permit requirement specifying minimum TR set amperage. In February 2026, Chevron submitted an application to the District to adjust the minimum amperage to the level at which it could demonstrate compliance with the TSP limit through source testing, as provided by Part 7A5. However, because the FCCU's power recovery turbine ("PRT") is not in service and is currently undergoing repair, any source testing conducted at this time would not produce data representative of the FCCU in its ordinary operating posture and therefore cannot provide a basis to support administrative adjustment of Part 7A5's minimum amperage requirement prior to the July 21 effective date of Section 6-5-301.1's 10 ppmv ammonia limit. Accordingly, Chevron requests a short variance from the parametric condition in Part 7A5, until such time as the PRT is back in service and testing can be conducted to support administrative amendment of the condition, but no later than October 19, 2026.

REGULATORY REQUIREMENTS

List all District Regulations, rules, and permit conditions that are the subject of this variance request. Identify all applicable subsections:

- Title V Permit # A0010:
 - Condition #11066 Part 7A5 - This condition provides that the average secondary current of any TR set shall not be less than 200 milliamps averaged over any 3-hour period, or the secondary current of up to 2 TR sets may be less than 200 milliamps, averaged over any 3-hour period, as long as the remaining TR sets maintain an average secondary current above 296 milliamps averaged over any 3-hour period.
- District Rule 2-1-307 – This rule requires that a facility permit holder comply at all times with the conditions of its permit to operate.
- District Rule 2-6-307 – This rule requires that a facility permit holder comply at all times with all federally enforceable permit conditions.

INFORMATION FOR VARIANCE FINDINGS

Is there a regular maintenance and/or inspection schedule for this equipment?

Yes No

If yes, how often:

The maintenance cycle on this piece of equipment is every 6 years while the plant is in its normal planned maintenance window. During the planned outages, the scope of work on this piece of equipment is as follows: Water wash of the internal equipment to regain performance, internal visual inspection of electrical equipment, as needed replacement of failed or degraded equipment, and a load test of the electrical equipment prior to start up to ensure normal operation of the TR sets.

Outside of planned outages, Chevron has bi-annual site visits by an ESP technology expert. During these visits, the TR sets are reviewed and optimized to ensure they are operating at their peak performance based on current operating conditions. Routine maintenance is performed as needed, but the vast majority of components on the system require a planned outage to resolve.

Date of last maintenance and/or inspection:

The last planned maintenance occurred on this equipment in 2020Q4.

Was there any indication of problems with the subject equipment?

Yes No

Were you issued any Notice(s) of Violation or Notice(s) to Comply concerning the equipment or activity that are the subject of this variance request within the past year? If yes, attach a copy of each notice.

Yes No

The Air District has issued several NOVs in the last year that cited a failure to meet the TR set amperage requirement, often in instances when an upset or shutdown caused the ESP to be deenergized entirely. See A62968, A62972, A62973, A62975, A62969, A62970, A62971, and A64723. Most of the NOVs issued concerning the FCCU and/or ESP during the past year cited an exceedance of the opacity standard in Section 6-1-302. See A64563, A64567, A64569, A63454, A64564, A64685, A64686, A64687, A64709, A64691, A64695, A65440, A65447, A65450, A60105, A60106, A65767, A65768, A65771, A65772, A65773, and A65774. A few others concern unrelated problems at the FCCU. See A64718, A64721.

It should be noted that Chevron has provided the Air District with notice under Title V for other instances in which the TR sets did not meet the minimum amperage requirements, but the Air District has not issued NOVs for those instances. These instances provide further indication of the challenges that the TR set parametric condition has posed as Chevron has been working to reduce ammonia injection.

Have you received any complaints from the public regarding the operation of the subject equipment or activity within the last six months?

Yes No

If yes, be prepared to present detailed testimony about the nature of these complaints at the hearing.

Has this matter been the subject of previous variance requests? No.

If yes, provide date of hearing, type of variance, and Hearing Board decision:

Explain why it is beyond your reasonable control to comply with the regulations and permit conditions that will be the subject of this variance:

On July 21, 2026, the 10 ppmv daily ammonia limit in Section 6-5-301.1 becomes effective. Beginning on this date, it will be beyond Chevron's reasonable control to comply continuously with the TR set minimum amperage requirements in PC #11066 Part 7A5.

Chevron operators and engineers have spent much of the last six months proactively fine-tuning operations of the ESP, including in consultation with its ESP subject-matter expert, to assess improvements that could be implemented to reduce ammonia injection to comply with the forthcoming 10 ppm daily limit while maintaining compliance with the TR set, TSP, and opacity requirements (including during once-a-day soot-blowing activities). This has resulted in implementation of the following operational improvements:

1. Upgrading ammonia injection control at the ESP (dual low-flow valves for better control), which was implemented pursuant to Chevron's and the Air District's 2024 settlement agreement concerning Rule 6-5;
2. Adjusting its soot-blowing strategy (one soot blower at a time rather than all at once);
3. Reducing the deposition of particulate on collecting plates and discharge electrodes;
4. Implementing periodic power-down rapping and spark-cleaning procedures;
5. Optimizing long-term rapping cycles and spark rates; and
6. Improving hopper evacuation (manually removing fines from each hopper several times per week).

These operational improvements increase the likelihood that the ESP will remain effective in collecting particles at a significantly lower ammonia injection rate than Chevron has historically applied, while maintaining compliance with all other existing applicable emission limits.

However, Chevron also concluded that it would be impossible for Chevron to meet the TR set minimum amperage requirements in Part 7A5. At lower ammonia injection rates required to meet the 10 ppmv daily average limit that goes into effect on July 21, 2026, TR set amperage is reduced to levels below the minimum amperage required by Part 7A5's parametric condition. This was also demonstrated under the above-noted Ammonia Optimization testing that was performed in 2016 and 2017.

On February 10, 2026, Chevron submitted Application No. ("AN") 749356 to the Air District, requesting that the Air District revise the Part 7A5 parametric condition, which itself provides that it can be adjusted "administratively if District-approved source test data demonstrate to the satisfaction of the APCO that alternate parametric conditions are necessary for or capable of maintaining compliance with an emission limit of 21.0 lb/hr TSP as determined by US EPA Method 5B or other District-approved equivalent." The District has revised this parametric condition administratively once before (on February 25, 1998) upon making such a demonstration. Accordingly, Chevron stated in AN 749356 that it "proposes to demonstrate that the 21 TSP lb/hr limit can be achieved at lower secondary current or with a comparable alternative parameter using quarterly

source testing as outlined in Part 7 11066 and/or a District-approved source test plan.”

Unfortunately, in April 2026, the FCCU’s PRT became inoperable and required repairs, and Chevron sought and received a temporary permit to operate the FCCU, without its PRT in service. As a result, the FCCU has not been operating in a representative posture, the source test has not been able to occur, and no adjustment of the TR set condition has been made. Chevron will be able to conduct this source test as intended only after the PRT is available for operation.

Accordingly, Chevron is seeking a short variance with respect to the TR set condition for no more than 90 days after Section 6-5-301.1’s initial effective date of July 21, 2026 for the ammonia limit. In October 2026, Chevron anticipates the PRT will be available at the FCCU and expects to have made other improvements that may further assist with reducing emissions even with the TR sets operating at lower amperages. Those improvements include (1) replacing the hopper level detectors, hopper hammers and heaters and improving the valves and piping to remove fines from the hoppers; and (2) improving fines carryover with improvements to the third stage separator cyclones. Chevron will continue to evaluate other potential operational improvements that might improve ESP performance and will implement them if they are feasible.

In short, after the variance period is over, Chevron believes that it will be able to demonstrate that it can comply with all applicable limits, with the TR sets operating outside of the currently applicable parametric condition. Administrative adjustment of the parametric condition through the vehicle of AN 749356 will provide the path to compliance.

If you are seeking a product variance, briefly describe how you attempted to locate, research, or develop a product that is in compliance with District rules and regulations:

N/A

When and how did you first become aware that you are not (or will not be) in compliance with the regulations, rules and/or permit conditions?

As noted above, earlier this year, Chevron operators fine-tuning the ESP determined that the equipment would not be able to meet the parametric condition on TR set amperage while complying with all other existing limits and the ammonia limit that goes into effect on July 21, 2026.

List the date(s) and action(s) you have taken since that time to achieve compliance:

As noted, on February 10, 2026, Chevron submitted AN 749356 requesting to adjust the Part 7A5 condition, citing the upcoming compliance deadline of the 10 ppm daily ammonia limit in Section 6-5-301.1, effective July 21, 2026. However, due to the repairs on the PRT and the current operating posture of the FCCU, it

has not been possible to pursue the source test it proposed to administratively adjust this parametric condition.

At the same time, Chevron has been actively troubleshooting the ESP and has made the following operational improvements:

1. Upgrades to ammonia injection control (dual low-flow valves for better control);
2. Adjustment to soot-blowing strategy (one soot blower at a time rather than all at once);
3. Reduction in deposit on collecting plates and discharge electrodes;
4. Implementation of periodic power-down rapping and spark-cleaning procedures;
5. Optimization of long-term rapping cycles and spark rates; and
6. Improvement in hopper evacuation (manually removing fines from each hopper multiple times per week).

Although these changes reduce emissions, they do not increase TR set amperages to the baseline currently required by parametric condition Part 7A5.

What would be the harm to your business, agency or organization if the variance is not granted?

Economic losses:

While it is not possible to estimate the precise losses that would result from curtailing the FCCU to mitigate the risk of further exceedances, such losses would be millions per day and would be proportional to the degree of curtailment.

Number of employees laid off, if any:

The Facility is the largest employer in the City of Richmond. It has approximately 1,200 total employees. The number that might need to be laid off, if any, would depend upon the degree to which FCCU production must be curtailed and the duration of any such curtailment.

Provide detailed information regarding economic losses, if any (anticipated business closure, breach of contracts, hardship on customers, employees or the public, and/or similar impacts):

California faces unique supply constraints on the production of transportation fuels. Due in part to the closure and conversion of in-state petroleum refineries, California has become increasingly dependent upon imported petroleum products.

As noted, Richmond Refinery processes about 250,000 barrels of crude oil per day, supplying approximately 20 percent of the gasoline in Northern California and about 60 percent of jet fuel for Bay Area airports including San Jose,

Oakland, San Francisco, and Sacramento. If the Facility curtailed operation of the FCCU on July 21, 2026 to avoid a TR set violation, the associated loss of production would adversely affect the supply of gasoline and other transportation fuels to the California market.

Can you curtail or terminate any operations in lieu of seeking a variance?

Yes (provide brief explanation) No

Although terminating all operations at the FCCU prior to July 21, 2026 would avoid noncompliance with the TR set condition, such measures would result in significant lost production and revenue. Moreover, it would materially affect the supply of gasoline to the California market and cause related downstream economic impacts. As set out more below, these negative consequences for Chevron and the public would occur without a meaningful benefit to public health because operating the FCCU without achieving the TR set minimum amperage currently required by Part 7A5 is not expected to result in emissions above applicable emissions limits for TSP or opacity and will ensure that ammonia injection can be reduced to the rates required to achieve the 10 ppm limit that becomes effective on July 21, 2026. Terminating operations is therefore not a practical or effective substitute for temporary variance relief from Part 7A5's parametric condition. Nor would reducing feed to the FCCU allow for compliance in the absence of variance relief, as reducing feed is not expected to impact TR set minimum amperage.

Will any emissions occurring during the variance period result in odor, dust or smoke? If yes, identify the type and amount of these emissions; what you can do to monitor and mitigate those emissions; and, the likely impact on the surrounding community.

No.

Will any emissions occurring during the variance period result in excess opacity? If yes, identify the type and amount of these emissions; the likely duration of the excess opacity during the variance period; and, what you can do to monitor and mitigate those emissions.

No.

Estimate all other excess emissions that will occur on a daily basis during the variance period. Excess emissions are those that exceed rule and permit condition limits.

N/A.

Show calculations used to estimate quantities of excess emissions or explain why there will be no excess emissions:

Chevron does not expect that a variance with respect to the TR set condition in Part 7A5 will result in excess TSP emissions above the applicable limits (or any

other excess emissions). The parametric condition establishing minimum TR set amperages was implemented based on the basic principle that the ESP operates less effectively when the TR sets operate at lower amperages, thus resulting in higher TSP (and filterable PM). Based on operating conditions in place at the time that the condition was last revised (in 1998), it was anticipated that Chevron needed to maintain minimum amperage at the levels currently required by Part 7A5 to achieve the 21.0 lb/hr TSP annual limit in Part 7A. However, as explained above, Chevron has made improvements that should allow the ESP to abate filterable PM and TSP, even with significantly reduced ammonia injection such that TR sets operate at lower amperages than currently required by Part 7A5. Chevron had hoped to be able to conduct source testing to support its requested administrative amendment of this parametric condition, but cannot do so at this time because operating the FCCU without its PRT would not provide representative data on emissions from the FCCU when operated in its normal posture (i.e., with the PRT in service).

Chevron will track emissions during the variance period using the best available analyzer data, as requested by the District. If any excess emissions occur that are attributable to this variance, Chevron will provide the most current quantified excess emissions information available as it becomes available and during the variance period as requested by the District and/or Hearing Board.

Briefly describe the measures that will be taken to mitigate excess emissions to the maximum extent feasible during the variance period, or explain why mitigation measures are not feasible:

Chevron will mitigate emissions to the maximum extent feasible by continuing to optimize ESP operating conditions, which includes keeping the ESP energized and with the TR sets at as high an amperage as is possible and consistent with good operations, while maintaining compliance with applicable emissions limits for opacity and ammonia.

Further, Chevron will continue to implement the following operational improvements at the ESP:

1. Upgrades to ammonia injection control (dual low-flow valves for better control);
2. Adjustment to soot-blowing strategy (one soot blower at a time rather than all at once);
3. Reduction in deposit on collecting plates and discharge electrodes;
4. Implementation of periodic power-down rapping and spark-cleaning procedures;
5. Optimization of long-term rapping cycles and spark rates; and
6. Improvement in hopper evacuation (manually removing fines from each hopper several times each week).

Beyond the period when the requested short variance would remain in effect, Chevron intends to implement two additional improvements that are expected to further enable compliance with applicable emissions limits at lower amperage than currently required by Part 7A5, including: (1) replacing the hopper level detectors, hopper hammers and heaters and improving the valves and piping to remove fines from the hoppers; and (2) improving fines carryover with improvements to the third stage separator cyclones.

How do you plan to monitor or quantify emissions levels from the equipment or operations during the variance period?

Chevron will maintain records of TR amperage throughout the variance period and will continuously monitor both opacity and ammonia from the FCCU.

Will you provide information regarding emissions during the variance period in a manner and frequency as requested by the District?

Yes No

COMPLIANCE

How do you intend to achieve compliance with the regulations and permit conditions that are the subject of the variance? Briefly describe any necessary process changes; equipment to be installed; or modifications to equipment or your facility. Identify whether authority to construct or a permit amendment will be necessary. Include dates by which you estimate actions will be completed and an estimate of total costs.

If a variance is granted, Chevron intends to continue collecting and evaluating data and optimizing its process for maintaining the ESP throughout the duration of the variance. Chevron believes that, due to the improvements already made, it will maintain compliance with applicable emissions limits for TSP, opacity and ammonia, while operating the ESP's TR sets outside of the amperages required by the currently applicable parametric condition in Part 7A5. Thus, the anticipated pathway to compliance is completing a source test once the PRT is back in service and the FCCU is operating in its normal posture (as requested by Application Number 749356), to establish a lower TR set minimum amperage than is currently required by Part 7A5.

After the variance period, Chevron will implement the following two further improvements, which will further enable compliance with applicable emissions limits at lower amperage than currently required by Part 7A5: (1) replacing the hopper level detectors, hopper hammers and heaters and improving the valves and piping to remove fines from the hoppers; and (2) improving fines carryover with improvements to the third stage separator cyclones.

List any operating conditions or increments of progress, if any, that you propose to include in the variance order. If the variance is to extend beyond one year, you must propose increments of progress:

Chevron proposes that any variance order require:

1. Maintaining TR set amperage as high as feasible, while complying with ammonia and opacity limits;
2. Continued collection of TR set minimum amperage data and reporting of any periods when amperage is not achieving minimum amperage specified by Part 7A5;
3. Prompt reporting of emissions information as requested by the District; and
4. Continued implementation of the above-enumerated operational improvements.

State the date you are requesting the variance to begin: July 21, 2026

State the date on which you will achieve final compliance: To be determined based on ongoing evaluations and source testing to be conducted as proposed by Application Number 749356, once the PRT is returned to service and the requested administrative amendment can be issued.

List the names of any District staff with whom you or any of your staff or representatives have had contact concerning this variance petition or any related Notice of Violation or Notice to Comply. Include name, title and phone number:

- Pamela Leong, Director of Engineering, (415) 749-5186
- Greg Solomon, Senior Manager, Engineering, (415) 749-4715
- Bhagavan Krishnaswamy, Supervising Air Quality Engineer, Engineering, (415) 749-4637
- Chris Thompson, Senior Air Quality Engineer, Engineering, (415) 749-8733
- Edward Giacometti, Manager II, Compliance and Enforcement, (415) 749-8414
- Kevin Cordes, Supervising Air Quality Specialist, Compliance and Enforcement, (415) 749-8716
- Cristobal Frias, Air Quality Specialist II, Compliance and Enforcement, (415) 749-4627
- Benjamin Siemens, Air Quality Specialist II, Compliance and Enforcement, (415) 749-5148
- Alexander Crockett, General Counsel, (415) 749-4732
- Alexandra Kamel, Senior Assistant Counsel, (415) 749-5191


If this Petition was completed by someone other than the petitioner, provide their name and title:

The following verification must be signed by the owner, manager, director, or other responsible party of the plant, business, factory, agency or organization requesting the variance:

I, the undersigned, hereby declare under penalty of perjury, under the laws of the State of California, that I have read the foregoing Petition, including attachments, and that their contents are true and correct.

Dated: July 2, 2026, at (location) Richmond, CA_____.

Print name: Kris Battleson_____

Signature: _____

Title: HSE Manager_____



BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 375 Beale Street, Suite 600, San Francisco, CA 94105
 (415) 749-5000

NOTICE OF VIOLATION

No. **A60105**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 11/17/25 TIME: 0800 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Opacity excess at FCCU stack during 6-5 Settlement upset. RCA 202613.

RECIPIENT NAME: Shauna Falvey
 TITLE: Environmental Execution Team Lead

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT *x Shauna Falvey*

➔ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. **THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY.** YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Haley Downing INSP # 880
 DATE: 6/3/26 TIME: 1700 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 375 Beale Street, Suite 600, San Francisco, CA 94105
 (415) 749-5000

NOTICE OF VIOLATION

No. **A60106**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 11/18/25 TIME: 0500 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE _____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Opacity excess at FCCU stack during 6-5 Settlement upset. RCA 202615.

RECIPIENT NAME: Shauna Falvey
 TITLE: Environmental Execution Team Lead

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT
 x Shauna Falvey

➔ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. **THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY.** YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Haley Downing INSP # 880
 DATE: 6/3/26 TIME: 1700 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A62968**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCC TR Sets
 EMISSION PT: P# _____ NAME: _____
 DATE: 7/24/25 TIME: 0929 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE ⁶ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: Failure to meet P/C #11066 Part 7 A5(RCA201799).

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 8/12/25 TIME: 1200 HRS MAILED

PLEASE PRESS HARD

Continued On Reverse

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



NOTICE OF VIOLATION

No. **A62969**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCC ESP TR Sets & Inlet Temp
 EMISSION PT: P# _____ NAME: _____
 DATE: 2/13/25 TIME: 2315 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE ⁶ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: RCA201023: Failure to meet P/C #11066, Parts 7 A4 & A5.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 10/28/25 TIME: 1500 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A62970**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 10/27/25 TIME: 0149 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE ⁶ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: RCA202541: Failure to meet P/C #11066, Parts 7 A4 & A5.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT X

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 11/17/25 TIME: 0900 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A**

ISSUED TO: _____ P G N# _____
 ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____
 PHONE: () _____
 N# Mailing Address on F61

OCCURRENCE

NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# _____ NAME: _____
 EMISSION PT: P# _____ NAME: _____
 DATE: _____ TIME: _____ HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ___ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____

Details: _____

RECIPIENT NAME: _____
 TITLE: _____

SIGNING THIS NOTICE IS NOT
 AN ADMISSION OF GUILT

X *[Signature]*

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: _____ INSP # _____
 DATE: _____ TIME: _____ HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



NOTICE OF VIOLATION

No. **A62972**

ISSUED TO: Chevron Products Company P G N# A0010

ADDRESS: 841 Chevron Way

CITY: Richmond STATE: CA ZIP: 94801

PHONE: (510) 242-2578

N# Mailing Address on F61

OCCURRENCE

NAME: _____

ADDRESS: _____ Same As Above

CITY: _____ ZIP: _____

SOURCE: S# 4285 NAME: FCCU

EMISSION PT: P# _____ NAME: _____

DATE: 3/21/26 TIME: 0824 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE ⁶ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____

Details: Failure to meet PC 11066 Parts 7(A5) for TR Set current. RCA 202941.

RECIPIENT NAME: Danny Barbour

TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT

X *Danny Barbour*

➔ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. **THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY.** YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Cristobal Frias INSP # 920

DATE: 4/8/26 TIME: 1600 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

375 Beale Street, Suite 600, San Francisco, CA 94105

(415) 749-5000

NOTICE OF VIOLATION

No. **A62973**

ISSUED TO: Chevron Products Company P G N# A0010

ADDRESS: 841 Chevron Way

CITY: Richmond STATE: CA ZIP: 94801

PHONE: (510) 242-2578

N# Mailing Address on F61

OCCURRENCE

NAME: _____

ADDRESS: _____ Same As Above

CITY: _____ ZIP: _____

SOURCE: S# 4285 NAME: FCC Plant

EMISSION PT: P# _____ NAME: _____

DATE: 4/1/26 TIME: 20:02 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE ⁶ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: Failure to meet P/C #11066 Parts 7A4 and A5 (RCA #202968)

RECIPIENT NAME: Danny Barbour

TITLE: Env Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

X Danny Barbour

➔ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. **THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY.** YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Ben Siemens INSP # 905

DATE: 5/26/26 TIME: 17:00 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 375 Beale Street, Suite 600, San Francisco, CA 94105
 (415) 749-5000

NOTICE OF VIOLATION

No. **A62975**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 5/11/26 TIME: 1930 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE ⁶ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: Failure to meet PC 11066 Part 7(A5) for TR Set current. RCA 203090.

RECIPIENT NAME: Danny Barbour
 TITLE: Manager, Regulatory & Compliance

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT x Dan Barbour

➔ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. **THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY.** YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Haley Downing INSP # 880
 DATE: 6/4/26 TIME: 1400 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A63454**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: F-300 Stack Opacity
 EMISSION PT: P# _____ NAME: _____
 DATE: 04/10/2024 TIME: 2000 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Dev#8104 (RCA200276) Exceeded the 30% 6-minute average limit and the 20% 3-minutes in any hour limit.40CFR63.1564(a)

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 07/24/2025 TIME: 1500 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A63454**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: F-300 Stack Opacity
 EMISSION PT: P# _____ NAME: _____
 DATE: 04/10/2024 TIME: 2000 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Dev#8104 (RCA200276) Exceeded 20% 3-minutes in any hour limit.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 08/11/2025 TIME: 1500 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64563**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCC; F-300 Stack Opacity
 EMISSION PT: P# _____ NAME: _____
 DATE: 09/01/2024 TIME: 0000 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input checked="" type="checkbox"/> REG <u>1</u> RULE <u>522</u> SECTION <u>7</u> CODE <input type="text"/>	

Details: DEV #8276 (RCA200701) Late reporting & Exceeded opacity standards in Reg 6-1-302.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 07/24/2025 TIME: 1500 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64564**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCC; F-300 Stack Opacity
 EMISSION PT: P# _____ NAME: _____
 DATE: 09/21/2024 TIME: 1300 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE <u>6</u> SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: DEV #8316 (RCA200717) Exceeded opacity standards in Reg 6-1-302 and 40CFR63.1564

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 07/24/2025 TIME: 1500 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64567**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCC; F-300 Stack Opacity
 EMISSION PT: P# _____ NAME: _____
 DATE: 12/11/2024 TIME: 1900 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: DEV #8439 (RCA200852) Exceeded opacity standards.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

X Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 07/25/2025 TIME: 1500 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64569**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCC; F-300 Stack Opacity
 EMISSION PT: P# _____ NAME: _____
 DATE: 12/25/2024 TIME: 1800 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: DEV #8470 (RCA200886) Exceeded opacity standards.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

X Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 07/24/2025 TIME: 1500 HRS MAILED

PLEASE PRESS HARD

Continued On Reverse

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64685**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 2/2/25 TIME: 1100 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Opacity exceedance of Reg 6-1-302. RCA200969.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Haley Downing INSP # 880
 DATE: 11/3/25 TIME: 1000 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64686**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 2/9/25 TIME: 0000 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Opacity exceedance of Reg 6-1-302. RCA201013.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Haley Downing INSP # 880
 DATE: 11/3/25 TIME: 1000 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64687**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 2/13/25 TIME: 2300 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ___ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Opacity exceedance of Reg 6-1-302. RCA201021.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT
 AN ADMISSION OF GUILT

X Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Haley Downing INSP # 880
 DATE: 11/3/25 TIME: 1000 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64691**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 5/9/25 TIME: 2300 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Opacity exceedance of Reg 6-1-302. RCA201706.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT
 AN ADMISSION OF GUILT

x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Haley Downing INSP # 880
 DATE: 11/3/25 TIME: 1000 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64695**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 11/19/25 TIME: 1105 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input checked="" type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: Visible emissions exceeding 20% opacity for aggregate period of >3 min in any hour (10 minutes documented).

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

X Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Haley Downing INSP # 880
 DATE: 11/19/25 TIME: 1600 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64709**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 4/12/25 TIME: 1800 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Opacity exceedance of Reg 6-1-302. RCA201649.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT
AN ADMISSION OF GUILT

x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 11/3/25 TIME: 1000 HRS MAILED

PLEASE PRESS HARD

Continued On Reverse

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64718**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 12/01/25 TIME: _____ HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE ⁶ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: Failure to comply with 40 CFR 60.11, 63.6, 63.1569, 63.1570 & Standard Condition F.

RECIPIENT NAME: Danny Barbour
 TITLE: Environmental Regulatory & Compliance Manager

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT x Danny Barbour

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 12/17/25 TIME: 11:30 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64721**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 12/27/25 TIME: _____ HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE ⁶ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: Failure to abate emissions from ESP atmospheric vent in violation of PC 11066.7A, 40 CFR 60.11, 63.6, 63.1569, 63.1570 & Standard Condition Part F.

RECIPIENT NAME: Shauna Falvey
 TITLE: Environmental Execution Team Lead

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT x Shauna Falvey

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 1/14/26 TIME: 16:00 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A64723**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 2/13/26 TIME: 0400 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE ⁶ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: Failure to meet PC 11066 Parts 7 (A4) for ESP inlet temperature, (A5) for TR Set current. RCA 202819.

RECIPIENT NAME: Shauna Falvey
 TITLE: Environmental Execution Team Lead

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT x Shauna Falvey

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Cristobal Frias INSP # 920
 DATE: 03/03/2026 TIME: 15:00 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA
AIR QUALITY
MANAGEMENT
DISTRICT

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
375 Beale Street, Suite 600, San Francisco, CA 94105
(415) 749-5000

NOTICE OF VIOLATION

No. **A65440**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 4/3/26 TIME: 0932 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ___ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input checked="" type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE _____	

Details: Visible emissions >20% opacity for greater than 3 mins in any hour.

RECIPIENT NAME: Shauna Falvey
 TITLE: Environmental Execution Team Lead

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT x Shauna Falvey

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Haley Downing INSP # 880
 DATE: 4/6/26 TIME: 1400 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 375 Beale Street, Suite 600, San Francisco, CA 94105
 (415) 749-5000

NOTICE OF VIOLATION

No. **A65447**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 1/12/25 TIME: 1800 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input checked="" type="checkbox"/> REG 2 RULE <u>6</u> SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Opacity excess during 6-5 Settlement upset; primary internal cyclone not operating (40CFR 63.1564(a)(2)). RCA200917, 200920.

RECIPIENT NAME: Shauna Falvey
 TITLE: Environmental Execution Team Lead

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT
 x Shauna Falvey

➔ **WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.**

ISSUED BY: Haley Downing INSP # 880
 DATE: 6/3/26 TIME: 1700 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 375 Beale Street, Suite 600, San Francisco, CA 94105
 (415) 749-5000

NOTICE OF VIOLATION

No. **A65450**

ISSUED TO: Chevron Products Company P G N# A0010
 ADDRESS: 841 Chevron Way
 CITY: Richmond STATE: CA ZIP: 94801
 PHONE: (510) 242-2578
 N# Mailing Address on F61

OCCURRENCE
 NAME: _____
 ADDRESS: _____ Same As Above
 CITY: _____ ZIP: _____
 SOURCE: S# 4285 NAME: FCCU
 EMISSION PT: P# _____ NAME: _____
 DATE: 5/31/25 TIME: 1400 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ___ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: Opacity excess at FCCU stack during 6-5 Settlement upset. RCA 201738.

RECIPIENT NAME: Shauna Falvey
 TITLE: Environmental Execution Team Lead

SIGNING THIS NOTICE IS NOT
 AN ADMISSION OF GUILT

x Shauna Falvey

➔ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. **THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY.** YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Haley Downing INSP # 880
 DATE: 6/3/26 TIME: 1700 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

375 Beale Street, Suite 600, San Francisco, CA 94105

(415) 749-5000

NOTICE OF VIOLATION

No. A65767

ISSUED TO: Chevron Products Company [X] P [] G [] N# A0010
ADDRESS: 841 Chevron Way
CITY: Richmond STATE: Ca ZIP: 94801
PHONE: (510) 242-2578
[X] N# Mailing Address on F61

OCCURRENCE
NAME:
ADDRESS: [X] Same As Above
CITY: ZIP:
SOURCE: S# 4285 NAME: FCCU
EMISSION PT: P# NAME:
DATE: 7/24/25 TIME: 09:00 HRS

[] REG 2 RULE 1 SEC 301 No Authority to Construct
[] REG 2 RULE 1 SEC 302 No Permit to Operate
[] REG 1 SEC 301 H & S CODE - 41700 Public Nuisance
[] REG 2 RULE SEC 307 Failure to Meet Permit Condition
[] REG 5 SEC 301 Prohibited Open Burning
[] REG 6 RULE 1 SEC 301 Excessive Visible Emissions
[X] REG 6 RULE 1 SECTION 302 CODE
[] REG RULE SECTION CODE
Details: DEV#8789, RCA201800; Opacity excess

RECIPIENT NAME:
TITLE:

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT X

WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY, YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Cristobal Frias INSP # 920
DATE: 7/2/26 TIME: 10:00 HRS [X] MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

375 Beale Street, Suite 600, San Francisco, CA 94105

(415) 749-5000

NOTICE OF VIOLATION

No. **A65768**

ISSUED TO: Chevron Products Company P G N# A0010

ADDRESS: 841 Chevron Way

CITY: Richmond STATE: Ca ZIP: 94801

PHONE: (510) 242-2578

N# Mailing Address on F61

OCCURRENCE

NAME: _____

ADDRESS: _____ Same As Above

CITY: _____ ZIP: _____

SOURCE: S# 4285 NAME: FCCU

EMISSION PT: P# _____ NAME: _____

DATE: 7/31/25 TIME: 09:00 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ___ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: DEV#8802, RCA201819; Opacity excess

RECIPIENT NAME: _____

TITLE: _____

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT

→ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Cristobal Frias INSP # 920

DATE: 7/2/26 TIME: 10:00 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

375 Beale Street, Suite 600, San Francisco, CA 94105

(415) 749-5000

NOTICE OF VIOLATION

No. **A65771**

ISSUED TO: Chevron Products Company P G N# A0010

ADDRESS: 841 Chevron Way

CITY: Richmond STATE: Ca ZIP: 94801

PHONE: (510) 242-2578

N# Mailing Address on F61

OCCURRENCE

NAME: _____

ADDRESS: _____ Same As Above

CITY: _____ ZIP: _____

SOURCE: S# 4285 NAME: FCCU

EMISSION PT: P# _____ NAME: _____

DATE: 10/24/25 TIME: 14:00 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ___ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: DEV#8914, RCA202408; Opacity excess

RECIPIENT NAME: _____

TITLE: _____

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT _____

→ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Cristobal Frias INSP # 920

DATE: 7/2/26 TIME: 10:00 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

375 Beale Street, Suite 600, San Francisco, CA 94105

(415) 749-5000

NOTICE OF VIOLATION

No. **A65772**

ISSUED TO: Chevron Products Company P G N# A0010

ADDRESS: 841 Chevron Way

CITY: Richmond STATE: Ca ZIP: 94801

PHONE: (510) 242-2578

N# Mailing Address on F61

OCCURRENCE

NAME: _____

ADDRESS: _____ Same As Above

CITY: _____ ZIP: _____

SOURCE: S# 4285 NAME: FCCU

EMISSION PT: P# _____ NAME: _____

DATE: 10/27/25 TIME: 01:00 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ___ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: DEV#8920, RCA202501; Opacity excess

RECIPIENT NAME: _____

TITLE: _____

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT _____

→ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Cristobal Frias INSP # 920

DATE: 7/2/26 TIME: 10:00 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

375 Beale Street, Suite 600, San Francisco, CA 94105

(415) 749-5000

NOTICE OF VIOLATION

No. **A65773**

ISSUED TO: Chevron Products Company P G N# A0010

ADDRESS: 841 Chevron Way

CITY: Richmond STATE: Ca ZIP: 94801

PHONE: (510) 242-2578

N# Mailing Address on F61

OCCURRENCE

NAME: _____

ADDRESS: _____ Same As Above

CITY: _____ ZIP: _____

SOURCE: S# 4285 NAME: FCCU

EMISSION PT: P# _____ NAME: _____

DATE: 10/28/25 TIME: 16:00 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ____ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: DEV#8918, RCA202502; Opacity excess

RECIPIENT NAME: _____

TITLE: _____

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT _____

→ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Cristobal Frias INSP # 920

DATE: 7/2/26 TIME: 10:00 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

375 Beale Street, Suite 600, San Francisco, CA 94105

(415) 749-5000

NOTICE OF VIOLATION

No. **A65774**

ISSUED TO: Chevron Products Company P G N# A0010

ADDRESS: 841 Chevron Way

CITY: Richmond STATE: Ca ZIP: 94801

PHONE: (510) 242-2578

N# Mailing Address on F61

OCCURRENCE

NAME: _____

ADDRESS: _____ Same As Above

CITY: _____ ZIP: _____

SOURCE: S# 4285 NAME: FCCU

EMISSION PT: P# _____ NAME: _____

DATE: 10/29/25 TIME: 00:00 HRS

<input type="checkbox"/> REG 2 RULE 1 SEC 301 No Authority to Construct	<input type="checkbox"/> REG 2 RULE 1 SEC 302 No Permit to Operate
<input type="checkbox"/> REG 1 SEC 301 H & S CODE - 41700 Public Nuisance	<input type="checkbox"/> REG 2 RULE ___ SEC 307 Failure to Meet Permit Condition
<input type="checkbox"/> REG 5 SEC 301 Prohibited Open Burning	<input type="checkbox"/> REG 6 RULE 1 SEC 301 Excessive Visible Emissions
<input checked="" type="checkbox"/> REG <u>6</u> RULE <u>1</u> SECTION <u>302</u> CODE <input type="text"/>	
<input type="checkbox"/> REG _____ RULE _____ SECTION _____ CODE <input type="text"/>	

Details: DEV#8919, RCA202511; Opacity excess

RECIPIENT NAME: _____

TITLE: _____

SIGNING THIS NOTICE IS NOT AN ADMISSION OF GUILT _____

→ WITHIN 10 DAYS, RETURN A COPY OF THIS NOTICE WITH A WRITTEN DESCRIPTION OF THE IMMEDIATE CORRECTIVE ACTION YOU HAVE TAKEN TO PREVENT CONTINUED OR RECURRENT VIOLATION. THIS VIOLATION IS SUBJECT TO SUBSTANTIAL PENALTY. YOUR RESPONSE DOES NOT PRECLUDE FURTHER LEGAL ACTION.

ISSUED BY: Cristobal Frias INSP # 920

DATE: 7/2/26 TIME: 10:00 HRS MAILED

PLEASE PRESS HARD

INSTRUCTIONS

PERMIT VIOLATIONS - (REG 2, RULE 1, SECTION 301 AND/OR 302)

Within 30 days, a permit application must be submitted to the District's Permit Division. The permit application must reference the Violation Notice Number Shown on the front of this notice. If either the Violation Notice Number is not referenced or no permit application is received, then this matter will be referred to the District's Legal Department for legal action. Your response does not preclude further legal action.

If there are any questions regarding the submission of a Permit Application, call the Permit Services Division at (415) 749-4990.

ALL OTHER VIOLATIONS

Within 10 days, return a copy of this notice with a written description of the corrective action you have taken to prevent continued or recurrent violation. Immediate corrective action must be taken to stop the violation. This violation is subject to substantial penalty. Your response does not preclude further legal action.

A variance should be sought if it is necessary to continue to operate in violation of District Regulations. For information on eligibility for, or filing of, a variance, call (415) 749-5073.