

BAY AREA

Air Quality

MANAGEMENT

DISTRICT

ALAMEDA COUNTY
John J. Bauters
(Chair)
Juan Gonzalez

Juan Gonzalez David Haubert Nate Miley

CONTRA COSTA COUNTY

Ken Carlson John Gioia David Hudson Mark Ross

MARIN COUNTY Katie Rice

NAPA COUNTY
Joelle Gallagher

SAN FRANCISCO COUNTY

Tyrone Jue (SF Mayor's Appointee) Myrna Melgar Shamann Walton

SAN MATEO COUNTY

Noelia Corzo Davina Hurt (Vice Chair) Ray Mueller

SANTA CLARA COUNTY

Margaret Abe-Koga Otto Lee Sergio Lopez Vicki Veenker

SOLANO COUNTY Erin Hannigan Steve Young

SONOMA COUNTY
Brian Barnacle
Lynda Hopkins
(Secretary)

Dr. Philip M. Fine **EXECUTIVE OFFICER/APCO**

Connect with the Bay Area Air District:









Kris Battleson Manager, Health, Environment & Safety Chevron Products Company P.O. Box 1272 Richmond, CA 94802-0272

RE: Final Notification of Deficiency Regarding Regulation 12, Rule 15 Fenceline Air Monitoring Plan and Quality Assurance Project Plan

Dear Ms. Battleson:

On February 17, 2023, Chevron Products Company (Chevron) submitted a proposed fenceline air monitoring plan (AMP) and quality assurance project plan (QAPP) to the Bay Area Air Quality Management District (Air District). Chevron submitted the AMP and QAPP to comply with District Regulation 12-15, the Air District's Air Monitoring Guidelines for Petroleum Refineries (Guidelines), and the Air District's December 22, 2022 letter interpreting Regulation 12-15 and the Guidelines.

Following receipt of Chevron's February 17, 2023 revised AMP and QAPP, the Air District made the revised AMP and QAPP available for public comment from March 20, 2023 through April 20, 2023. The comments we received and our responses to them are available at https://www.baaqmd.gov/plans-and-climate/emission-tracking-and-monitoring/fenceline-monitoring-plans.

Having reviewed and considered Chevron's February 17, 2023 revised AMP and QAPP, and the public comments received, the Air District has determined that the revised AMP and QAPP do not meet the requirements of District Regulation 12-15-403 because they contain numerous deficiencies. Details regarding the deficiencies are included in Attachment 1 to this letter.

Pursuant to Rule 12-15-404.4, Chevron must correct all of the deficiencies in the AMP and QAPP, and resubmit them within 45 days from the date on which you receive this letter. Please note that all questions and issues must be raised before you submit your plan in response to this notice of deficiency or they are waived.

The Air District looks forward to working with you to resolve the outstanding issues with the AMP and QAPP. If you have any questions regarding this notification, please contact Chris Crowley at 415-749-5118 for compliance issues, or me at 415-749-4601 for technical issues.

Sincerely,

Jerry Bovee, P.E., QSTI Air Quality Engineering Manager

Meteorology and Measurement Division Bay Area Air Quality Management District 375 Beale Street, Suite 600 San Francisco, CA 94105

Office: 415.749.4601 Fax: 415.749.4922

ibovee@baagmd.gov / www.baagmd.gov