## BAY AREA AIR QUALITY MANAGEMENT DISTRICT Best Available Control Technology (BACT) Guideline

## Source Category

Source:	Bulk Solid Material ship Unloading - Except Cement	Revision:	1
		Document #:	27.1
Class:	All	Date:	09/06/91

## Determination

POLLUTANT	BACT 1. Technologically Feasible/ Cost Effective 2. Achieved in Practice	TYPICAL TECHNOLOGY
POC	1. n/a 2. n/a	1. n/a 2. n/a
NOx	<ol> <li>Shore utility power</li> <li>n/d</li> </ol>	1. Electric Power 2. n/d
SO <sub>2</sub>	<ol> <li>Shore utility power</li> <li>n/d</li> </ol>	1. Electric Power 2. n/d
СО	1. n/a 2. n/a	1. n/a 2. n/a
PM <sub>10</sub>	<ol> <li>n/d</li> <li>Enclosed conveyor system and ship hold vented to baghouse w/ ≤0.01 gr/dscf; receiving shore containers are enclosed and vented to a baghouse w/ ≤0.01 gr/dscf<sup>b</sup></li> </ol>	1. n/d 2. BAAQMD Approved Design and Operation <sup>b</sup>
NPOC	1. n/a 2. n/a	1. n/a 2. n/a

## References

b. BAAQMD