

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
Best Available Control Technology (BACT) Guideline

Source Category

Source:	<i>Storage Tank - Fixed Roof, Organic Liquids</i>	Revision:	<i>2</i>
		Document #:	<i>167.2.1</i>
Class:	<i><20,000 Gallons</i>	Date:	<i>03/03/95</i>

Determination

POLLUTANT	BACT 1. Technologically Feasible/ Cost Effective 2. Achieved in Practice	TYPICAL TECHNOLOGY
POC	1. <i>n/d</i> 2. <i>Vapor recovery system w/ an overall system efficiency $\geq 95\%$^{a,T}</i>	1. <i>n/d</i> 2. <i>Vapor Balance; or Carbon Adsorber; or Refrigerated Condenser; or Incinerator; or BAAQMD approved equivalent^{a,T}</i>
NO_x	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
SO₂	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
CO	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
PM₁₀	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
NPOC	1. <i>n/d</i> 2. <i>Vapor recovery system w/ an overall system efficiency $\geq 95\%$^{a,T}</i>	1. <i>n/d</i> 2. <i>Vapor Balance; or Carbon Adsorber; or Refrigerated Condenser; or BAAQMD approved equivalent^{a,T}</i>

References

a. BAAQMD
T. TBACT