

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
Best Available Control Technology (BACT) Guideline

Source Category

Source:	<i>Flanges</i>	Revision:	3
		Document #:	78.1
Class:	<i>All</i>	Date:	01/18/06

Determination

POLLUTANT	BACT 1. Technologically Feasible/ Cost Effective 2. Achieved in Practice	TYPICAL TECHNOLOGY
POC	1. <i>n/d</i> 2. <i>100 ppm expressed as methane measured using EPA Reference Method 21^{a,T}</i>	1. <i>n/d</i> 2. <i>Graphitic Gaskets and BAAQMD Approved Inspection and Maintenance^{a,T}</i>
NOx	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
SO₂	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
CO	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
PM₁₀	1. <i>n/a</i> 2. <i>n/a</i>	1. <i>n/a</i> 2. <i>n/a</i>
NPOC	1. <i>n/d</i> 2. <i>100 ppm expressed as methane measured using EPA Reference Method 21^{a,T}</i>	1. <i>n/d</i> 2. <i>Graphitic Gaskets and BAAQMD Approved Inspection and Maintenance^{a,T}</i>

References

a. BAAQMD
T. TBACT