### Copy of Instructions Mailed with Permit Renewal Data Update Questionnaire



#### **Bay Area Air Quality Management District**

375 Beale Street, Suite 600, San Francisco, CA 94105

Engineering Division (415) 749-4990 www.baaqmd.gov Fax: (415) 749-5030

### **The Permit Renewal Process**

### **Overview**

#### Introduction

The permit(s) issued to you by the BAAQMD (Bay Area Air Quality Management District) will expire soon. In this package are the forms you need to complete to renew your permit(s) and this document provides instructions for completing these forms.

#### If you need assistance

Call the permit engineer assigned to your facility whose name and telephone number can be found on the upper right hand portion of the Data Update Form cover page prepared for your facility, or call the Engineering Division General Line (415) 749-4990.

## Why do I need to provide this information?

The BAAQMD requests the information to satisfy the CARB (California Air Resources Board) and U.S.EPA (United States Environmental Protection Agency) requirements for annual reports of emissions of air contaminants. The information you furnish will be used to

- update your facility's emissions inventory,
- calculate the permit renewal fees for your facility,
- verify compliance with applicable Regulations and permit conditions, and
- comply with the Air Toxics "Hot Spots" Information and Assessment Act (AB 2588).

The authority for requesting this information is contained in BAAQMD Regulation 1, Section 441, Health & Safety Code Section 42303 & 44300, et al.

#### **Contents**

This package contains the following topics.

Topic	See Page
How to Renew Your Permit	2
Example of a Completed Data Update Form	3
How to Complete Data Update Form	4
Reporting Requirements for the Toxic "Hot Spots" Information	6
and Assessment Act	
Frequently Asked Questions	8
How to Complete Form X	9
Attachments:	N/A
• <u>Data Form X</u>	
<ul> <li>Device Data Update Form (DDU)</li> </ul>	
• Facility Information Update Form (FIU)	

### **How to Renew Your Permit**

## Helpful definitions

*Air Pollutant* is any material or substance which, when emitted, can cause or tends to cause the degradation of air quality (for example smoke, soot, dust, gases, fumes, particulate matter).

*Material* is any substance or chemical compound used at, produced by, or emitted at a source. Material is synonymous with "substance".

**Source** is any operation, machine, equipment, or groupings of such, which may produce and/or emit air pollutants.

## How to renew your permit

To renew your permit follow the steps below.

Step	Action			
1	Complete the Data Update Form (instructions on Page 4, FAQ Page 8).			
2	Determine your facility's reporting requirements under the Air Toxics "Hot Spots" Information and Assessment Act (AB 2588) (instructions on Page 6).			
3	If applicable, complete any of the attached forms.			
	If you want to report	Then complete		
	usage of materials that are not listed for a source on the Data Update Form (instructions on Page 9)			
	materials, sources and abatement devices no longer used (mistaletions on Fage 9)			
	changes of business name, ownership, contact information, or closure of the facility	Form FIU		
4	Sand all farms by the due date (anacified a	on the seven mass of the Date		
4	Send all forms by the due date (specified of Update Form) in the return envelope to: <b>BAAQMD</b> , 375 <b>Beale Street</b> , <b>Suite 600</b> ,			
5	Pay the permit renewal invoice by the due	date when it is received.		

# Are there any penalties for not submitting data or fees?

Not submitting data is a violation of Regulation 1, Section 441, and will subject the permit holder to further action. Payment after the due date is subject to late fees as defined in Regulation 3, Section 405.3. Failure to pay fees will subject a permit holder to further action as defined in Regulation 3, Section 415. Actions may be any or all of the following:

- Withholding of the renewed Permit to Operate.
- Issuance of Notice to Comply (NTC).
- Issuance of Notice of Violation (NOV) which would likely result in fines.
- Revocation of Permit to Operate.
- Withholding of other District services.

### **Example of a Completed Data Update Form**

### Example of the form

An example of a completed Data Update Form is shown below. **Instruction steps** referenced in the example are found on page 5.

```
145-1
MAY 1, 2008
                   BAY AREA AIR QUALITY MANAGMENT DISTRICT
                                                                  Page No.
JKL Company
                                                     Plant No.
20 Oak Street
                                                    DATA UPDATE FORM
Brentwood, CA 99000
                             Source Code for BAAQMD use
          Paint Spray Booth "B"
                                                      12-month usage (Step 1)
S# 10
    Enamel
                               (10-SG22-169)
         12-month quantity of coating applied, gallons . . 144 gal
               For period ending (date)
                                    Solids in coating (by volume): 57%
         Organic solvent in coating (by volume): 43%
Density of organic solvent: 7.21 lbs/gal
Hi-component of org solvent: Methyl ethyl ketone (
                                                     Period ending date (Step 2)
                            Fraction: 43%
    Complete Form X, Part 4, for any other coating applied at this source.
          Boiler #6 Facility's source ID
   Source No.
                                                        Additional information
    Sate this source first operated:
                                                        question (Step 3)
    Natural gas
                               (13-C1140189)
         Fuel oil #2
                               (13-C1140392)
         Sulfur content of this fuel (typical), 0.48% 0.25%
    Complete Form X, Part 1, for any other fuel burned at this source.
         Silo #1 - Process Line "A" ***************** Displayed information (Step 4)
S#22
    Rice hulls
                               (22-G1021430)
                                                   Reference to Form X (Step 5)
          12-month throughput, tons . . . . . . . . . . . .
               Max throughput rate: 50 tons/hr
    Complete Form X, Part 2, for any other material used in this source.
```

### **How to Complete Data Update Form**

## Purpose of the form

The Data Update Form is used to update information about *selected* sources of air pollution at your facility.

The update frequency of a source is dependent on the type and quantity of pollutants emitted. For this reason, the Data Update Form may not include all permitted sources at your facility.

## Documents you may need

When completing the Data Update Form, you may need

- your operational logs,
- Material Safety Data Sheets (MSDS), and
- your permit with permit condition text.

## Prior to completing the form

Prior to completing the form, review your records and determine the reporting period and period ending date. Then summarize your usage of each material, or group of materials, for that period.

Choose a reporting period that

- consists of 12 consecutive months, and
- ends as near as possible to the date you complete the Data Update Form.

**Do not** choose a reporting period that

- ends more than 10 months prior to the date you complete the Data Update Form, or
- ends after the date you complete the Data Update Form.

#### Example

You receive the Data Update Form on May 20, 2008 and you decide to summarize your records from May 1, 2007 to May 1, 2008. In this case, the *reporting period* is from May 1, 2007 to May 1, 2008 and the *period ending date* is May 1, 2008.

### How to Complete Data Update Form, Continued

### **Instructions**

Follow the steps below to complete the Data Update Form.

Step	Action
1	For each source, fill in the 12-month usage of each listed material (used, consumed, combusted, produced, applied) using the <b>units specified on the Data Update Form.</b>
	If you <b>did not use</b> the material listed on the Data Update Form during the 12-month reporting period, enter "0" (zero) in the space provided.
	Notes:
	• Do not write "removed" on the Data Update Form.
	• <i>Net Usage</i> is your gross purchases of a material minus what you still have in storage or in the equipment, and minus what has been hauled away as waste (only if applicable).
	• <i>Throughput</i> is the quantity of a material in specific units going into a piece of equipment or process or coming out of a piece of equipment or process over a specific amount of time.
2	Fill in the period ending date of the 12-month reporting period.
3	If applicable, answer additional questions to the best of your ability.
4	Is displayed information about your sources correct?
	• If yes, go to step 5.
	• If <i>not sure</i> , go to step 5.
	• If <i>no</i> , cross out and correct the error. If you are correcting a property of a material, please attach the Material Safety Data Sheet (MSDS).
5	If applicable, complete Form X to report the usage of materials that are <b>not listed</b> for a source on the Data Update Form (instructions on Page 9).
	Note: Do not write new material on the Data Update Form.

## Reporting Requirements for the Air Toxics "Hot Spots" Information and Assessment Act

Air Toxics "Hot Spots" Information and Assessment Act (AB 2588) This law implements a long-term program to identify, assess and control localized impacts of emissions of hazardous air pollutants. As part of this program all facilities are required to submit to the local Air District an inventory of emissions for substances listed in this legislation and update the information periodically. The Toxic Inventory for each facility is used to

- calculate the facilities prioritization scores for cancer and non-cancer health affects.
- calculate fees per Regulation 3, Schedule N (this is itemized on the renewal invoice section called **Toxic Inventory AB2588 Listing**), and
- create toxic emissions inventory for the Bay Area to submit to the California Air Resources Board and to make available to the public (published on District's web site).

After the inventory and prioritization score is calculated, a facility may be required to provide additional information and/or perform a health risk assessment. If the health risk is judged to be significant by the District, then a facility shall provide notice of the results of the health risk assessment to all people exposed to risk greater than the notification level. If the cancer risk to the maximally exposed individual is greater than 100 in a million then the facility shall conduct an airborne toxic risk reduction audit and develop a plan to implement airborne toxic risk reduction measures. All of the requirements of this law can be found in California Health and Safety Code Sections 44300 to 44394, or for more information, go to: http://www.arb.ca.gov/ab2588/ab2588.htm

## Reporting requirement

If your facility emits any of the substances listed in the Toxic Substance Check List (Appendix A-1) in amounts exceeding one half of the applicable degree of accuracy (lbs/yr) for a given substance, you are required to report the emissions of the substance. Emissions *only* need to be reported if they are from routine operations or are predictable, including but not limited to continuous and intermittent releases and process upsets or leaks. Accidental or catastrophic releases are not included. Emissions from mobile sources associated with a facility (e.g., delivery trucks, construction activities) are not included.

What is the Toxic Substance Check List?

The California Air Resources Board (CARB) maintains and updates periodically a list of approximately 600 substances currently subject to reporting requirements under AB 2588. This list is called Appendix A-1 and can be found at: <a href="http://www.arb.ca.gov/ab2588/final/a1.pdf">http://www.arb.ca.gov/ab2588/final/a1.pdf</a>.

## Are there any penalties?

Any permit holder who fails to submit information or knowingly submits false information is subject to a civil penalty as described in Health and Safety Code Section 44381. Penalties can range from \$500 to \$25,000 for each day the violation continues.

## Reporting Requirements for the Air Toxics "Hot Spots" Information and Assessment Act, Continued

## How do I report?

Follow the steps in this table to comply with reporting requirements.

Step	Action		
1	Complete the Data Update Form.		
2	Review your operations for changes in materials used or substances emitted.		
3	<ul> <li>substance. Keep in mind</li> <li>changes in your operations may l</li> <li>amounts exceeding one half of th</li> <li>when you had not done so before</li> </ul>	lead to emitting a substance in the applicable degree of accuracy e, and to include a substance you use	
4	For each substance emitted over had appropriate action as follows:  If  a substance is already listed at the source(s) where it is used (there is a throughput question for it in your facility's Data  Update Form), or it appears as a substance emitted in your facility's Toxic Inventory  AB2588 Listing (this is included in previous renewal invoices)  a substance is not listed at a currently permitted source(s) or your facility's Toxic Inventory  AB2588 Listing and is used or emitted at a permitted source(s),  a substance is used and/or emitted at a source(s) that does not have a permit,	Then  no further action is required.  Note on exempt sources: No further reporting is required if there is no change in the operation of exempt equipment from the time of the original review by the BAAQMD.  complete a separate Form X for each source the substance is used and/or emitted at and attach MSDS (see Pg. 9). If the material that appears on Appendix A-1 is a constituent of a product, like paint or thinner, for example, please fill out the X-form for the product used.  provide the District a letter with  complete description of process (i.e., what is manufactured),  list of substances used in process with MSDS,  estimates of emissions, and description of any controls on emissions.	

## **Frequently Asked Questions**

Question	Answer
How do I get another copy of the Data Update Form?	Contact the BAAQMD engineer assigned to your facility, or call the Engineering Division General Line at (415) 749 4990.
When is the Data Update Form due?	Unless noted otherwise, all requests for data are due within 30 days of the request date. The Data Update Form due date is indicated on page 1 of the form. The postmark date will be used as the receipt date.
Why do only some of my sources appear on the Data Update Form?	Data updates are required annually for some sources and as infrequently as once every 5 years for other sources. The update frequency is determined by the type and quantity of pollutant emitted.
How do I protect trade secret information?	Circle in red and label as "Trade Secret" any data that you consider to be a trade secret.
How do I remove a material	Complete the attached Form DDU and return with Data Update Form.
listed on the Update Form?	This form and other forms referenced in this document can be found online at <a href="http://www.baaqmd.gov/forms/permits">http://www.baaqmd.gov/forms/permits</a> Note: Do not write "remove" on the Data Update Form.
How do I report the use of a new material?	Complete the attached Form X and return with Data Update Form. Include MSDS for each new material.
	<b>Note:</b> Adding a new material may require that you submit a permit application. You will be contacted by your assigned plant engineer if this is the case.
	Note: Do not write new material on Data Update Form.
Form X does not include semiconductor fabrication	Complete Data Form F worksheet and return with Data Update Form. Include MSDS for all new materials.
sources. How do I report new materials used at my fab?	This form and other forms referenced in this document can be found online at <a href="http://www.baaqmd.gov/forms/permits">http://www.baaqmd.gov/forms/permits</a>
How do I report a change of	Complete Form FIU and return with Data Update Form.
ownership, business name or contact information?	Note: Do not write new information on Data Update Form.
How do I close my facility?	Complete Form FIU and return with Data Update Form.
	Note: Do not write "closed" on Data Update Form.
How do I increase the limits in my permit conditions?	This will require a new application that you need to submit separately from Data Update Form. Complete Form P101B, and submit a written request citing the source and the permit conditions that you wish to change.
	This form and other forms referenced in this document can be found online at <a href="http://www.baaqmd.gov/forms/permits">http://www.baaqmd.gov/forms/permits</a>
How do I obtain a permit for a source or an abatement device?	This will require a new application that you need to submit separately from Data Update Form. Complete Form P101B and supply additional information and forms as needed (see part 5 of P101B).
	This form and other forms referenced in this document can be found online at <a href="http://www.baaqmd.gov/forms/permits">http://www.baaqmd.gov/forms/permits</a>

### **How to Complete Data Form X**

## When do I use Form X?

Use Form X to report the usage of materials that are **not listed** for a source on the Data Update Form.

**Do not use** Form X for semiconductor fabrication areas. Please fill out the Data Form F Worksheet for new materials at a fabrication area and include MSDS.

## How do I complete Form X?

- 1. On Line 1, enter business name, plant number and source number.
- 2. Identify the type of the source to which you are adding a material.

Source Type	Part in Form X	Instruction Page #	Examples
Combustion Source	1	11	IC engine, boiler, flare
General Source	2	11	Rock crushing, chemical reactors, coffee roasting, printed circuit manufacture
Tankage or Loading Source	3	12	Organic liquid storage tanks, bulk terminals
Surface Coating or Printing Press Source	4	12	Auto body shops, furniture coating, printing presses
Other Solvent Evaporation Source	5	13-14	Wipe cleaning, cleanup for coating operations, degreasing tanks, fiberglass operations

- 3. On Line 2, check the appropriate box to indicate which Part of the form you are completing. **Check only one box.**
- 4. Complete the applicable part in the Data Form X (see specific instructions/clarifications for the applicable part below). Note that you have to complete a separate Form X for each new material at a source.
- 5. Circle in red confidential information if any.
- 6. Provide your name and completion date at the end of the form(s).
- 7. Mail the form(s) with MSDS for the materials on each Form X and the Data Update Form to the BAAQMD: 375 Beale Street, Suite 600, San Francisco, CA 94105.

### Helpful Definitions

Fuel/Material/Pollutant Code is a numeric code (used by the BAAQMD) that uniquely identifies each fuel/material/pollutant. The BAAQMD can mail you the list of codes upon your request, or you can download this list at the following link: <a href="http://www.baaqmd.gov/forms/permits">http://www.baaqmd.gov/forms/permits</a>

**Reporting period** consists of 12 consecutive months and ends as near as possible to the date you complete the Data Update Form.

*Usage Unit* is a unit of measure (tons, lbs, gal, etc.) specific to each material on the Materials Code List. The table below shows specific usage units for the listed fuel types.

Fuel Type	Usage Unit
Liquid Fuels	Thousand Gallons (mgal)
Gaseous Fuels	Thousand Cubic Feet (mscf)
Solid Fuels	Tons

*Emission Factor Table* is used to report pollutant emissions (in pounds) per usage unit of a fuel or material. For example, one might report: 4.5 pounds of particulate per ton of cement loaded, or 2 pounds of SO<sub>2</sub> per thousand gallons of diesel fuel burned.

**Basis Code** is a numeric code that identifies the calculation method or source of emission factors.

Code	Basis
0	Not applicable for this pollutant
1	Source testing or other measurement by plant
2	Source testing or other measurement by the BAAQMD
3	Specifications from a vendor
4	Material balance by plant using engineering expertise and knowledge of
	process
5	Material balance by the BAAQMD using engineering expertise and
	knowledge of process
6	Taken from AP-42 ("Compilation of Air Pollutant Emission Factors,"
	EPA)
7	Taken from literature, other than AP-42
8	Guess
9	CARB/EPA Certified Emission Factors for IC Engines

### Part 1: Combustion Source

To report the usage of a new fuel for a combustion source, fill out lines 3 through 7 of Part 1.

Line	Item	Instructions
3	• Fuel Code	• Enter the fuel code number. If unknown, write the name or description of the fuel.
	• 12-month fuel consumption	• Enter the amount of fuel consumed in the 12-month reporting period in the correct usage units for fuel type.
4	Typical percent of annual total (seasonal usage)	Enter the % of total fuel that was burned in the months listed.
5	<ul><li>Max. fuel use rate</li><li>Typical heat content</li></ul>	<ul> <li>Enter the highest or peak fuel use rate in usage units/hour. This could be based on a design rate or your rate at peak operation, whichever is higher.</li> <li>Enter the heat content of the fuel in BTU/usage unit.</li> </ul>
6	Typical sulfur content	Enter the sulfur content in ppm (parts per million) for gaseous fuels or weight % for other fuel types.
7	Emission Factor Table	See instructions for Emission Factor Table on Page 14.

## Source

Part 2: General To report the usage of a new material for a general type source, fill out lines 8 through 13 of Part 2.

Line	Item	Instructions
8	Material Code	• Enter the material code number. If unknown, write the name or description of the material.
	• 12-month	Enter the amount of material processed, used or produced
	throughput	during the 12-month reporting period in the correct usage units for the material.
9	Typical percent of	Enter the % of total material that was processed in the
	annual total	months listed.
	(seasonal usage)	
10	Typical operating	Enter the number of hours/day, days/week and weeks/year
	times	during which the source was operated using the material.
11	Maximum operating	Enter the highest or peak operating rate in usage units/hr
	rate	(e.g. tons/hr, gallons/hr, thousand cubic feet/hr). This could
		be based on a design rate or your rate at peak operation,
		whichever is highest.
12	Exhaust flow rate,	Enter exhaust flow rate in CFM, the temperature in °F and
	temperature, water	the approximate water vapor content of exhaust gases.
	vapor content	_
13	Emission Factor	See instructions for Emission Factor Table on Page 14.
	Table	_

Part 3: Tankage or Loading Source

To report the storage or loading of a new organic liquid, fill out lines 14 through 16 of Part 3.

Line	Item	Instructions
14	Material Code	• Enter the material code number. If unknown, write the name or description of the liquid.
	• 12-month throughput	• Enter the amount of organic liquid stored or loaded during the 12-month reporting period in thousand gallons or thousand bbl (barrels).
15	<ul><li>True vapor pressure or RVP</li><li>Typical liquid temperature</li></ul>	<ul> <li>Enter the true vapor pressure (tvp) or the Reid vapor pressure (RVP) in psia.</li> <li>Enter the temperature in °F at which the liquid is stored or loaded.</li> </ul>
16	API     Initial boiling point	<ul> <li>If applicable, enter °API (a specific gravity scale that is used with petroleum liquids only).</li> <li>Enter the lowest temperature the liquid stored or loaded boils at standard pressure (1 ATM).</li> </ul>

Part 4: Surface Coating or Printing Press Source

To report the usage of a new coating, fill out lines 17 through 22 of Part 4.

Note: Use Part 4 only for surface coatings, report other solvent use in Part 5.

Line	Item	Instructions
17	Material Code	• Enter the material code number. If unknown, write the name or description of the coating.
	• Total coating applied	• Enter the total amount of coating applied in the 12-month reporting period in gallons.
18	Does this coating comply with the	Mark your answer "yes" or "no." If unknown, leave blank.  See:
	BAAQMD Reg. 8, Rule 4?	http://www.baaqmd.gov/~/media/files/planning-and-research/rules-and-regs/reg-08/rg0804.pdf?la=en
19	Percent solids, by volume	• Enter the volume percentage of solids in the coating.
	• Percent solvent, by volume	• Enter the volume percentage of organic solvent in the coating.
20	Percent of solvent that evaporates at the source.	If you have a separate dryer source associated with the coating source, estimate the percentage of solvent evaporation that happens at the coating source. If no dryer then enter "100" % evaporates at the source.
21	Density of solvent	Enter the average density of the solvent portion of the coating. <i>Note: Not the same as VOC content of coating.</i>
22	Composition of organic solvent	Enter the volume percentage of the solvent portion of the coating for the largest and 2nd largest constituents of the solvent and identify these constituents with a material code or name.
		<i>Example:</i> If 50% of the total coating is Acetone and 75% of the coating is the solvent portion, then 66% of the solvent is Acetone. Enter 66% on line 22a for Acetone. Repeat this calculation for the 2 <sup>nd</sup> largest component.

Part 5: Other Solvent Evaporation Source – For Solvent Cleaning Operation and Clean-up at Coating Operation

To report the usage of new cleaning solvent, fill out lines 23 & 24 of Part 5.

Line	Item	Instructions
23	Material Code	• Enter the material code number. If unknown, write the name or description of the solvent.
	• Net solvent usage previous 12 months	• Enter the net loss of solvent in the 12-month reporting period in gallons.
24	• If solvent is heated, temperature of solvent	• Enter temperature of heated solvent in °F.
	Density	• Enter density of solvent in lb/gal.

Part 5: Other Solvent Evaporation Source – For Fiberglass Operations

To report the usage of new fiberglass resin, fill out lines 25 through 27 of Part 5.

Line	Item	Instructions
25	Type of resin	• Enter the name of the type of resin used (polyester, epoxy, vinyl ester, etc).
	• Total used, previous 12 months	• Enter the amount of this resin used in the 12-month reporting period in gallons.
26	Type of catalyst	• Enter the name of the type of catalyst used (MEKP, BOP).
	• Total used, previous 12 months	• Enter the amount of this catalyst used in the 12-month reporting period in gallons.
27	Percent styrene in resin	• Enter the volume percentage of styrene contained in the resin.
	Percent of other volatiles	• Enter the volume percentage of other volatile organics contained in the resin.

Part 5: Other Solvent Evaporation Source – For and Solvent and Surface Coating Manufacturing Operations

To report the manufacture of a new solvent or coating, fill out lines 28 through 31 of Part 5.

L	Line	Requested Information	Instructions
	28	Material Code of	Enter the material code number. If unknown, write
		manufactured material	the name or description of the solvent or coating.
	29	Quantity manufactured,	Enter the amount of the material manufactured in
		previous 12 months	the 12-month reporting period in thousands of
			gallons.
	30	Type of solvent used for	Enter the material code number for the
		manufacturing process,	predominant compound or mixture used in the
		Material Code	product. If unknown, write the name or description
			of the solvent.
	31	Solvent evaporated during	Enter estimation of volume percentage of solvent
		manufacturing, as percent of	lost during manufacturing.
		material produced.	

Part 5: Other Solvent Evaporation Source – For Other Solvent Use To report the usage of a new solvent for any operation not described above, fill out lines 32 and 33 of Part 5.

Line	Requested Information	Instructions
32	<ul><li>Material Code</li><li>Total solvent used previous 12 months</li></ul>	<ul> <li>Enter the material code number. If unknown, write the name or description of the solvent.</li> <li>Enter the amount of material used in the 12-month</li> </ul>
33	Does this solvent comply with the BAAQMD Regulation 8?	reporting period in gallons.  Mark your answer "yes" or "no." If unknown, leave blank. See: http://www.baaqmd.gov/~/media/files/planning-and-research/rules-and-regs/reg-08/rg0804.pdf? la=en

## **Emission Factor Table**

Complete Emission Factor Table only if you have completed either Part 1 or Part 2.

Line	Item	Instructions
34 - 38	Emission factors and basis codes for the listed pollutant categories	Enter emission factors (in lb per usage unit) and basis codes (see definition on Page 9) for the listed non-specific pollutant categories if they are emitted.
39	Emission factor and basis code for "Other"	Enter an emission factor (in lb per usage unit) and a basis code for a specified pollutant, not included in the general categories in Line 34 - 38. Also, enter the name or the BAAQMD pollutant code next to the table.
40	Do factors apply to emissions after abatement device(s)?	Check the box, if your emission factors are based on controlled emissions from a source.