BAY AREA AIR QUALITY MANAGEMENT DISTRICT

PUBLIC NOTICE

February 14, 2025

TO: Parents or guardians of children enrolled at the following school(s):

Suisun Elementary School

All residential and business neighbors located within 1,000 feet of the proposed new or modified source(s) of air pollution listed below.

FROM: Bay Area Air Quality Management District

RE: Permit Application #704164 for the following source(s) of air pollution:

Emergency Standby Diesel Generator
SF1952 Pintail/SF71952M
576 Wigeon Way, Suisun City, CA 94585

The Bay Area Air Quality Management District (the "District") is a local agency that regulates stationary sources of air pollution such as factories, industrial sites, and gasoline stations.

Whenever we receive a permit application for a new or modified source(s) of toxic air contaminants located within 1,000 feet of a school site or within a community that is overburdened by air pollution, we notify the public about the proposed project. To comply with Air District requirements, we distribute or mail a Public Notice to the parents or guardians of students enrolled at schools located within ¼ mile, and all residents and businesses located within 1,000 feet, of the proposed source(s).

You are receiving this Public Notice because a permit application has been filed with the District for the above referenced source(s) of air pollution. A description of the proposed project follows:

> ***SF1952 Pintail/SF71952M*** has applied for an Authority to Construct and/or Permit to Operate a standby emergency generator powered by a diesel engine with a maximum rated output of less than 1000 bhp. The source may be operated up to 50 hours per year for maintenance and reliability and during emergencies as defined in Air District Regulation 9-8.

PRELIMINARY EVALUATION

The District has evaluated the permit application for the proposed project and has made a preliminary determination that the project is expected to comply with all applicable District, state, and federal air quality-related regulations, including the health risks resulting from toxic air contaminant emissions. The preliminary recommendation is to issue a permit for this project. After considering all comments received, the District will make a final determination.

ADDITIONAL INFORMATION

The Air District's Community Health Protection Program is focused on reducing air pollution disparities in overburdened communities. For more information on Air District activities in your community, consult the Air District's website at:

https://www.baaqmd.gov/community-health

If you are interested in getting more information about this project, you may obtain a copy of the District's evaluation report from the Air District's website at:

http://www.baaqmd.gov/permits/public-notices

PUBLIC COMMENT PERIOD

There is a 30-day period for public response to this proposal. If you wish to comment on the proposed project, you may do so in writing or by e-mail. Alternatively, you may call and leave a telephone message up to one minute in length. Please leave your name and telephone number so that a District staff member may respond to your message.

Please use the following contact information if you would like to comment on the proposed project:

Mailing address: SF1952 Pintail/SF71952M (A/N #704164)
Public Notice Response
BAAQMD - Engineering Division
375 Beale Street, Suite 600
San Francisco, CA 94105
Attn: Isis Virrueta

E-mail address: ivirrueta@baaqmd.gov

Telephone Number: (415) 749-5042

The public comment period for this project ends on March 17, 2025**.**