Anheuser-Busch

Via Email

March 27, 2025

TV Tracking #1105 (Semi-Annual)
1. ☐ RECEIVED IN ENFORCEMENT: 03/28/2025

Mr. Jeffery Gove
Director of Compliance and Enforcement
Bay Area Air Quality Management District
375 Beale Street, suite 600
San Francisco, CA 94105

Subject: **Anheuser-Busch, LLC – Fairfield Brewery**
Facility #A0606
Semi-Annual Compliance Certification: Sep. 1, 2024, to Feb. 28, 2025

Mr. Gove:

Attached is the semi-annual compliance report and certification for the Anheuser-Busch, LLC – Fairfield Brewery (AB), BAAQMD Plant #A0606. This report certified the period of September 1, 2024, through February 28, 2025.

During this reporting period all applicable requirements were reviewed, and the compliance status assessed. There were no instances of non-compliance:

The relevant conditions of the August 1, 2016, Title V permit require AB to demonstrate compliance with the H2S limits for these two sources in the following fashion: "Owner/operator shall demonstrate compliance with condition #3 by monitoring biogas concentration for H2S concentration on a weekly basis with Draeger tubes (or equivalent). Compliance will be determined by a rolling 52 consecutive week period." Condition 23750, #4; see also id. #6 (same language regarding offgas scrubber).

In a meeting on February 6, 2023, the District informed AB that it wanted AB to use the "mid-point" methodology, as described in EPA's Emissions Estimation Protocol for Petroleum Refineries (Apr. 2015). According to EPA, "[t]he mid-period method assumes that the initial reading represents the emission rate for the first half of the period between monitoring events and that the subsequent reading represents the emission rate for the second half of the period between monitoring events." Thus, for example, if a sample was taken on Day 1 at 100 parts per million ("ppm") and Day 4 at 400 ppm, Day 2 would be assigned a value of 100 ppm, and Day 3 would be assigned a value of 400 ppm.

In implementing this methodology, AB proceeded as follows. Each daily (or hourly) value was carried backwards and forwards in time to the mid-point with the next monitoring event. To the extent that there were an odd-number of units of time such

that the midpoint was a day (or hour) that fell equally between two sampling events, that day (or hour) would be assigned the average of those two sampling events. For example, if a sample on Day 1 was 100 ppm, and a sample on Day 3 was 300 ppm, Day 2 would be assigned a value of 200 ppm.

AB has calculated its rolling 52-week average for this semi-annual compliance period using this methodology. AB presents two versions of the data: one that uses the daily methodology for applying the mid-point method, and a second that switches to an hourly methodology. In using the hourly methodology, each day is assigned a H2S value based on the mid-point methodology as applied to the hourly samples. In the interest of transparency, AB is providing two tables for each source that calculate the 52-week rolling average based on each of these methodologies for this compliance year. AB is also providing each individual sampling data point.

Using either methodology, AB would be compliant with both the 10 ppm H2S limit for the offgas scrubber and the 200-ppm limit for the biogas scrubber. On that basis, AB certifies compliance with respect to those permit limits.

As the Air District is aware, AB submitted a permit application on April 14, 2023, relating to BTS to address the alleged violations, and responded to follow-up requests for information, including a follow-up request for information on March 11, 2024, relating to the permitted limit for the Biogas Scrubber. We look forward to continuing discussions with the Air District on these issues.

Should you have any questions with respect to the information contained in this report, please feel free to contact Taylor LaRue, Resident EHS Manager at taylor.larue@anheuser-busch.com or at 707-213-8049.

Sincerely,

Nathan Murphy
General Manager
Fairfield Brewery

Enclosures

Compliance Certification Statement

Based on information and belief formed after reasonable inquiry, I certify the statements and information in the attached Compliance Certification form are true, accurate, and complete.

During this reporting period all required monitoring was completed. There were no instances of non-compliance.

Compliance certification for: Title V Semi-Annual Certification for the period of September 1, 2024, through February 28, 2025.



03/28/2025

Nathan Murphy
General Manager
Fairfield Brewery

Date

Facility: #A0606
Anheuser-Busch, LLC
3101 Busch Drive
Fairfield, CA 94534

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition #13032

S-1 Boiler Fuel Usage (MMBTUs)

Limit: 1,042,440 MMBTU for any consecutive 12-month period

	Fuel Usage	12 Month Consecutive
September-24	**23,523**	**178,971**
October-24	**18,621**	**179,568**
November-24	**1,075**	**167,864**
December-24	**13,942**	**167,775**
January-25	**16,752**	**180,654**
February-25	**1,301**	**177,169**

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition #13032

S-2 Boiler Fuel Usage (MMBTUs)

Limit: 1,042,440 MMBTU for any consecutive 12-month period

	Fuel Usage	12 Month Consecutive
September-24	**0**	**0**
October-24	**0**	**0**
November-24	**0**	**0**
December-24	**0**	**0**
January-25	**0**	**0**
February-25	**0**	**0**

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition #13032

S-3 Boiler Fuel Usage (MMBTUs)

Limit: 1,042,440 MMBTU for any consecutive 12-month period

Month	Fuel Usage	12 Month Consecutive
September-24	0	64,916
October-24	0	64,546
November-24	13,903	76,208
December-24	0	70,961
January-25	3,450	54,754
February-25	21,805	61,717

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition #13032

S-1, S-2, S-3 Cummulative Boiler Fuel Usage (MMBTUs)

Month	Fuel Usage	12 Month Consecutive
September-24	23,523	260,737
October-24	18,621	262,508
November-24	14,978	259,092
December-24	13,942	258,014
January-25	20,202	258,938
February-25	23,106	258,514

		Biogas H2S	Biogas Hourly H2S	Biogas H2S Weekly Average	Biogas H2S Hourly Weekly Average	Offgas H2S	Offgas Hourly H2S	Offgas H2S Weekly Average	Offgas H2S Hourly Weekly Average
	Date	PPMV				PPMV			
	9/1/2024	12.00	12.00			0.00	0.00		
	9/2/2024	35.00	33.56			0.00	0.00		
	9/3/2024	34.00	33.88			0.00	2.34		
	9/4/2024	33.00	39.56			17.00	4.69		
	9/4/2024					8.00			
36	9/4/2024			36.40	28.71	0.00		3.57	1.00
	9/5/2024	68.00	36.63			0.00	0.00		
	9/5/2024	36.00							
	9/5/2024	20.00							
	9/6/2024	17.00	18.67			0.00	0.00		
	9/7/2024	27.00	26.71			0.00	0.00		
	9/8/2024	25.00	30.83			0.00	0.00		
	9/9/2024	60.00	39.50			0.00	0.00		
	9/9/2024	24.00					0.00		
37	9/10/2024	30.00	27.94	25.50	23.69	0.00	0.00	0.00	0.00
	9/11/2024	19.00	19.17			0.00	0.00		
	9/12/2024	20.00	19.00			0.00	0.00		
	9/13/2024	14.00	13.63			0.00	0.00		
	9/14/2024	12.00	15.75			0.00	0.00		
	9/15/2024	32.00	32.75			0.00	0.00		
	9/16/2024	36.00	32.81			0.00	0.00		
	9/17/2024	19.00	17.69			0.00	0.00		
38	9/18/2024	12.00	11.83	19.00	18.15	0.00	0.00	0.00	0.00
	9/19/2024	11.00	10.83			0.00	0.00		
	9/20/2024	10.00	10.56			0.00	0.00		
	9/21/2024	13.00	10.56			0.00	0.00		
	9/22/2024	0.00	14.25			0.00	0.00		
	9/22/2024	22.00					0.00		
	9/23/2024	26.00	24.69			0.00	0.00		
39	9/24/2024	19.00	18.25	15.25	16.63	0.00	0.00	0.00	0.00
	9/25/2024	15.00	14.06			0.00	0.00		
	9/26/2024	10.00	11.69			0.00	0.00		
	9/27/2024	19.00	18.00			0.00	0.00		
	9/28/2024	11.00	15.50			0.00	0.00		
	9/29/2024	47.00	44.75			0.00	0.00		
	9/30/2024	35.00	31.65			0.00	0.00		
	10/1/2024	12.00	11.71			0.00	0.00		
40	10/2/2024	10.00	10.17	21.67	25.82	0.00	0.00	0.00	0.00
	10/3/2024	11.00	11.33			0.00	0.00		
	10/4/2024	15.00	15.00			0.00	0.00		
	10/5/2024		56.15			0.00	0.00		
	10/6/2024		410.00			0.00	0.00		
	10/7/2024	410.00	167.71			0.00	0.00		
	10/7/2024	195.00					0.00		
	10/7/2024	105.00					0.00		
	10/7/2024	21.00					0.00		
41	10/8/2024	4.00	3.63	82.50	84.08	0.00	0.00	0.00	0.00
	10/9/2024	2.00	2.33			0.00	0.00		
	10/10/2024	4.00	3.50			0.00	0.00		
	10/11/2024	1.00	0.92			0.00	0.00		
	10/12/2024	0.50	0.50			0.00	0.00		
	10/13/2024		0.59			0.00	0.00		
	10/14/2024		1.00			0.00	0.00		
	10/15/2024	1.00	2.67			0.00	0.00		
42	10/16/2024	9.00	8.75	4.20	3.21	0.00	0.00	0.00	0.00
	10/17/2024	8.00	6.88			0.00	0.00		
	10/18/2024	2.00	1.77			0.00	0.00		
	10/19/2024	1.00	0.79			0.00	0.00		
	10/20/2024	0.00	0.21			0.00	0.00		
	10/21/2024	1.00	1.13			0.00	0.00		
	10/22/2024	2.00	2.00			0.00	0.00		
43	10/23/2024	2.00	2.19	2.00	2.07	0.00	0.00	0.00	0.00
	10/24/2024	3.00	3.00			0.00	0.00		
	10/25/2024	3.00	3.00			0.00	0.00		
	10/26/2024	3.00	3.00			0.00	0.00		
	10/27/2024		35.29			0.00	0.00		
	10/28/2024	53.00	35.23			0.00	0.00		
	10/28/2024	37.00					0.00		
	10/28/2024	22.00					0.00		
44	10/29/2024	33.00	29.54	27.63	25.07	0.00	0.00	0.00	0.00
	10/30/2024	21.00	21.10			0.00	0.00		
	10/31/2024	22.00	21.67			0.00	0.00		
	11/1/2024	18.00	17.63			0.00	0.00		
	11/2/2024	15.00	15.00			0.00	0.00		
	11/3/2024		14.33			0.00	0.00		
	11/4/2024	14.00	13.67			0.00	0.00		
	11/5/2024	12.00	12.73			0.00	0.00		
45	11/6/2024	17.00	16.27	14.20	14.52	0.00	0.00	0.00	0.00
	11/7/2024	12.00	12.67			0.00	0.00		
	11/8/2024	16.00	16.00			0.00	0.00		
	11/9/2024		16.00			0.00	0.00		
	11/10/2024		6.38			0.00	0.00		
	11/11/2024		2.00			0.00	0.00		
	11/12/2024	2.00	3.50			0.00	0.00		
46	11/13/2024	10.00	9.00	5.00	4.82	0.00	0.00	0.00	0.00
	11/14/2024	4.00	4.25			0.00	0.00		
	11/15/2024	7.00	6.58			0.00	0.00		
	11/16/2024	2.00	2.00			0.00	0.00		
	11/17/2024		1.33			0.00	0.00		
	11/18/2024	1.00	1.83			0.00	0.00		
	11/19/2024	6.00	6.33			0.00	0.00		
47	11/20/2024	8.00	7.33	14.00	8.93	0.00	0.00	0.00	0.00
	11/21/2024	4.00	4.17			0.00	0.00		
	11/22/2024	5.00	9.08			0.00	0.00		
	11/23/2024	54.00	32.40			0.00	0.00		

	11/23/2024	20.00					0.00			
48	11/24/2024	3.00	4.69			0.00	0.00			
	11/25/2024	12.00	11.63			0.00	0.00			
	11/26/2024	10.00	10.00			0.00	0.00			
	11/27/2024		10.00	8.33	12.88	0.00	0.00	0.00	0.00	
	11/28/2024		11.83			0.00	0.00			
	11/29/2024		21.00			0.00	0.00			
	11/30/2024		21.00			0.00	0.00			
49	12/1/2024	21.00	21.94			0.00	0.00			
	12/2/2024	30.00	30.33			0.00	0.00			
	12/3/2024	38.00	38.00			0.00	0.00			
	12/4/2024	19.00	23.35	26.60	26.82	0.00	0.00	0.00	0.10	
	12/5/2024	25.00	24.13			0.00	0.00			
	12/6/2024		25.00			0.00	0.00			
	12/7/2024		25.00			0.00	0.73			
50	12/8/2024		25.00			5.00	5.00			
	12/9/2024		25.00				5.00			
	12/10/2024		24.48				5.00			
	12/11/2024		0.00		10.64		0.00	2.50	2.14	
	12/12/2024		0.00				0.00			
	12/13/2024		0.00				0.00			
	12/14/2024		0.00			0.00	0.00			
51	12/15/2024		0.00			0.00	0.00			
	12/16/2024	0.00	0.00			0.00	0.00			
	12/17/2024	210.00	94.21			0.00	0.00			
	12/17/2024	22.00		33.43	13.74		0.00	0.00	0.00	
	12/18/2024	1.00	1.00			0.00	0.00			
	12/19/2024	1.00	0.98			0.00	0.00			
	12/20/2024	0.00	0.00			0.00	0.00			
	12/21/2024	0.00	0.00			0.00	0.00			
52	12/22/2024	0.00	0.00			0.00	0.00			
	12/23/2024	0.00	0.00			0.00	0.00			
	12/24/2024	0.00	0.00			0.00	0.00			
	12/25/2024	0.00	1.38	4.71	4.76	0.00	0.00	0.00	0.00	
	12/26/2024	11.00	11.17			0.00	0.00			
	12/27/2024	12.00	11.67			0.00	0.00			
	12/28/2024	10.00	9.13			0.00	0.00			
1	12/29/2024	4.00	6.50			0.00	0.00			
	12/30/2024	19.00	16.56			0.00	0.00			
	12/31/2024	6.00	5.00			0.00	0.00			
	1/1/2025	0.00	4.33	9.29	9.59	0.00	0.00	0.00	0.00	
	1/2/2025	26.00	26.00			0.00	0.00			
	1/3/2025	8.00	6.88			0.00	0.00			
	1/4/2025	2.00	1.83			0.00	0.00			
2	1/5/2025	1.00	1.67			0.00	0.00			
	1/6/2025	5.00	4.06			0.00	0.00			
	1/7/2025	0.00	0.29			0.00	0.00			
	1/8/2025	2.00	1.88	2.71	2.78	0.00	0.00	0.00	0.00	
	1/9/2025	1.00	1.88			0.00	0.00			
	1/10/2025	7.00	6.42			0.00	0.00			
	1/11/2025	3.00	3.25			0.00	0.00			
3	1/12/2025	5.00	4.79			0.00	0.00			
	1/13/2025	3.00	3.25			0.00	0.00			
	1/14/2025	5.00	5.67			0.00	0.00			
	1/15/2025	9.00	8.00	4.29	4.18	0.00	0.00	0.00	0.00	
	1/16/2025	3.00	3.00			0.00	0.00			
	1/17/2025	3.00	2.83			0.00	0.00			
	1/18/2025	2.00	1.75			0.00	0.00			
4	1/19/2025	0.00	0.00			0.00	0.00			
	1/20/2025	0.00	1.17			0.00	0.00			
	1/21/2025	8.00	7.50			0.00	0.00			
	1/22/2025	5.00	4.38	3.00	3.03	0.00	0.00	0.00	0.00	
	1/23/2025	2.00	1.79			0.00	0.00			
	1/24/2025	1.00	1.67			0.00	0.00			
	1/25/2025	5.00	4.71			0.00	0.00			
5	1/26/2025	3.00	4.31			0.00	0.00			
	1/27/2025	10.00	8.31			0.00	0.00			
	1/28/2025	1.00	1.17			0.00	0.00			
	1/29/2025	2.00	6.33			0.00	0.00			
	1/29/2025	2.00		6.80	7.05	0.00	0.00	0.00	0.02	
	1/29/2025	10.00				0.00	0.00			
	1/30/2025	10.00	9.50			0.00	0.00			
	1/30/2025	9.00				0.00	0.00			
	1/31/2025	10.00	10.19			0.00	0.00			
	2/1/2025	11.00	9.54			0.00	0.21			
6	2/2/2025	1.00	3.67			1.00	0.83			
	2/3/2025	17.00	19.33			0.00	0.00			
	2/4/2025	31.00	29.98			0.00	0.00			
	2/5/2025	24.00	22.50	15.43	15.62	0.00	0.00	0.14	0.12	
	2/6/2025	16.00	15.06			0.00	0.00			
	2/7/2025	11.00	10.63			0.00	0.00			
	2/8/2025	8.00	8.15			0.00	0.00			
7	2/9/2025	9.00	12.19			0.00	0.00			
	2/10/2025	26.00	25.63			0.00	0.00			
	2/11/2025	24.00	22.00			0.00	0.00			
	2/12/2025	12.00	12.83	18.00	18.36	0.00	0.00	0.00	0.00	
	2/13/2025	17.00	17.19			0.00	0.00			
	2/14/2025	18.00	18.38			0.00	0.00			
	2/15/2025	20.00	20.33			0.00	0.00			
8	2/16/2025	22.00	22.29			0.00	0.00			
	2/17/2025	24.00	24.44			0.00	0.00			
	2/18/2025	27.00	26.56			0.00	0.00			
	2/19/2025	24.00	23.71	19.71	19.37	0.00	0.00	0.00	0.00	
	2/20/2025	22.00	20.67			0.00	0.00			
	2/21/2025	14.00	12.50			0.00	0.00			
	2/22/2025	5.00	5.44			0.00	0.00			
9	2/23/2025	8.00	8.67			0.00	0.00			
	2/24/2025	12.00	11.63			0.00	0.00			
	2/25/2025	10.00	10.00	12.43	12.63	0.00	0.00	0.00	0.00	
	2/26/2025	10.00	11.00			0.00	0.00			
	2/27/2025	18.00	16.67			0.00	0.00			

2/28/2025	10.00	11.31	0.00	0.00

Anheuser-Busch LLC- Fairfield Brewery

Biogas

Midpoint Methodology 52-Week Rolling Average Calculations Based on Readings Taken from the Week Beginning February 27, 2022 through the Present

Year	Week #	52-Week Rolling Average - based on Daily Averages Not to exceed 200 ppmv	52-Week Rolling Average - based on Hourly Averages* Not to exceed 200 ppmv
2024	36	27.56	26.82
	37	27.68	26.88
	38	27.61	26.79
	39	27.22	26.49
	40	27.44	26.80
	41	28.67	28.07
	42	27.59	26.95
	43	26.67	26.02
	44	27.09	26.36
	45	27.11	26.39
	46	27.14	26.42
	47	27.21	26.39
	48	27.35	26.61
	49	27.58	26.85
	50	26.85	26.33
	51	26.73	25.85
	52	20.37	19.50
2025	1	19.78	18.90
	2	18.96	18.09
	3	18.79	17.93
	4	18.49	17.63
	5	18.07	17.25
	6	17.64	16.95
	7	17.82	17.14
	8	17.99	17.30
	9	18.17	17.47

Offgas

Midpoint Methodology 52-Week Rolling Average Calculations Based on Readings Taken from the Week Beginning February 27, 2022 through the Present

Year	Week #	52-Week Rolling Average - based on Daily Averages Not to exceed 10 ppmv	52-Week Rolling Average - based on Hourly Averages* Not to exceed 10 ppmv
	36	0.15	0.10
	37	0.15	0.10
	38	0.15	0.10
	39	0.15	0.10
	40	0.15	0.10
	41	0.15	0.10
	42	0.15	0.10
	43	0.15	0.10
	44	0.15	0.10
	45	0.15	0.10
	46	0.15	0.10
	47	0.15	0.10
	48	0.15	0.10
	49	0.15	0.10
	50	0.19	0.15
	51	0.19	0.15
	52	0.19	0.15
	1	0.19	0.15
	2	0.19	0.15
	3	0.19	0.15
	4	0.19	0.15
	5	0.19	0.15
	6	0.20	0.15
	7	0.20	0.15
	8	0.20	0.15
	9	0.20	0.15

* Hourly averages are only available from January 25, 2023 to August 31, 2024, the dates on which the hour the reading was taken were recorded. The October 31, 2023 readings do not have a time stamp, so the most common reading time of 8 am (rounded to the nearest hour) was selected. Starting on September 1, 2024, readings revert back to once weekly, without a time stamp.

Hourly Conversion (decimal increments of whole number Days)

	Time	Hours Completed	Biogas 9/1/2024	9/2/2024	9/3/2024	9/4/2024
0.0417	1:00 AM	1	12	12	35	33
0.0833	2:00 AM	2	12	23.5	34.5	33
0.1250	3:00 AM	3	12	35	34	33
0.1667	4:00 AM	4	12	35	34	33
0.2083	5:00 AM	5	12	35	34	33
0.2500	6:00 AM	6	12	35	34	33
0.2917	7:00 AM	7	12	35	34	33
0.3333	8:00 AM	8	12	35	34	33
0.3750	9:00 AM	9	12	35	34	33
0.4167	10:00 AM	10	12	35	34	33
0.4583	11:00 AM	11	12	35	34	33
0.5000	12:00 PM	12	12	35	34	33
0.5417	1:00 PM	13	12	35	34	33
0.5833	2:00 PM	14	12	35	34	33
0.6250	3:00 PM	15	12	35	34	33
0.6667	4:00 PM	16	12	35	34	33
0.7083	5:00 PM	17	12	35	34	33
0.7500	6:00 PM	18	12	35	34	33
0.7917	7:00 PM	19	12	35	34	33
0.8333	8:00 PM	20	12	35	33.5	50.5
0.8750	9:00 PM	21	12	35	33	68
0.9167	10:00 PM	22	12	35	33	68
0.9583	11:00 PM	23	12	35	33	68
1.0000	12:00 AM	24	12	35	33	68
		Daily Average	12	33.5625	33.875	39.5625

	Time	Hours Completed	Offgas 9/1/2024	9/2/2024	9/3/2024	9/4/2024
0.0417	1:00 AM	1	0	0	0	12.5
0.0833	2:00 AM	2	0	0	0	12.5
0.1250	3:00 AM	3	0	0	0	12.5
0.1667	4:00 AM	4	0	0	0	12.5
0.2083	5:00 AM	5	0	0	0	12.5
0.2500	6:00 AM	6	0	0	0	12.5
0.2917	7:00 AM	7	0	0	0	12.5
0.3333	8:00 AM	8	0	0	0	12.5
0.3750	9:00 AM	9	0	0	0	12.5
0.4167	10:00 AM	10	0	0	0	0
0.4583	11:00 AM	11	0	0	0	0
0.5000	12:00 PM	12	0	0	0	0
0.5417	1:00 PM	13	0	0	0	0
0.5833	2:00 PM	14	0	0	0	0

0.6250	3:00 PM	15	0	0	0	0
0.6667	4:00 PM	16	0	0	0	0
0.7083	5:00 PM	17	0	0	0	0
0.7500	6:00 PM	18	0	0	0	0
0.7917	7:00 PM	19	0	0	0	0
0.8333	8:00 PM	20	0	0	6.25	0
0.8750	9:00 PM	21	0	0	12.5	0
0.9167	10:00 PM	22	0	0	12.5	0
0.9583	11:00 PM	23	0	0	12.5	0
1.0000	12:00 AM	24	0	0	12.5	0
		Daily Average	0	0	2.34375	4.6875

9/5/2024	9/6/2024	9/7/2024	9/8/2024	9/9/2024	9/10/2024	9/11/2024	9/12/2024
68	17	27	25	60	30	19	20
68	17	27	25	60	30	19	20
68	17	27	25	60	30	19	20
68	17	27	25	60	30	19	20
68	17	27	25	60	30	19	20
68	17	27	25	60	30	19	20
68	17	27	25	60	30	19	20
68	17	27	25	60	30	19	20
36	17	27	25	60	30	19	20
28	17	27	25	60	30	19	20
20	17	27	25	24	30	19	20
20	17	27	25	24	30	19	20
20	17	27	25	24	30	19	20
20	17	27	25	24	30	19	20
20	17	27	25	24	30	19	20
20	17	27	25	24	30	19	20
20	17	27	25	24	30	19	20
20	17	27	25	24	30	19	20
20	17	27	25	24	24.5	19	20
20	27	26	60	24	19	20	14
17	27	25	60	24	19	20	14
17	27	25	60	30	19	20	14
17	27	25	60	30	19	20	14
36.625	18.6666667	26.7083333	30.8333333	39.5	27.9375	19.1666667	19

9/5/2024	9/6/2024	9/7/2024	9/8/2024	9/9/2024	9/10/2024	9/11/2024	9/12/2024
0	0	0	0	0	0	0	0
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							

9/13/2024	9/14/2024	9/15/2024	9/16/2024	9/17/2024	9/18/2024	9/19/2024	9/20/2024
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
14	12	32	36	19	12	11	10
13	22	34	27.5	15.5	12	11	11.5
12	32	36	19	12	11	10	13
12	32	36	19	12	11	10	13
12	32	36	19	12	11	10	13
12	32	36	19	12	11	10	13
13.625	15.75	32.75	32.8125	17.6875	11.83333333	10.83333333	10.5625

9/13/2024	9/14/2024	9/15/2024	9/16/2024	9/17/2024	9/18/2024	9/19/2024	9/20/2024
0	0	0	0	0	0	0	0

0 0 0 0 0 0 0 0

9/21/2024	9/22/2024	9/23/2024	9/24/2024	9/25/2024	9/26/2024	9/27/2024	9/28/2024
13	0	26	19	15	10	19	11
13	0	26	19	15	10	19	11
13	0	26	19	15	10	19	11
13	0	26	19	15	10	19	11
13	0	26	19	15	10	19	11
13	0	26	19	15	10	19	11
13	0	26	19	15	10	19	11
13	0	26	19	15	10	19	11
13	0	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
13	22	26	19	15	10	19	11
6.5	22	22.5	17	12.5	14.5	19	11
0	22	19	15	10	19	19	11
0	26	19	15	10	19	11	47
0	26	19	15	10	19	11	47
0	26	19	15	10	19	11	47
10.5625	14.25	24.6875	18.25	14.0625	11.6875	18	15.5

9/21/2024	9/22/2024	9/23/2024	9/24/2024	9/25/2024	9/26/2024	9/27/2024	9/28/2024
0	0	0	0	0	0	0	0

0 0 0 0 0 0 0 0

9/29/2024	9/30/2024	10/1/2024	10/2/2024	10/3/2024	10/4/2024	10/5/2024
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
47	35	12	10	11	15	15
41	35	12	10	11	15	15
35	23.5	11	11	11	15	15
35	12	10	11	11	15	212.5
35	12	10	11	15	15	410
35	12	10	11	15	15	410
44.75	31.64583333	11.70833333	10.16666667	11.33333333	15	56.14583333

9/29/2024	9/30/2024	10/1/2024	10/2/2024	10/3/2024	10/4/2024	10/5/2024
0	0	0	0	0	0	0

0 0 0 0 0 0 0

		4	2	4	1	0.5
10/6/2024	10/7/2024	10/8/2024	10/9/2024	10/10/2024	10/11/2024	10/12/2024
410	410	4	2	4	1	0.5
410	410	4	2	4	1	0.5
410	410	4	2	4	1	0.5
410	410	4	2	4	1	0.5
410	410	4	2	4	1	0.5
410	410	4	2	4	1	0.5
410	410	4	2	4	1	0.5
410	410	4	2	4	1	0.5
410	195	4	2	4	1	0.5
410	105	4	2	4	1	0.5
410	105	4	2	4	1	0.5
410	105	4	2	4	1	0.5
410	21	4	2	4	1	0.5
410	21	4	2	4	1	0.5
410	21	4	2	4	1	0.5
410	21	4	2	4	1	0.5
410	21	4	2	4	1	0.5
410	21	4	2	4	1	0.5
410	21	4	2	4	1	0.5
410	21	3	2	4	1	0.5
410	21	2	4	1	0.5	0.5
410	21	2	4	1	0.5	0.5
410	21	2	4	1	0.5	0.5
410	4	2	4	1	0.5	0.5
410	167.7083333	3.625	2.333333333	3.5	0.916666667	0.5

10/6/2024	10/7/2024	10/8/2024	10/9/2024	10/10/2024	10/11/2024	10/12/2024
0	0	0	0	0	0	0

0	0	0	0	0	0	0

		1	9	8	2	1
10/13/2024	10/14/2024	10/15/2024	10/16/2024	10/17/2024	10/18/2024	10/19/2024
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	9	8	2	1
0.5	1	1	8	8	1.5	1
0.75	1	9	8	5	1	0
1	1	9	8	2	1	0
1	1	9	8	2	1	0
1	1	9	8	2	1	0
1	1	9	8	2	1	0
0.59375	1	2.666666667	8.75	6.875	1.770833333	0.791666667

10/13/2024	10/14/2024	10/15/2024	10/16/2024	10/17/2024	10/18/2024	10/19/2024
0	0	0	0	0	0	0

0 0 0 0 0 0 0

0	1	2	2	3	3	3

10/20/2024	10/21/2024	10/22/2024	10/23/2024	10/24/2024	10/25/2024	10/26/2024
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
0	1	2	2	3	3	3
1	1	2	2.5	3	3	3
1	1	2	3	3	3	3
1	2	2	3	3	3	3
1	2	2	3	3	3	3
1	2	2	3	3	3	3
0.208333333	1.125	2	2.1875	3	3	3

10/20/2024	10/21/2024	10/22/2024	10/23/2024	10/24/2024	10/25/2024	10/26/2024
0	0	0	0	0	0	0

0 0 0 0 0 0 0

					18	15
10/27/2024	10/28/2024	10/29/2024	10/30/2024	10/31/2024	11/1/2024	11/2/2024
3	53	31	21	22	18	15
3	53	31	21	22	18	15
3	53	31	21	22	18	15
3	53	31	21	22	18	15
3	53	31	21	22	18	15
3	53	31	21	22	18	15
3	53	31	21	22	18	15
3	53	31	21	22	18	15
28	45	31	21	22	18	15
53	37	31	21	22	18	15
53	37	31	21	22	18	15
53	29.5	31	21	22	18	15
53	22	31	21	22	18	15
53	22	31	21	22	18	15
53	22	31	21	22	18	15
53	22	31	21	22	18	15
53	22	31	21	22	18	15
53	22	31	21	22	18	15
53	22	31	21	22	18	15
53	22	31	21	22	18	15
53	22	26	21	22	18	15
53	22	21	21.5	22	15	15
53	22	21	22	18	15	15
53	31	21	22	18	15	15
35.29166667	35.22916667	29.54166667	21.10416667	21.66666667	17.625	15

10/27/2024	10/28/2024	10/29/2024	10/30/2024	10/31/2024	11/1/2024	11/2/2024
0	0	0	0	0	0	0

0 0 0 0 0 0 0

	14	12	17	12	16	

11/3/2024	11/4/2024	11/5/2024	11/6/2024	11/7/2024	11/8/2024	11/9/2024
15	14	12	17	12	16	16
15	14	12	17	12	16	16
15	14	12	17	12	16	16
15	14	12	17	12	16	16
15	14	12	17	12	16	16
15	14	12	17	12	16	16
15	14	12	17	12	16	16
15	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	14	12	17	12	16	16
14	12	14.5	14.5	16	16	16
14	12	17	12	16	16	16
14	12	17	12	16	16	16
14	12	17	12	16	16	16
14.33333333	13.66666667	12.72916667	16.27083333	12.66666667	16	16

11/3/2024	11/4/2024	11/5/2024	11/6/2024	11/7/2024	11/8/2024	11/9/2024
0	0	0	0	0	0	0

0 0 0 0 0 0 0

11/10/2024	11/11/2024	11/12/2024	11/13/2024	11/14/2024	11/15/2024	11/16/2024
16	2	2	10	4	7	2
16	2	2	10	4	7	2
16	2	2	10	4	7	2
16	2	2	10	4	7	2
16	2	2	10	4	7	2
16	2	2	10	4	7	2
16	2	2	10	4	7	2
9	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	2	10	4	7	2
2	2	6	10	4	7	2
2	2	10	4	4	7	2
2	2	10	4	4	7	2
2	2	10	4	7	2	2
2	2	10	4	7	2	2
6.375	2	3.5	9	4.25	6.583333333	2

11/10/2024	11/11/2024	11/12/2024	11/13/2024	11/14/2024	11/15/2024	11/16/2024
0	0	0	0	0	0	0

0 0 0 0 0 0 0

11/17/2024	11/18/2024	11/19/2024	11/20/2024	11/21/2024	11/22/2024
2	1	6	8	4	5
2	1	6	8	4	5
2	1	6	8	4	5
2	1	6	8	4	5
2	1	6	8	4	5
2	1	6	8	4	5
2	1	6	8	4	5
2	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	1	6	8	4	5
1	6	8	4	5	5
1	6	8	4	5	5
1	6	8	4	5	54
1	6	8	4	5	54
1.333333333	1.833333333	6.333333333	7.333333333	4.166666667	9.083333333

11/17/2024	11/18/2024	11/19/2024	11/20/2024	11/21/2024	11/22/2024
0	0	0	0	0	0

0	0	0	0	0	0

11/23/2024	11/24/2024	11/25/2024	11/26/2024	11/27/2024	11/28/2024	11/29/2024
54	3	12	10	10	10	21
54	3	12	10	10	10	21
54	3	12	10	10	10	21
54	3	12	10	10	10	21
54	3	12	10	10	10	21
54	3	12	10	10	10	21
54	3	12	10	10	10	21
54	3	12	10	10	10	21
54	3	12	10	10	10	21
54	3	12	10	10	10	21
20	3	12	10	10	10	21
20	3	12	10	10	10	21
20	3	12	10	10	10	21
20	3	12	10	10	10	21
20	3	12	10	10	10	21
20	3	12	10	10	10	21
20	3	12	10	10	10	21
20	3	12	10	10	10	21
20	3	12	10	10	10	21
20	7.5	11	10	10	10	21
20	12	10	10	10	21	21
11.5	12	10	10	10	21	21
3	12	10	10	10	21	21
3	12	10	10	10	21	21
32.39583333	4.6875	11.625	10	10	11.83333333	21

11/23/2024	11/24/2024	11/25/2024	11/26/2024	11/27/2024	11/28/2024	11/29/2024
0	0	0	0	0	0	0

0 0 0 0 0 0 0

11/30/2024	12/1/2024	12/2/2024	12/3/2024	12/4/2024	12/5/2024	12/6/2024
21	21	30	38	38	19	25
21	21	30	38	38	19	25
21	21	30	38	38	19	25
21	21	30	38	38	22	25
21	21	30	38	38	25	25
21	21	30	38	28.5	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	21	30	38	19	25	25
21	25.5	30	38	19	25	25
21	30	30	38	19	25	25
21	30	38	38	19	25	25
21	21.9375	30.33333333	38	23.35416667	24.125	25

11/30/2024	12/1/2024	12/2/2024	12/3/2024	12/4/2024	12/5/2024	12/6/2024
0	0	0	0	0	0	0

0 0 0 0 0 0 0

12/7/2024	12/8/2024	12/9/2024	12/10/2024	12/11/2024	12/12/2024	12/13/2024
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	25	0	0	0
25	25	25	12.5	0	0	0
25	25	25	24.47916667	0	0	0

12/7/2024	12/8/2024	12/9/2024	12/10/2024	12/11/2024	12/12/2024	12/13/2024
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0

0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
0	5	5	5	0	0	0
2.5	5	5	5	0	0	0
5	5	5	5	0	0	0
5	5	5	5	0	0	0
5	5	5	5	0	0	0
0.729166667	5	5	5	0	0	0

12/14/2024	12/15/2024	12/16/2024	12/17/2024	12/18/2024	12/19/2024	12/20/2024
0	0	0	105	1	1	0
0	0	0	210	1	1	0
0	0	0	210	1	1	0
0	0	0	210	1	1	0
0	0	0	210	1	1	0
0	0	0	210	1	1	0
0	0	0	210	1	1	0
0	0	0	210	1	1	0
0	0	0	210	1	1	0
0	0	0	210	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	22	1	1	0
0	0	0	1	1	1	0
0	0	0	1	1	0.5	0
0	0	0	94.20833333	1	0.979166667	0

12/14/2024	12/15/2024	12/16/2024	12/17/2024	12/18/2024	12/19/2024	12/20/2024
0	0	0	0	0	0	0
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						

0
0
0
0
0
0
0
0
0
0
0
0 0 0 0 0 0 0

12/21/2024	12/22/2024	12/23/2024	12/24/2024	12/25/2024	12/26/2024	12/27/2024
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	11	12
0	0	0	0	0	12	10
0	0	0	0	11	12	10
0	0	0	0	11	12	10
0	0	0	0	11	12	10
0	0	0	0	1.375	11.16666667	11.66666667

12/21/2024	12/22/2024	12/23/2024	12/24/2024	12/25/2024	12/26/2024	12/27/2024
0	0	0	0	0	0	0

0 0 0 0 0 0 0

						8	2
12/28/2024	12/29/2024	12/30/2024	12/31/2024	1/1/2025	1/2/2025	1/3/2025	1/4/2025
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	19	6	0	26	8	2
10	4	12.5	6	0	26	5	2
7	19	6	0	26	26	2	1
4	19	6	0	26	26	2	1
4	19	6	0	26	26	2	1
4	19	6	0	26	26	2	1
9.125	6.5	16.5625	5	4.333333	26	6.875	1.833333

12/28/2024	12/29/2024	12/30/2024	12/31/2024	1/1/2025	1/2/2025	1/3/2025	1/4/2025
0	0	0	0	0	0	0	0

0 0 0 0 0 0 0 0

1	5	0	2	1	7	3	5

1/5/2025	1/6/2025	1/7/2025	1/8/2025	1/9/2025	1/10/2025	1/11/2025	1/12/2025
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	5	0	2	1	7	3	5
1	2.5	0	2	1	7	3	5
5	0	1	2	4	5	3	5
5	0	2	1	7	3	5	4
5	0	2	1	7	3	5	3
5	0	2	1	7	3	5	3
1.666667	4.0625	0.291667	1.875	1.875	6.416666667	3.25	4.791666667

1/5/2025	1/6/2025	1/7/2025	1/8/2025	1/9/2025	1/10/2025	1/11/2025	1/12/2025
0	0	0	0	0	0	0	0

0 0 0 0 0 0 0 0

3	5	9	3	3	2	0

1/13/2025	1/14/2025	1/15/2025	1/16/2025	1/17/2025	1/18/2025	1/19/2025
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	5	9	3	3	2	0
3	9	3	3	2	2	0
5	9	3	3	2	0	0
5	9	3	3	2	0	0
5	9	3	3	2	0	0
3.25	5.666666667	8	3	2.833333333	1.75	0

1/13/2025	1/14/2025	1/15/2025	1/16/2025	1/17/2025	1/18/2025	1/19/2025
0	0	0	0	0	0	0

0 0 0 0 0 0 0

0	8	5	2	1	5	3

1/20/2025	1/21/2025	1/22/2025	1/23/2025	1/24/2025	1/25/2025	1/26/2025
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	5	2	1	5	3
0	8	2	1	1	5	6.5
4	5	2	1	5	4	10
8	5	2	1	5	3	10
8	5	2	1	5	3	10
8	5	2	1	5	3	10
1.166666667	7.5	4.375	1.791666667	1.666666667	4.708333333	4.3125

1/20/2025	1/21/2025	1/22/2025	1/23/2025	1/24/2025	1/25/2025	1/26/2025
0	0	0	0	0	0	0

0 0 0 0 0 0 0

10	1			10	11	1	17

1/27/2025	1/28/2025	1/29/2025	1/30/2025	1/31/2025	2/1/2025	2/2/2025	2/3/2025
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	2	10	10	11	1	17
10	1	10	9	10	11	1	17
10	1	10	9	10	11	1	17
10	1	10	9	10	11	1	17
10	1	10	9	10	11	1	17
10	1	10	9	10	11	1	17
10	1	10	9	10	11	1	17
10	1	10	9	10	11	1	17
10	1	10	9	10	11	1	17
5.5	1	10	9	10.5	11	1	17
1	2	10	9	11	6	17	31
1	2	10	9	11	1	17	31
1	2	10	9.5	11	1	17	31
1	2	10	10	11	1	17	31
8.3125	1.166666667	6.333333333	9.5	10.1875	9.541667	3.666667	19.33333

1/27/2025	1/28/2025	1/29/2025	1/30/2025	1/31/2025	2/1/2025	2/2/2025	2/3/2025
0	0	0	0	0	0	1	0
						1	0
						1	0
						1	0
						1	0
						1	0
						1	0
						1	0
					0	1	
					0	1	
					0	1	
					0	1	
					0	1	
					0	1	

					0	1	
					0	1	
					0	1	
					0	1	
					0	1	
					0	1	
					0.5	0	
					1	0	
					1	0	
					1	0	
0	0	0	0	0	0.205882	0.833333	0

31	24	16	11	8	9	26	24	12

2/4/2025	2/5/2025	2/6/2025	2/7/2025	2/8/2025	2/9/2025	2/10/2025	2/11/2025	2/12/2025
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	24	16	11	8	9	26	24	12
31	20	13.5	11	8	17.5	25	24	12
27.5	16	11	11	8.5	26	24	12	17
24	16	11	8	9	26	24	12	17
24	16	11	8	9	26	24	12	17
24	16	11	8	9	26	24	12	17
29.97917	22.5	15.0625	10.625	8.145833	12.1875	25.625	22	12.83333333

2/4/2025	2/5/2025	2/6/2025	2/7/2025	2/8/2025	2/9/2025	2/10/2025	2/11/2025	2/12/2025
0	0	0	0	0	0	0	0	0

0 0 0 0 0 0 0 0 0

17	18	20	22	24	27	24

2/13/2025	2/14/2025	2/15/2025	2/16/2025	2/17/2025	2/18/2025	2/19/2025
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17	18	20	22	24	27	24
17.5	19	20	22	24	27	24
18	20	22	23	25.5	25.5	23
18	20	22	24	27	24	22
18	20	22	24	27	24	22
18	20	22	24	27	24	22
17.1875	18.375	20.33333333	22.29166667	24.4375	26.5625	23.70833333

2/13/2025	2/14/2025	2/15/2025	2/16/2025	2/17/2025	2/18/2025	2/19/2025
0	0	0	0	0	0	0

0	0	0	0	0	0	0

22	14	5	8	12	10	10

2/20/2025	2/21/2025	2/22/2025	2/23/2025	2/24/2025	2/25/2025	2/26/2025
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	12	10	10
22	14	5	8	11	10	10
14	5	6.5	12	10	10	10
14	5	8	12	10	10	18
14	5	8	12	10	10	18
14	5	8	12	10	10	18
20.66666667	12.5	5.4375	8.666666667	11.625	10	11

2/20/2025	2/21/2025	2/22/2025	2/23/2025	2/24/2025	2/25/2025	2/26/2025
0	0	0	0	0	0	0

0 0 0 0 0 0 0

18	10

2/27/2025	2/28/2025
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
18	10
10	14.5
10	19
10	19
10	19
16.66666667	11.3125

2/27/2025	2/28/2025
0	0

0 0

Highlight Key

Wednesdays

Notes Entries

	Biogas H2S	Offgas H2S
Date	PPMV	PPMV
9/1/2024	12.00	0.00
9/2/2024	35.00	0.00
9/3/2024	34.00	0.00
9/4/2024	33.00	17.00
9/4/2024		8.00
9/4/2024		0.00
9/5/2024	68.00	0.00
9/5/2024	36.00	
9/5/2024	20.00	
9/6/2024	17.00	0.00
9/7/2024	27.00	0.00
9/8/2024	25.00	0.00
9/9/2024	60.00	0.00
9/9/2024	24.00	
9/10/2024	30.00	0.00
9/11/2024	19.00	0.00
9/12/2024	20.00	0.00
9/13/2024	14.00	0.00
9/14/2024	12.00	0.00
9/15/2024	32.00	0.00
9/16/2024	36.00	0.00
9/17/2024	19.00	0.00
9/18/2024	12.00	0.00
9/19/2024	11.00	0.00
9/20/2024	10.00	0.00
9/21/2024	13.00	0.00
9/22/2024	0.00	0.00
9/22/2024	22.00	
9/23/2024	26.00	0.00
9/24/2024	19.00	0.00
9/25/2024	15.00	0.00
9/26/2024	10.00	0.00
9/27/2024	19.00	0.00
9/28/2024	11.00	0.00
9/29/2024	47.00	0.00
9/30/2024	35.00	0.00
10/1/2024	12.00	0.00
10/2/2024	10.00	0.00
10/3/2024	11.00	0.00

10/4/2024	15.00	0.00
10/5/2024		0.00
10/6/2024		0.00
10/7/2024	410.00	0.00
10/7/2024	195.00	
10/7/2024	105.00	
10/7/2024	21.00	
10/8/2024	4.00	0.00
10/9/2024	2.00	0.00
10/10/2024	4.00	0.00
10/11/2024	1.00	0.00
10/12/2024	0.50	0.00
10/13/2024		0.00
10/14/2024		0.00
10/15/2024	1.00	0.00
10/16/2024	9.00	0.00
10/17/2024	8.00	0.00
10/18/2024	2.00	0.00
10/19/2024	1.00	0.00
10/20/2024	0.00	0.00
10/21/2024	1.00	0.00
10/22/2024	2.00	0.00
10/23/2024	2.00	0.00
10/24/2024	3.00	0.00
10/25/2024	3.00	0.00
10/26/2024	3.00	0.00
10/27/2024		0.00
10/28/2024	53.00	0.00
10/28/2024	37.00	
10/28/2024	22.00	
10/29/2024	33.00	0.00
10/30/2024	21.00	0.00
10/31/2024	22.00	0.00
11/1/2024	18.00	0.00
11/2/2024	15.00	0.00
11/3/2024		0.00
11/4/2024	14.00	0.00
11/5/2024	12.00	0.00
11/6/2024	17.00	0.00
11/7/2024	12.00	0.00
11/8/2024	16.00	0.00
11/9/2024		0.00
11/10/2024		0.00
11/11/2024		0.00
11/12/2024	2.00	0.00
11/13/2024	10.00	0.00
11/14/2024	4.00	0.00
11/15/2024	7.00	0.00
11/16/2024	2.00	0.00
11/17/2024		0.00
11/18/2024	1.00	0.00
11/19/2024	6.00	0.00
11/20/2024	8.00	0.00
11/21/2024	4.00	0.00
11/22/2024	5.00	0.00

11/23/2024	54.00	0.00
11/23/2024	20.00	
11/24/2024	3.00	0.00
11/25/2024	12.00	0.00
11/26/2024	10.00	0.00
11/27/2024		0.00
11/28/2024		0.00
11/29/2024		0.00
11/30/2024		0.00
12/1/2024	21.00	0.00
12/2/2024	30.00	0.00
12/3/2024	38.00	0.00
12/4/2024	19.00	0.00
12/5/2024	25.00	0.00
12/6/2024		0.00
12/7/2024		0.00
12/8/2024		5.00
12/9/2024		
12/10/2024		
12/11/2024		
12/12/2024		
12/13/2024		
12/14/2024		0.00
12/15/2024		0.00
12/16/2024	0.00	0.00
12/17/2024	210.00	0.00
12/17/2024	22.00	
12/18/2024	1.00	0.00
12/19/2024	1.00	0.00
12/20/2024	0.00	0.00
12/21/2024	0.00	0.00
12/22/2024	0.00	0.00
12/23/2024	0.00	0.00
12/24/2024	0.00	0.00
12/25/2024	0.00	0.00
12/26/2024	11.00	0.00
12/27/2024	12.00	0.00
12/28/2024	10.00	0.00
12/29/2024	4.00	0.00
12/30/2024	19.00	0.00
12/31/2024	6.00	0.00
1/1/2025	0.00	0.00
1/2/2025	26.00	0.00
1/3/2025	8.00	0.00
1/4/2025	2.00	0.00
1/5/2025	1.00	0.00
1/6/2025	5.00	0.00
1/7/2025	0.00	0.00
1/8/2025	2.00	0.00
1/9/2025	1.00	0.00
1/10/2025	7.00	0.00
1/11/2025	3.00	0.00
1/12/2025	5.00	0.00
1/13/2025	3.00	0.00
1/14/2025	5.00	0.00

1/15/2025	9.00	0.00
1/16/2025	3.00	0.00
1/17/2025	3.00	0.00
1/18/2025	2.00	0.00
1/19/2025	0.00	0.00
1/20/2025	0.00	0.00
1/21/2025	8.00	0.00
1/22/2025	5.00	0.00
1/23/2025	2.00	0.00
1/24/2025	1.00	0.00
1/25/2025	5.00	0.00
1/26/2025	3.00	0.00
1/27/2025	10.00	0.00
1/28/2025	1.00	0.00
1/29/2025	2.00	0.00
1/29/2025	2.00	0.00
1/29/2025	10.00	0.00
1/30/2025	10.00	0.00
1/30/2025	9.00	0.00
1/31/2025	10.00	0.00
2/1/2025	11.00	0.00
2/2/2025	1.00	1.00
2/3/2025	17.00	0.00
2/4/2025	31.00	0.00
2/5/2025	24.00	0.00
2/6/2025	16.00	0.00
2/7/2025	11.00	0.00
2/8/2025	8.00	0.00
2/9/2025	9.00	0.00
2/10/2025	26.00	0.00
2/11/2025	24.00	0.00
2/12/2025	12.00	0.00
2/13/2025	17.00	0.00
2/14/2025	18.00	0.00
2/15/2025	20.00	0.00
2/16/2025	22.00	0.00
2/17/2025	24.00	0.00
2/18/2025	27.00	0.00
2/19/2025	24.00	0.00
2/20/2025	22.00	0.00
2/21/2025	14.00	0.00
2/22/2025	5.00	0.00
2/23/2025	8.00	0.00
2/24/2025	12.00	0.00
2/25/2025	10.00	0.00
2/26/2025	10.00	0.00
2/27/2025	18.00	0.00
2/28/2025	10.00	0.00

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant #: A0606

Permit Chart IIB

Condition #17176

PRESSURE DROP (INCHES OF WATER)

Month	***A-12*** *(0.5-6 in)*	***A-36*** *(0.5-6 in)*	***A-51*** [b] *(1-6 in.)*	***A-54*** *(1-6 in.)*	***A-134 (Title V)*** ***A-126 (PTO)*** *(0.5-6 in)*	***A-125*** [a] *(0.25-3 in)*
Sep-24	3.63	Did not operate during this reproting period	1.00	4.89	Did not operate during this reproting period	Did not operate during this reproting period
Oct-24	3.90	Did not operate during this reproting period	5.68	4.89	Did not operate during this reproting period	Did not operate during this reproting period
Nov-24	4.22	Did not operate during this reproting period	5.30	4.99	Did not operate during this reproting period	Did not operate during this reproting period
Dec-24	4.48	Did not operate during this reproting period	1.00	4.79	Did not operate during this reproting period	Did not operate during this reproting period
Jan-25	4.53	Did not operate during this reproting period	4.09	1.85	Did not operate during this reproting period	Did not operate during this reproting period
Feb-25	5.02	Did not operate during this reproting period	1.36	3.59	Did not operate during this reproting period	Did not operate during this reproting period

*a = Devices run only as a back-up system

*b = Device only runs when grains are being unloaded

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 16202

S-120, -128, -171, -172, -173, -174, -175, -176, -179, -185, -186, -187, -188

12 Month Limit: Ink 694 gallons; Solvent thinner 310 gallons; Acetone 90 gallons. S-185 & S-186 Ink Limit: 156 gallons per consecutive 12 month period and is track on a separate sheet.

POC Emission Limit: 11,133 pounds per consectutive 12 months from all sources; NPOC Emission Limit: 603 pounds per consecutive 12 months from all sources. S-185, S-186 POC emission limits 105 pounds in 12 month period and tracked on a separate sheet.

Month & Year	Video-Jet Ink 16-8200 (Qt)	Video-Jet Solvent 16-8205 (Qt)	Diagraph TWP-101 Black Ink (5 Gal Pail) S-128 Hicone	Diagraph TWP-101 Conditioner (5 Gal Pail) S-128 Hicone	Linx Ink 3103 (1/2 Ltr) S-187/188 Keg Coder	Linx Solvent 3501 (1/2 Ltr) S-187/188 Keg Coder	Scan True II Ink Jet Ink (Liter) S-120/Kister S-179/3-Pack	Video-Jet Ink V410-D (750 ml) S-171 to 176 CL40/50 Can Coders	Video-Jet Make up V705-D (750 ml) S-171 to 176 CL40/50 Can Coders	Video-Jet Conditioner V901-Q (Liter) S-171 to 176 CL40/50 Can Coders	Video-Jet Marsh IJ-P-BK2-G5 (5 Gal Pail) S-185/186 BL Coders	Monthly Ink Usage (Gal)	Monthly Solvent Usage (Gal)	Monthly Acetone Usage (Gal)	12 Month Ink Usage (Gal) Limit 694	12 Month Solvent Usage (Gal) Limit 310	12 month Acetone Usage (Gal) Limit 90	Monthly POC Emission (Lb.)	Monthly NPOC Emission (Lb.)	12-Month POC Emission (Lb.) Limit 11,133	12-Month NPOC Emission (Lb.) Limit 603
SAP #	**1012066**	**1206384**	**1369178**	**1326520**	**1318353**	**1318352**	**1568880**	**1745231**	**1745232**	**1722033**	**1786641**											
CTS #	**03528-000**	**00152-000**	**16510-000**	**06080-000**	**13635-000**	**13694-000**	**27321-000**	**45683-000**	**45684-000**	**42559-0000**	**47861-000**											
Density lb/gal	**7.52**	**6.68**	**8.84**	**8.39**	**7.52**	**6.68**	**8.35**	**6.68**	**6.68**	**7.52**	**8.41**											
Density lb/unit	**1.88**	**1.67**	**44**	**42**	**0.99**	**0.88**	**2.20**	**1.34**	**1.34**	**1.98**	**42**											
% POC	**71**	**100**	**20**	**40**	**47.5**	**20**	**80**	**67.00**	**100**	**100**	**8**											
lbs POC/unit	**1.33**	**1.67**	**8.84**	**16.78**	**0.47**	**0.18**	**1.76**	**0.90**	**1.34**	**1.98**	**3.37**											
% NPOC	**0**	**0**	**0**	**0**	**47.5**	**80**	**20**	**0**	**0**	**0**	**96**											
lbs NPOC/unit	**0.00**	**0.00**	**0.00**	**0.00**	**0.47**	**0.71**	**0.44**	**0.00**	**0.00**	**0.00**	**40.38**											
September-24	0	0	0	0	0	0	31	7	42	5	0	**9.58**	**9.72**	0.00	**81.8**	**115.7**	**11.2**	126.97	13.67	**964.9**	**261.9**
October-24	0	0	0	0	0	0	24	17	80	2	1	**14.74**	**16.53**	0.00	**87.4**	**118.8**	**8.0**	171.75	50.96	**1,037.5**	**290.8**
November-24	0	0	0	0	0	0	12	0	30	2	0	**3.17**	**6.53**	0.00	**80.6**	**114.0**	**8.0**	65.21	5.29	**998.3**	**253.5**
December-24	0	0	0	0	0	10	0	0	48	2	0	**0.00**	**11.45**	1.06	**80.6**	**120.0**	**8.0**	69.86	7.05	**1,038.4**	**253.5**
January-25	0	0	1	0	0	0	0	6	27	4	1	**11.20**	**6.46**	0.00	**84.0**	**123.6**	**8.0**	62.92	40.38	**1,055.2**	**291.3**
February-25	0	0	0	0	0	0	4	12	42	3	0	**3.46**	**9.19**	0.00	**86.3**	**124.0**	**7.0**	79.86	1.76	**1,077.8**	**286.0**

A-130 Weekly Visible Emission Check
BAAQMD Condition #26338

Complete while equipmnent is operating and during daylight hours. If visible emissions are detected, take corrective actions.

Month and Year:	September 2024				
Week:	**Week 1**	**Week 2**	**Week 3**	**Week 4**	**Week 5**
Inspection Date:	9/3/2024	9/10/2024	9/19/2024	9/27/2024	
Any visible emissions?	Yes (No)	Yes (No)	Yes (No)	Yes (No)	Yes No
Initials:	NS	NS	NS	NS	

If "Yes," for visible emissions, complete the following:

Is there evidence of particulate breakthrough? If so, please explain.	
Have the filter bags been checked for any tears, holes, abrasions, scuffs and replaced as needed?	
If evident, replace bags as needed.	
What was the total duration of this visible emmission incident?	
What corrective actions were taken to eliminate the visible emission?	
Additional Comments:	

Note: No discharge of an air contaminant into the atmosphere for a period or periods aggregating more than 3 minutes in any hour, which is as dark or darker than a Ringlemann 1.0.

A-130 Weekly Visible Emission Check
BAAQMD Condition #26338

Complete while equipmnent is operating and during daylight hours. If visible emissions are detected, take corrective actions.

Month and Year:	October 2024				
Week:	**Week 1**	**Week 2**	**Week 3**	**Week 4**	**Week 5**
Inspection Date:	10/4/2024	10/8/2024	10/18/2024	10/22/2024	10/31/2024
Any visible emissions?	Yes (No)	Yes (No)	Yes (No)	Yes (No)	Yes (No)
Initials:	NS	NS	NS	NS	NS

If "Yes," for visible emissions, complete the following:

Is there evidence of particulate breakthrough? If so, please explain.	
Have the filter bags been checked for any tears, holes, abrasions, scuffs and replaced as needed?	
If evident, replace bags as needed.	
What was the total duration of this visible emmission incident?	
What corrective actions were taken to eliminate the visible emission?	
Additional Comments:	

Note: No discharge of an air contaminant into the atmosphere for a period or periods aggregating more than 3 minutes in any hour, which is as dark or darker than a Ringlemann 1.0.

A-130 Weekly Visible Emission Check
BAAQMD Condition #26338

Complete while equipmnent is operating and during daylight hours. If visible emissions are detected, take corrective actions.

Month and Year:	November 2024				
Week:	**Week 1**	**Week 2**	**Week 3**	**Week 4**	**Week 5**
Inspection Date:	11/12/2024	11/13/2024	11/18/2024	11/22/2024	
Any visible emissions?	Yes (No)	Yes (No)	Yes (No)	Yes (No)	Yes No
Initials:	NS	NS	NS	NS	

If "Yes," for visible emissions, complete the following:

Is there evidence of particulate breakthrough? If so, please explain.	
Have the filter bags been checked for any tears, holes, abrasions, scuffs and replaced as needed?	
If evident, replace bags as needed.	
What was the total duration of this visible emmission incident?	
What corrective actions were taken to eliminate the visible emission?	
Additional Comments:	

Note: No discharge of an air contaminant into the atmosphere for a period or periods aggregating more than 3 minutes in any hour, which is as dark or darker than a Ringlemann 1.0.

A-130 Weekly Visible Emission Check
BAAQMD Condition #26338

Complete while equipmnent is operating and during daylight hours. If visible emissions are detected, take corrective actions.

Month and Year:	December 2024				
Week:	**Week 1**	**Week 2**	**Week 3**	**Week 4**	**Week 5**
Inspection Date:	12/3/2024	12/10/2024	12/17/2024	12/23/2024	
Any visible emissions?	Yes (No)	Yes (No)	Yes (No)	Yes (No)	Yes No
Initials:	NS	NS	NS	NS	

If "Yes," for visible emissions, complete the following:

Is there evidence of particulate breakthrough? If so, please explain.	
Have the filter bags been checked for any tears, holes, abrasions, scuffs and replaced as needed?	
If evident, replace bags as needed.	
What was the total duration of this visible emmission incident?	
What corrective actions were taken to eliminate the visible emission?	
Additional Comments:	

Note: No discharge of an air contaminant into the atmosphere for a period or periods aggregating more than 3 minutes in any hour, which is as dark or darker than a Ringlemann 1.0.

A-130 Weekly Visible Emission Check
BAAQMD Condition #26338

Complete while equipmnent is operating and during daylight hours. If visible emissions are detected, take corrective actions.

Month and Year:	January 2025				
Week:	**Week 1**	**Week 2**	**Week 3**	**Week 4**	**Week 5**
Inspection Date:	1/7/2025	1/13/2025	1/21/25	1/28/25	
Any visible emissions?	Yes (No)	Yes (No)	Yes (No)	Yes (No)	Yes No
Initials:	NS	NS	NS	JL	

If "Yes," for visible emissions, complete the following:

Is there evidence of particulate breakthrough? If so, please explain.	
Have the filter bags been checked for any tears, holes, abrasions, scuffs and replaced as needed?	
If evident, replace bags as needed.	
What was the total duration of this visible emmission incident?	
What corrective actions were taken to eliminate the visible emission?	
Additional Comments:	

Note: No discharge of an air contaminant into the atmosphere for a period or periods aggregating more than 3 minutes in any hour, which is as dark or darker than a Ringlemann 1.0.

A-130 Weekly Visible Emission Check
BAAQMD Condition #26338

Complete while equipmnent is operating and during daylight hours. If visible emissions are detected, take corrective actions.

Month and Year:	February 2025				
Week:	**Week 1**	**Week 2**	**Week 3**	**Week 4**	**Week 5**
Inspection Date:	2/3/25	2/11/25	2/18/25	2/28/25	
Any visible emissions?	Yes **(No)**	Yes **(No)**	Yes **(No)**	Yes **(No)**	Yes / No
Initials:	TL	MS	TL	MS	

If "Yes," for visible emissions, complete the following:

Is there evidence of particulate breakthrough? If so, please explain.	
Have the filter bags been checked for any tears, holes, abrasions, scuffs and replaced as needed?	
If evident, replace bags as needed.	
What was the total duration of this visible emmission incident?	
What corrective actions were taken to eliminate the visible emission?	
Additional Comments:	

Note: No discharge of an air contaminant into the atmosphere for a period or periods aggregating more than 3 minutes in any hour, which is as dark or darker than a Ringlemann 1.0.

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606
Permit Condition #9061
S-134 & S-137 Total Filtering Aid Loading Throughputs
Permit Limit: 222 tons during 12 month consecutive period

Month	*Filter Aid 2024*	*Filter Aid 2025*	Consecutive Summary *2024 12MONTH TOTAL*	Consecutive Summary *2025 12MONTH TOTAL*
JAN		0.4		5.9
FEB		0.3		5.8
MAR				
APR				
MAY				
JUN				
JUL				
AUG				
SEP	0.7		5.8	
OCT	0.6		6.1	
NOV	0.3		6.1	
DEC	0.3		5.9	
Sum	1.84	0.69		

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition #8195

S-135 Railcar Fumigation Venting

Permit Limit: 2,190 rail cars in a 12 month period

		Number of railcars unloaded		*12 Month Total Railcars Unloaded*	*Consecutive 12 Month Total Railcars Unloaded 2025*
Month	*2024*	*2025*		2024	
JAN		0			25
FEB		0			25
MAR					
APR					
MAY					
JUN					
JUL					
AUG					
SEP	5			21	
OCT	4			25	
NOV	0			25	
DEC	0			25	
Sum	9	0			

No fumigants are added to railcars at this facility.

Anheuser-Busch LLC- Fairfield Brewery
BAAQMD Plant #: A0606
Permit Condition #20632 (1 & 2)
S-149, S-150, & S-151 Lauter Tub and Brew Kettle Throughput
Limit: 4,441,320 bbls of wort per consecutive 12 month period

			12 Month Consecutive Summary	12 Month Consecutive Summary
Month	**2024**	**2025**	**12 MONTH TOTAL 2024**	**12 MONTH TOTAL 2025**
JAN		118,077		1,493,660
FEB		157,386		1,539,032
MAR				
APR				
MAY				
JUN				
JUL				
AUG				
SEP	166,229		1,554,506	
OCT	108,577		1,548,715	
NOV	70,826		1,551,772	
DEC	84,313		1,522,433	
Sum	429,945	275,463		

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition #17177

S-141, 142 Fumigation of Milling Operations

Limit: 240 lbs. of phosphine gas in any consecutive 12-month period

Fumigant Usage (lbs.)

Quarter	*2024*	*2025 YTD*	*12 MONTH TOTAL 2024*	*12 MONTH TOTAL 2025*
1st		0.00		**11.70**
2nd				
3rd	0.00		**0.18**	
4th	11.70		**11.88**	
Sum	11.70	0.00		

1st Quarter is through March.
2nd Quarter is through June.
3rd Quarter is through September.
4th Quarter is through December.

Permit Condition #20632(3) & 21639(2)
S-149, S-150, S-151, & S-158 Total Beer Throughput
Limit: 6,351,088 bbls of beer per consecutive 12 month period

Month	2024	2025	12 Month Consecutive Summary 12 MONTH TOTAL 24	12 Month Consecutive Summary 12 MONTH TOTAL 25
JAN		166,496		2,260,701
FEB		158,381		2,239,206
MAR				
APR				
MAY				
JUN				
JUL				
AUG				
SEP	269,685		2,240,649	
OCT	209,177		2,290,341	
NOV	157,673		2,318,147	
DEC	115,960		2,305,632	
Sum	752,495	324,877		

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant #: A0606 Permit Condition # 21595 (1) & 21639 (1)

S-154, 155 & 158 Weekly Filler Rate

S-158 = 1,800 bottle/min, S-154 = 1,560 cans/min,
S-155 = 1,565 cans/min, S-168 = 2.124MMBls/12 months

Week	Line 01 (1800 bottles/min) Source 158	(New) Line 40 (2.124 MMbls/12 months) Source 168 (BBLS/WEEK)	Line 50 (weekly can throughput) Source 155 (CAN/Week)	Line 50 (1565 cans) Source 155 (CAN/MIN)
9/2/2024	0	30,463	4,696,488	1,105
9/9/2024	457	35,702	5,873,304	1,440
9/16/2024	0	42,839	4,925,472	1,074
9/23/2024	474	36,020	7,195,128	1,345
9/30/2024	0	13,754	3,841,272	1,161
10/7/2024	507	22,439	3,595,920	1,246
10/14/2024	0	35,632	5,615,736	1,367
10/21/2024	470	24,029	5,691,360	1,549
10/28/2024	0	30,560	5,947,944	1,208
11/4/2024	470	29,270	6,545,568	1,381
11/11/2024	0	16,032	4,645,680	1,180
11/18/2024	498	25,248	6,659,328	1,338
11/25/2024	0	0	0	0
12/2/2024	743	15,768	9,475,992	1,257
12/9/2024	0	23,644	4,865,112	1,531
12/16/2024	522	0	3,691,176	1,289
12/23/2024	0	0	0	0
12/30/2024	0	7,650	2,559,000	1,262
1/6/2025	459	18,198	5,273,904	1,254
1/13/2025	508	23,941	5,933,328	1,455
1/20/2025	0	20,383	2,739,984	1,215
1/27/2025	476	0	6,579,312	1,383
2/3/2025	0	16,633	3,040,512	1,048
2/10/2025	471	29,322	5,015,040	1,295
2/17/2025	0	22,346	3,241,440	1,460
2/24/2025	502	27,887	4,785,624	1,155

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 22851

S-156 Stationary Diesel Engine (Fire Pump)

Limit: For emergency use or 34 hours/calendar year for reliability testing

	Reliability Testing (Hrs)	*Reliability Testing (Hrs)*
Month	***2024***	***2025***
JAN		1.90
FEB		1.90
MAR		
APR		
MAY		
JUN		
JUL		
AUG		
SEP	1.50	
OCT	3.20	
NOV	1.90	
DEC	2.30	
TOTAL	**8.90**	**3.80**

	Emergency Conditions (Hrs)	*Emergency Conditions (Hrs)*
Month	***2024***	***2025***
JAN		0.00
FEB		0.00
MAR		
APR		
MAY		
JUN		
JUL		
AUG		
SEP	0.00	
OCT	0.00	
NOV	0.00	
DEC	0.00	
TOTAL	**0.00**	**0.00**

	Emission Testing (Hrs)	*Emission Testing (Hrs)*
Month	***2024***	***2025***
JAN		0.00
FEB		0.00
MAR		
APR		
MAY		
JUN		
JUL		
AUG		
SEP	0.00	
OCT	0.00	
NOV	0.00	
DEC	0.00	
TOTAL	**0.00**	**0.00**

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 21369 (2) S - 158 = 6,351,088 barrels/12 months
Permit Condition # 23956 (1) S - 168 = 2,124,000 barrels/12 months

Month	Source 158 Line 01 Monthly Barrels	Source 158 Line 01 (6,351,088 barrels/12 month)	Source 168 Line 40 Monthly Barrels	Source 168 Line 40 (2,124,000 barrels/12 months)
September-24	9,826.39	128,198.10	170,905.20	1,087,538.66
October-24	9,834.02	130,398.42	114,546.67	1,132,103.20
November-24	9,568.03	132,634.06	87,561.83	1,165,944.40
December-24	9,248.88	134,968.44	39,411.39	1,151,087.37
January-25	12,469.00	136,907.03	70,185.00	1,135,843.59
February-25	7,546.81	133,033.29	91,019.35	1,134,999.94

Anheuser Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant #: A0607

Permit Condition # 22851

S-165 Stationary Diesel Engine (Emergency Generator)

Limit: For emergency use or 50 hours/calendar year for reliability testing

Month	Reliability Testing (Hrs) 2024	Reliability Testing (Hrs) 2025
JAN		0.00
FEB		0.20
MAR		
APR		
MAY		
JUN		
JUL		
AUG		
SEP	0.20	
OCT	0.00	
NOV	0.00	
DEC	8.50	
TOTAL	**8.70**	**0.20**

Month	Emergency Conditions (Hrs) 2024	Emergency Conditions (Hrs) 2025
JAN		0.00
FEB		0.00
MAR		
APR		
MAY		
JUN		
JUL		
AUG		
SEP	0.00	
OCT	0.00	
NOV	0.00	
DEC	0.00	
TOTAL	**0.00**	**0.00**

Month	Emission Testing (Hrs) 2024	Emission Testing (Hrs) 2025
JAN		0.00
FEB		0.00
MAR		
APR		
MAY		
JUN		
JUL		
AUG		
SEP	0.00	
OCT	0.00	
NOV	0.00	
DEC	0.00	
TOTAL	**0.00**	**0.00**

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 23750

S-166 and S-167 BERS Boiler Flare Ratio

Limit: 52 week rolling average not to exceed 10%

Year	Week #	Biogas Production (cubic feet)	Biogas Flared (cubic feet)	Ratio of Biogas Flared to Produced (%)	Ratio of Biogas Flared to Produced 52-Week Rolling Average Not to exceed 10%
2024	36	2,030,839	11,664	0.57	3.13
	37	2,124,147	94,326	4.44	2.98
	38	1,877,616	6,938	0.37	2.85
	39	1,908,372	18,566	0.97	2.74
	40	1,588,939	145,956	9.19	2.86
	41	1,616,499	55,563	3.44	2.79
	42	1,279,100	9	0.00	2.51
	43	1,389,776	52,665	3.79	2.48
	44	1,324,648	16,425	1.24	2.37
	45	1,254,737	97,191	7.75	2.50
	46	979,262	98,438	10.05	2.69
	47	1,463,253	8,539	0.58	2.70
	48	388,046	71,370	18.39	2.69
	49	840,674	2,047	0.24	2.68
	50	1,588	1,588	99.99	4.59
	51	838,941	87,034	10.37	4.78
	52	418,814	30,290	7.23	4.79
2025	1	761,427	13,299	1.75	4.82
	2	1,189,925	28,229	2.37	4.87
	3	1,260,932	18,964	1.50	4.89
	4	1,074,236	104,663	9.74	5.08
	5	1,383,244	109,510	7.92	5.23
	6	1,556,185	720	0.05	5.23
	7	1,617,438	0	0.00	5.23
	8	1,653,928	0	0.00	5.23
	9	227,714	3,282	1.44	4.71

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 23750

S-166 and S-167 Daily Biogas Production Log

		Biogas Production	Biogas Flared
	9/1/2024	224,109	0
	9/2/2024	294,463	0
	9/3/2024	371,143	0
36	9/4/2024	315,563	10,648
	9/5/2024	331,485	1,016
	9/6/2024	266,497	0
	9/7/2024	233,773	0
	9/8/2024	217,916	0
	9/9/2024	312,706	0
	9/10/2024	278,912	202
37	9/11/2024	363,327	1,892
	9/12/2024	345,462	83,640
	9/13/2024	306,268	8,344
	9/14/2024	255,256	248
	9/15/2024	262,216	0
	9/16/2024	256,004	0
	9/17/2024	270,773	0
38	9/18/2024	279,547	0
	9/19/2024	339,376	0
	9/20/2024	318,001	0
	9/21/2024	198,905	3,668
	9/22/2024	215,010	3,270
	9/23/2024	237,507	0
	9/24/2024	242,096	18,566
39	9/25/2024	280,985	0
	9/26/2024	235,947	0
	9/27/2024	307,341	0
	9/28/2024	298,863	0
	9/29/2024	305,632	0
	9/30/2024	252,287	0
	10/1/2024	272,849	0
40	10/2/2024	288,923	0
	10/3/2024	322,661	0
	10/4/2024	277,367	47,312
	10/5/2024	84,023	84,022
	10/6/2024	90,829	14,622
	10/7/2024	235,183	0
	10/8/2024	248,438	0
41	10/9/2024	270,237	0
	10/10/2024	343,807	2,110
	10/11/2024	251,505	37,707
	10/12/2024	176,502	1,124
	10/13/2024	70,703	70,702
	10/14/2024	73,683	9,161
	10/15/2024	269,216	0
42	10/16/2024	317,779	0
	10/17/2024	282,115	0
	10/18/2024	265,604	0
	10/19/2024	200,037	0
	10/20/2024	183,244	0
	10/21/2024	217,999	0
	10/22/2024	218,701	0
43	10/23/2024	249,552	0
	10/24/2024	231,403	0
	10/25/2024	200,940	0
	10/26/2024	87,936	52,665
	10/27/2024	93,877	16,425
	10/28/2024	148,628	0
	10/29/2024	154,447	0

:e of Data: UPA Data imported to 010310 to 020610 Biogas and Offgas.xls
RS Log.xlsx

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 23750

S-166 and S-167 Daily Biogas Production Log

		Biogas Production	Biogas Flared
44	10/30/2024	284,591	0
	10/31/2024	311,700	0
	11/1/2024	222,771	0
	11/2/2024	108,634	65,350
	11/3/2024	125,920	20,662
	11/4/2024	181,438	0
	11/5/2024	202,180	701
45	11/6/2024	204,438	0
	11/7/2024	240,841	0
	11/8/2024	225,067	977
	11/9/2024	74,852	74,851
	11/10/2024	26,399	26,398
	11/11/2024	28,325	1,169
	11/12/2024	200,544	197
46	11/13/2024	217,856	0
	11/14/2024	240,960	0
	11/15/2024	189,920	0
	11/16/2024	75,257	70,674
	11/17/2024	101,348	8,539
	11/18/2024	186,529	0
	11/19/2024	192,712	0
47	11/20/2024	264,678	0
	11/21/2024	263,008	0
	11/22/2024	300,446	0
	11/23/2024	154,532	0
	11/24/2024	157,031	267
	11/25/2024	155,208	0
	11/26/2024	63,267	58,562
48	11/27/2024	7,180	7,180
	11/28/2024	5,116	5,116
	11/29/2024	9	9
	11/30/2024	236	236
	12/1/2024	96,419	0
	12/2/2024	178,611	40
	12/3/2024	261,570	1,732
49	12/4/2024	278,918	0
	12/5/2024	25,154	273
	12/6/2024	1	1
	12/7/2024	1	1
	12/8/2024	6	6
	12/9/2024	5	5
	12/10/2024	8	8
50	12/11/2024	3	3
	12/12/2024	0	0
	12/13/2024	120	120
	12/14/2024	1,446	1,446
	12/15/2024	5	5
	12/16/2024	70,785	70,785
	12/17/2024	208,854	15,985
51	12/18/2024	209,560	0
	12/19/2024	159,477	0
	12/20/2024	109,197	0
	12/21/2024	81,065	259
	12/22/2024	14,493	12,286
	12/23/2024	1,343	1,343
	12/24/2024	252	252
52	12/25/2024	18,507	15,208
	12/26/2024	94,833	1,201
	12/27/2024	153,117	0

:e of Data: UPA Data imported to 010310 to 020610 Biogas and Offgas.xls
RS Log.xlsx

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 23750

S-166 and S-167 BERS WW Throughput

Limit: 12 month rolling average not to exceed 778 MM Gallons

Month	Wastewater Throughput (MM Gallons)	Wastewater Throughput 12-Month Rolling Average	Wastewater Total for 12 month period Not to Exceed 778 MM Gallons
Sep-24	15.04	14.06	168.66
Oct-24	14.01	14.12	169.49
Nov-24	10.46	14.04	168.51
Dec-24	10.89	13.85	166.15
Jan-25	13.24	13.56	162.70
Feb-25	14.07	13.58	163.01

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 23750

S-166 and S-167 Daily Biogas Production Log

		Biogas Production	Biogas Flared
	12/28/2024	136,270	0
	12/29/2024	143,438	0
	12/30/2024	92,887	0
	12/31/2024	13,470	10,081
2025	1/1/2025	62,109	3,218
1	1/2/2025	107,703	0
	1/3/2025	194,136	0
	1/4/2025	147,683	0
	1/5/2025	125,442	0
	1/6/2025	175,178	0
	1/7/2025	251,776	0
2	1/8/2025	193,471	0
	1/9/2025	250,078	0
	1/10/2025	162,240	120
	1/11/2025	31,740	28,109
	1/12/2025	82,168	0
	1/13/2025	198,649	0
	1/14/2025	245,129	0
3	1/15/2025	214,025	0
	1/16/2025	244,313	0
	1/17/2025	239,695	0
	1/18/2025	36,954	18,964
	1/19/2025	1,999	1,999
	1/20/2025	49,769	0
	1/21/2025	166,363	0
4	1/22/2025	271,311	154
	1/23/2025	246,307	3,280
	1/24/2025	273,626	34,370
	1/25/2025	64,861	64,860
	1/26/2025	119,375	6,741
	1/27/2025	208,866	1,042
	1/28/2025	303,518	0
5	1/29/2025	227,366	0
	1/30/2025	231,942	0
	1/31/2025	181,159	0
	2/1/2025	111,019	101,727
	2/2/2025	114,060	0
	2/3/2025	213,205	587
	2/4/2025	223,473	0
6	2/5/2025	230,502	133
	2/6/2025	240,478	0
	2/7/2025	329,957	0
	2/8/2025	204,510	0
	2/9/2025	151,844	0
	2/10/2025	209,250	0
	2/11/2025	256,606	0
7	2/12/2025	301,088	0
	2/13/2025	255,467	0
	2/14/2025	240,744	0
	2/15/2025	202,440	0
	2/16/2025	238,366	0
	2/17/2025	203,428	0
	2/18/2025	184,674	0
8	2/19/2025	260,571	0
	2/20/2025	281,971	0
	2/21/2025	310,827	0
	2/22/2025	174,090	0
	2/23/2025	159,320	0
	2/24/2025	220,721	0

:e of Data: UPA Data imported to 010310 to 020610 Biogas and Offgas.xls
RS Log.xlsx

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 23750

S-166 and S-167 Daily Biogas Production Log

	Biogas Production	Biogas Flared
2/25/2025	271,796	552
2/26/2025	294,034	0
2/27/2025	243,066	0
2/28/2025	201,284	2,730

9

Anheuser-Busch LLC - Fairfield Brewery

BAAQMD Plant #: A0606

Permit Condition # 23750

S-166 and S-167 BERS Biogas Production

Limit: 12 month rolling average not to exceed 864,000 cf/day

	Biogas Production (cubic feet)	Biogas Production 12-Month Rolling Average Not to Exceed 864,000 Ft3/day
Sep-24	8,417,370	256,655.37
Oct-24	6,724,478	256,219.85
Nov-24	4,416,703	253,190.18
Dec-24	2,349,813	243,425.04
Jan-25	5,308,949	233,274.10
Feb-25	6,328,790	232,191.09

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant# A0606

Permit Condition #26901 & 26902

S-185 & S-186 Videojet Bottle Coder Ink Use

Limit: 5 gallons of Marsh P-Ink Midnight Black j-P-BK2-G5 in any one day per coder; 156 gallons in any consecutive 12 month period per coder.
Total POC emissions: 105 pounds in consecutive 12 month period per coder.

Description	Video-Jet Marsh IJ-P-BK2-G5 5-Gallon Pail
SAP #	1786641
CTS #	47861-000
Density Lb./Gal	8.41
Density Lb./Unit	42
% POC	8
Lbs. POC/Unit	3.37
% NPOC	96
Lbs. NPOC/Unit	40.38

Month	Qty. Issued	Date Issued	Monthly Ink Usage (Gallons)	12-Month Ink Usage (Gallons)	Monthly POC Emissions (Lbs.)	12-Month POC Emissions (Lbs.)
Sep-24	0		0	20	0	13.48
Oct-24	1	10/24/2024	5	25	3.37	16.85
Nov-24	0		0	20	0	13.48
Dec-24	0		0	20	0	13.48
Jan-25	1	1/16/2025	5	25	3.37	16.85
Feb-25	0			25	0	16.85

Anheuser-Busch LLC- Fairfield Brewery

BAAQMD Plant# A0606

Permit Condition #27227

S-187 & S-188 Keg Coder Ink and Solvent Use

Linx Black Mixed Base Ink 3103: 13 gallons in any consecutive 12 month period
Linx Solvent 3501: 42 gallons in any consecutive 12 month period
Total Precursor Organic Compound (POC) Emissions: 71 pounds in any consecutive 12 month period
Total Non-Precursor Organic Compounds (NPOC) Emissions: 301 pounds in any consecutive 12 month period

Description	Linx Ink 3103 (1/2 Ltr) Keg Coder
SAP #	1318353
CTS #	13635-000
Density Lb./Gal	7.52
Density Lb./Unit	0.99
% POC	47.5
Lbs. POC/Unit	0.47
% NPOC	47.5
Lbs. NPOC/Unit	0.47

Description	Linx Solvent 3501 (1/2 Ltr) Keg Coder
SAP #	1318352
CTS #	13694-000
Density Lb./Gal	6.68
Density Lb./Unit	0.88
% POC	20
Lbs. POC/Unit	0.18
% NPOC	80
Lbs. NPOC/Unit	0.71

Month	Qty. Issued	Date Issued	Monthly Ink Usage (Gallons)	12-Month Ink Usage (Gallons)	Monthly POC Emissions (Lbs.)	12-Month POC Emissions (Lbs.)	Monthly NPOC Emissions (Lbs.)	12-Month NPOC Emissions (Lbs.)	Qty. Issued	Date Issued	Monthly Solvent Usage (Gallons)	12-Month Solvent Usage (Gallons)	Monthly POC Emissions (Lbs.)	12-Month POC Emissions (Lbs.)	Monthly NPOC Emissions (Lbs.)	12-Month NPOC Emissions (Lbs.)
Sep-24	0		0.00	1.32	0.00	4.70	0.00	4.70	0		0.00	13.20	0.00	18.00	0.00	71.00
Oct-24	0		0.00	1.32	0.00	4.70	0.00	4.70	0		0.00	9.24	0.00	12.60	0.00	49.70
Nov-24	0		0.00	1.32	0.00	4.70	0.00	4.70	0		0.00	9.24	0.00	12.60	0.00	49.70
Dec-24	0		0.00	1.32	0.00	4.70	0.00	4.70	10	12/10/2024	1.32	9.24	1.80	12.60	7.10	49.70
Jan-25	0		0.00	1.32	0.00	4.70	0.00	4.70	0		0.00	9.24	0.00	12.60	0.00	49.70
Feb-25	0		0.00	1.32	0.00	4.70	0.00	4.70	0		0.00	7.92	0.00	10.80	0.00	42.60

Ozone Generators: Source 189 and 190
September 2024

Ozone Generator	Generator Start	Generator Stop	Run Time	Total Run Time	Atmospheric Montior #1 Maximum	Atmospheric Montior #2 Maximum
No ozone generated in September 2024					No ozone generated in September 2024	No ozone generated in September 2024

Ozone Generators: Source 189 and 190
October 2024

Ozone Generator	Generator Start	Generator Stop	Run Time	Total Run Time	Atmospheric Montior #1 Maximum	Atmospheric Montior #2 Maximum
OG1	10/1/2024 10:28	10/1/2024 10:37	9.2	9.2	0	0
OG1	10/1/2024 12:24	10/1/2024 12:36	11.7	20.8	0	0
OG1	10/1/2024 23:59	10/1/2024 23:59		20.8	Start time and end time differ by less than 15 microseconds	Start time and end time differ by less than 15 microseconds
OG2	10/1/2024 8:46	10/1/2024 8:47	0.1	0.1	0	0
OG2	10/1/2024 8:47	10/1/2024 8:50	2.6	2.6	0	0
OG2	10/1/2024 8:51	10/1/2024 9:14	22.6	25.2	0	0
OG2	10/1/2024 23:59	10/1/2024 23:59		25.2	Start time and end time differ by less than 15 microseconds	Start time and end time differ by less than 15 microseconds

Ozone Generators: Source 189 and 190
November 2024

Ozone Generator	Generator Start	Generator Stop	Run Time	Total Run Time	Atmospheric Montior #1 Maximum	Atmospheric Montior #2 Maximum
No ozone generated in November 2024					No ozone generated in November 2024	No ozone generated in November 2024

Ozone Generators: Source 189 and 190
December 2024

Ozone Generator	Generator Start	Generator Stop	Run Time	Total Run Time	Atmospheric Montior #1 Maximum	Atmospheric Montior #2 Maximum
No ozone generated in December 2024					No ozone generated in December 2024	No ozone generated in December 2024

Ozone Generators: Source 189 and 190
January 2025

Ozone Generator	Generator Start	Generator Stop	Run Time	Total Run Time	Atmospheric Montior #1 Maximum	Atmospheric Montior #2 Maximum
No ozone generated in January 2025					No ozone generated in January 2025	No ozone generated in January 2025

Ozone Generators: Source 189 and 190
February 2025

Ozone Generator	Generator Start	Generator Stop	Run Time	Total Run Time	Atmospheric Montior #1 Maximum	Atmospheric Montior #2 Maximum
No ozone generated in February 2025					No ozone generated in February 2025	No ozone generated in February 2025