

Bay Area Air Quality Management District Comment Card

~ PROPOSED DRAFT REGULATION 11, RULE 18: REDUCTION OF RISK FROM AIR TOXIC EMISSIONS AT EXISTING FACILITIES ~

Persons wishing to submit written comment are encouraged to do so.

Name: Jennifer Schulte Email Address or Phone Number: _____

Organization Represented: _____

Address: _____

City: _____ State: _____ Zip: _____

PUBLIC COMMENT:

Consider adjustments to time lines for facilities. 30 days for small facilities to gather data for HRA is not feasible. Consider feasible reviews of Risk Reduction Plans by district + facility. Consider revisions to Acute HI levels similar to other air districts such as SCAQMD 1402 (K). Consider mechanism to ensure facility involvement + right to a later HRA in regulation appeals if disagree w/ district HRA. Timeline for shortening should always take into consideration feasibility to engineer, permit + construct. 3yr. is a tight time line given timing for outages at plant to implement. 401.2 should have confidential exclusion patterned like 401.4

11-18-16 Please leave completed comment card at the sign-in desk or with an Air District staff person.

consider more specific revision triggers similar to those in SCAQMD 1402. Written comments will be accepted until Friday, December 2, 2016.

Bay Area Air Quality Management District Comment Card

~ PROPOSED DRAFT REGULATION 11, RULE 18: REDUCTION OF RISK FROM AIR TOXIC EMISSIONS AT EXISTING FACILITIES ~

Persons wishing to submit written comment are encouraged to do so.

Name: Mike Beck Email Address or Phone Number: _____

Organization Represented: _____

Address: _____

City: _____ State: _____ Zip: _____

PUBLIC COMMENT:

If toxics have been reduced 86% since 1990 why are we cutting the target of 100 by 90% (to 10). why not go to a more cost effective number like 50 or 25. why do we keep incurring costs to live and work in the Bay Area.

Should not treat businesses/industry different than individuals by forcing them to retrofit vs individuals (fireplaces) only change when

Please leave completed comment card at the sign-in desk or with an Air District staff person. then

Written comments will be accepted until Friday, December 2, 2016.

upgrade or
install new

**~ PROPOSED DRAFT REGULATION 11, RULE 18: REDUCTION OF RISK FROM AIR
TOXIC EMISSIONS AT EXISTING FACILITIES ~**

Name: Frederick M. WARREN Email Address or Phone Number: —

Address: _____

PUBLIC COMMENT: 1 11/1/11

Gov't funding should be drastically curtailed because though larded with high sounding words your draconian rules are overly stringent and fail to actually benefit the public in light of far more pressing concerns.

Written comments will be accepted until Friday, December 2, 2016.

Bay Area Air Quality Management District Comment Card

~ PROPOSED DRAFT REGULATION 11, RULE 18: REDUCTION OF RISK FROM AIR TOXIC EMISSIONS AT EXISTING FACILITIES ~

Persons wishing to submit written comment are encouraged to do so.

Name: RANI FISCHER Email Address or Phone Number: _____

Organization Represented: PENINSULA INTERFAITH CLIMATE ACTION

Address: _____

City: _____ State: _____ Zip: _____

PUBLIC COMMENT:

Thank you for your dedication to our community and for your thoughtful efforts to protect us. Please continue to enforce your regulations. Rule 11-18 seems realistic and comprehensive in scope. Don't lighten any efforts. I look forward to the climate workshops in January.

Please leave completed comment card at the sign-in desk or with an Air District staff person.
Written comments will be accepted until Friday, December 2, 2016.

Bay Area Air Quality Management District Comment Card

~ PROPOSED DRAFT REGULATION 11, RULE 18: REDUCTION OF RISK FROM AIR TOXIC EMISSIONS AT EXISTING FACILITIES ~

Persons wishing to submit written comment are encouraged to do so.

Name: Karen Lauricella Email Address or Phone Number: _____

Organization Represented: _____

Address: _____

City: _____ State: _____ Zip: _____

PUBLIC COMMENT:

Concerning the time given to implement Best Control Technologies and other retrofits (of Diesel ICE's), the District should consider a 3 yr. period with an option of another 3 yrs. due to State funding for State funded facilities. Currently there are no ~~other~~ bond measure funds available and it will be at least 5 yrs. for a new bond to go to vote and funds realized. To use funds slated for other educational purposes and repair facilities shouldn't be a factor. Please leave completed comment card at the sign-in desk or with an Air District staff person. if not enough time to implement. Written comments will be accepted until Friday, December 2, 2016. changes. Thank you.

Bay Area Air Quality Management District Comment Card

~ CEQA SCOPING MEETING ON DRAFT REGULATION 12, RULE 16 AND

PROPOSED DRAFT REGULATION 11, RULE 18 ~

Persons wishing to submit written comment are encouraged to

Name:

Greg Karra

Email Address or Phone Number:

Organization Represented:

CBCE

Address:

City:

State:

Zip:

PUBLIC COMMENT:

Several questions about scope of CEQA review

Please leave completed comment card at the sign-in desk or with an Air District staff person.

Written comments will be accepted until Friday, December 2, 2016.